

Exercises for Section 11.4

Ex 1.

Partitions on $A = \{a, b\}$

1. $\{\{a, b\}\}$
2. $\{\{a\}, \{b\}\}$

Ex 2.

Partitions on $A = \{a, b, c\}$

1. $\{\{a, b, c\}\}$
2. $\{\{a\}, \{b, c\}\}$
3. $\{\{b\}, \{a, c\}\}$
4. $\{\{c\}, \{a, b\}\}$
5. $\{\{a\}, \{b\}, \{c\}\}$

Ex 3.

The equivalence relation $\equiv \pmod{4}$ partitions \mathbb{Z} into

$$\{[0], [1], [2], [3]\} = \{\{\dots, -4, 0, 4, \dots\}, \{\dots, -3, 1, 5, \dots\}, \{\dots, -2, 2, 6, \dots\}, \{\dots, -1, 3, 7, \dots\}, \}.$$

Ex 4. Proposition: Suppose P is a partition of set A , R is a relation on A such that $(x, y) \in R$ if and only if $x, y \in X$ for some $X \in P$. Then R is an equivalence relation on A .

Proof.

First we show that R is reflexive. Suppose $x \in A$. Because P is a partition of A , we have that $x \in X$ for some $X \in P$. By definition of R , it follows that $(x, x) \in R$ and consequently R is reflexive.

Next we show that R is symmetric. Suppose $(x, y) \in R$. So $x, y \in X$ for some $X \in P$. From this it directly follows that $(y, x) \in R$, thus R is symmetric.

Finally we show that R is transitive. Suppose $(a, b), (b, c) \in R$. Then $a, b \in X_1$ and $b, c \in X_2$ for some $X_1, X_2 \in P$. Then the definition of P (two different subsets of P have no elements in common) combined with the fact that $b \in X_1$ and $b \in X_2$, implies that $X_1 = X_2$. So $a, b, c \in X_1$, implies that $(a, c) \in R$. Thus R is transitive.

□

Ex 4. Proposition: Suppose P is a partition of set A , R is a relation on A such that $(x, y) \in R$ if and only if $x, y \in X$ for some $X \in P$. Then P is the set of equivalence classes of R .

Proof.

Skipped for now. There is a non-cogent proof [here](#).

□

Ex 5. R is the equivalence relation $\equiv \pmod{2}$.

Ex 6. R is the equivalence relation defined as: $(x, y) \in R$ if and only if $|x| = |y|$.