
CROSS SECTION PROFILE

	CROSS	SECTION	PROFILE				
	LENGTH	ELEV.	SLOPE	ROUGHNESS			
1	-856.0	-15.9	.00	1.00			
2	-834.0	-13.4					
3	-832.1	-4.7	.22	1.00			
4	-812.1	-4.5	80.00	1.00			
5	-790.1	-4.3	146.67	1.00			
6	-424.1	-4.3	FLAT	1.00			
7	-416.1	-3.8	14.55	1.00			
8	-112.1	-3.8	FLAT	1.00			
9			8.63	1.00			
	-100.1	-2.4	5.46	1.00			
10	-90.1	5	22.22	1.00			
11	-86.1	4	FLAT	1.00			
12	-4.1	4	9.71	1.00			
13	15.9	1.7	FLAT	1.00			
14	69.9	1.7	17.98	1.00			
15	85.9	2.6					
16	95.9	3.4	12.50	1.00			
17	107.9	5.3	6.25	1.00			
18	117.9	10.3	1.99	1.00			
19	121.9	12.8	1.63	1.00			
20	131.9		2.66	1.00			
20			2.00	I AGE POHGINING	1 00		
	LAS	T SLOPE	3.00	LAST ROUGHNESS	1.00		

CLIENT- FEMA ** WAVE RUNUP-VERSION 2.0 ** ENGINEERED BY sjh JOB job 2 PROJECT-RUNUP2 transect: CM-132 RUN 1 PAGE 2

OUTPUT TABLE

INPUT PARAMETERS RUNUP RESULTS

WATER LEVEL ABOVE DATUM (FT.)	DEEP WATER WAVE HEIGHT (FT.)	WAVE PERIOD (SEC.)	BREAKING SLOPE NUMBER	RUNUP SLOPE NUMBER	RUNUP ABOVE WATER LEVEL (FT.)	BREAKER DEPTH (FT.)
8.90	1.95	3.84	11	17	1.15	2.98
8.90	1.95	4.05	11	17	1.12	3.03
8.90	1.95	4.25	11	17	1.10	3.07
8.90	2.06	3.84	11	17	.92	3.13
8.90	2.06	4.05	11	17	.87	3.17
8.90	2.06	4.25	11	17	.84	3.22
8.90	2.16	3.84	11	17	.71	3.26
8.90	2.16	4.05	11	17	.66	3.31
8.90	2.16	4.25	11	17	.63	3.35