
PART 5: RUNUP2

for transect: CM-127

Station locations shifted by: -0.05 feet from their
original location to set the shoreline to
elevation 0 for RUNUP2 input

RUNUP2 INPUT CONVERSIONS

for transect: CM-127

Incident significant wave height: 5.87 feet

Peak wave period: 9.74 seconds

Mean wave height: 3.68 feet

Local Depth below SWEL: 39.35 feet

Mean wave height deshoaled using Hunt approximation for
celerity assuming constant wave energy flux.

References: R.G. Dean and R.A. Dalrymple. 2000. Water

Wave Mechanics for Engineers and Scientists. World
Scientific Publishing Company, River Edge New Jersey

USACE (1985), Direct Methods for Calculating Wavelength, CETN-1-17
US Army Engineer Waterways Experiment Station Coastal Engineering
Research Center, Vicksburg, MS

also see Coastal Engineering Manual Part II-3
for discussion of shoaling coefficient

Depth, $D = 39.35$

Period, $T = 8.28$

Waveheight, $H = 3.68$

Deep water wavelength, $L0$ (ft)

$L0 = g \cdot T^2 / 2\pi$

$L0 = 32.17 \cdot 8.28^2 / 6.28 = 350.74$

Deep water wave celerity, $C0$ (ft/s)

$C0 = L0 / T$

$C0 = 350.74 / 8.28 = 42.38$

Angular frequency, σ (rad/s)

$\sigma = 2\pi / T$

$\sigma = 6.28 / 8.28 = 0.76$

Hunts (1979) approximation for Celerity $C1H$ (ft/s) at Depth D (ft)

$y = \sigma \cdot \sigma \cdot D / g$

$y = 0.76 \cdot 0.76 \cdot 39.35 / 32.17 = 0.70$

$C1H = \sqrt{g \cdot D / (y + 1 / (1 + 0.6522 \cdot y + 0.4622 \cdot y^2 + 0.0864 \cdot y^4 + 0.0675 \cdot y^5))}$

$C1H = 31.38$

Shoaling Coefficient KsH

$KsH = \sqrt{C0 / C1H}$

$KsH = \sqrt{42.38 / 31.38} = 1.16$

Deepwater Wave Height $H0_H$ (ft)

$H0_H = H / KsH$

$H0_H = 3.68 / 1.16 = 3.16$

Deepwater mean wave height: 3.16 feet

END RUNUP2 CONVERSIONS

RUNUP2 RESULTS

for transect: CM-127

RUNUP2 SWEL:

8.90

8.90

8.90

8.90

8.90
8.90
8.90
8.90
8.90

RUNUP2 deepwater mean wave heights:

3.00
3.00
3.00
3.16
3.16
3.16
3.32
3.32
3.32

RUNUP2 mean wave periods:

7.86
8.28
8.69
7.86
8.28
8.69
7.86
8.28
8.69

RUNUP2 runup above SWEL:

6.46
6.79
7.15
6.60
6.98
7.36
6.69
7.14
7.54

RUNUP2 Mean runup height above SWEL: 6.97 feet

RUNUP2 2-percent runup height above SWEL: 15.33 feet

RUNUP2 2-percent runup elevation: 24.23 feet-NAVD88

RUNUP2 Messages:

Nonfatal Error, Check Output

END RUNUP2 RESULTS

ACES BEACH RUNUP

Incident significant wave height: 5.87 feet

Significant wave height deshoaled using Hunt equation

Deepwater significant wave height: 4.43 feet

Peak wave period: 9.74 seconds

Average beach Slope: 1:16.96 (H:V)

ACES RUNUP CALCULATED USING 'Aces_Beach_Runup.m'

ACES Beach 2-percent runup height above SWEL: 5.85 feet

ACES Beach 2-percent runup elevation: 14.75 feet-NAVD88

ACES BEACH RUNUP is valid

_____END ACES BEACH RESULTS_____

PART 5 COMPLETE_____