```
% begin recording
diary on
% FEMA appeal for The Town of Harpswell, Cumberland county, Maine
% TRANSECT ID: CM-126-1
% calculation by SJH, Ransom Consulting, Inc. 20-Feb-2020
% 100-year wave runup using TAW methodology
% including berm and weighted average with foreshore if necessary
% chk nld 20200220
% This script assumes that the incident wave conditions provided
% as input in the configuration section below are the
% appropriate values located at the end of the foreshore
% or toe of the slope on which the run-up is being calculated
% the script does not attempt to apply a depth limit or any other
\mbox{\ensuremath{\mbox{\$}}} transformation to the incident wave conditions other than
% conversion of the peak wave period to the spectral mean wave
% as recommended in the references below
% references:
Van der Meer, J.W., 2002. Technical Report Wave Run-up and
% Wave Overtopping at Dikes. TAW Technical Advisory Committee on
% Flood Defence, The Netherlands.
% FEMA. 2007, Atlantic Ocean and Gulf of Mexico Coastal Guidelines Update
% CONFIG
fname='inpfiles/CM-126-1sta_ele_include.csv'; % file with station, elevation, include
                                            % third column is 0 for excluded points
imgname='logfiles/CM-126-1-runup';
SWEL=8.8944; % 100-yr still water level including wave setup. H0=3.2859; % significant wave height at toe of structure
Tp=11.1501;
                % peak period, 1/fma,
T0=Tp/1.1;
gamma_berm=0.99698; % this may get changed automatically below
gamma_rough=0.8;
gamma_beta=1;
gamma_perm=1;
setupAtToe=0.084521;
maxSetup=0.32708;
                      % only used in case of berm/shallow foreshore weighted average
plotTitle='Iterative TAW for CM-126-1'
plotTitle =
Iterative TAW for CM-126-1
% END CONFIG
              ______
SWEL=SWEL+setupAtToe
SWEL =
                     8.978921
SWEL fore=SWEL+maxSetup
SWEL fore =
                     9.306001
% FIND WAVELENGTH USING DEEPWATER DISPERSION RELATION
% using English units
L0=32.15/(2*pi)*T0^2
T<sub>1</sub>O =
           525.742714750798
% Find Hb (Munk, 1949)
%Hb=H0/(3.3*(H0/L0)^(1/3))
%Db=-Hb/.78+SWEL; % depth at breaking
% The toe elevation here is only used to determine the average
% structure slope, it is not used to depth limit the wave height.
% Any depth limiting or other modification of the wave height
```

```
% to make it consitent with TAW guidance should be performed
% prior to the input of the significant wave height given above.
Ztoe=SWEL-1.5*H0
Ztoe =
                  4.050071
% read the transect
[sta,dep,inc] = textread(fname,'%n%n%n%*[^\n]','delimiter',',','headerlines',0);
% remove unselected points
k=find(inc==0);
sta(k)=[];
dep(k)=[];
sta_org=sta; % used for plotting purposes
dep_org=dep;
% initial guess at maximum run-up elevation to estimate slope
Z2=SWEL+1.5*H0
Z2 =
                 13.907771
% determine station at the max runup and -1.5*H0 (i.e. the toe)
top_sta=-999;
toe_sta=-999;
for kk=1:length(sta)-1
    if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))
                                                % here is the intersection of z2 with profile
       top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
                                                    % here is the intersection of Ztoe with profile
   if
       ((Ztoe > dep(kk)) & (Ztoe <= dep(kk+1)))
       toe_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Ztoe)
    end
end
% check to make sure we got them, if not extend the end slopes outward
S=diff(dep)./diff(sta);
if toe_sta==-999
   dy=dep(1)-Ztoe;
   toe_sta=sta(1)-dy/S(1)
end
toe_sta =
          77.2269642274977
if top_sta==-999
   dy=Z2-dep(end);
   top_sta=sta(end)+dy/S(end)
end
top_sta =
          149.955386142946
% just so the reader can tell the values aren't -999 anymore
top sta
top_sta =
          149.955386142946
toe_sta
toe sta =
          77.2269642274977
% check for case where the toe of slope is below SWL-1.5*H0 \,
% in this case interpolate setup from the setupAtToe(really setup as first station), and the max setup
% also un-include points seaward of SWL-1.5*HO
if Ztoe > dep(1)
   dd=SWEL_fore-dep;
   k=find(dd<0,1); % k is index of first land point
   staAtSWL=interpl(dep(k-1:k),sta(k-1:k),SWEL_fore);
   dsta=staAtSWL-sta(1);
   dsetup=maxSetup-setupAtToe;
   dsetdsta=dsetup/dsta;
   setup=setupAtToe+dsetdsta*(toe_sta-sta(1));
   sprintf('-!!- Location of SWEL-1.5*HO is %4.1f ft landward of toe of slope', dsta)
   sprintf('-!!- Setup is interpolated between setup at toe of slope and max setup')
```

```
setup is adjusted to %4.2f feet', setup)
   sprintf('-!!-
   SWEL=SWEL-setupAtToe+setup;
   sprintf('-!!-
                        SWEL is adjusted to %4.2f feet', SWEL)
   k=find(dep < SWEL-1.5*H0)
   sta(k)=[];
   dep(k)=[];
else
   sprintf('-!!- The User has selected a starting point that is <math>4.2f feet above the elevation of SWEL-1.5H0\n', dep(1)
   sprintf('-!!- This may be reasonable for some cases. However the user may want to consider:\n') sprintf('-!!- 1) Selecting a starting point that is at or below %4.2f feet elevation, or\n', Ztoe)
   sprintf('-!!-
                    2) Reducing the incident wave height to a depth limited condition.\n')
end
ans =
-!!- The User has selected a starting point that is 0.39 feet above the elevation of SWEL-1.5H0
ans =
-!!- This may be reasonable for some cases. However the user may want to consider:
ans =
-!!-
       1) Selecting a starting point that is at or below 4.05 feet elevation, or
ans =
-!!-
       2) Reducing the incident wave height to a depth limited condition.
% now iterate converge on a runup elevation
tol=0.01; % convergence criteria
R2del=999;
R2_new=3*H0; %initial guess
R2=R2 new;
iter=0;
R2_all=[];
topStaAll=[];
Berm_Segs=[];
TAW_ALWAYS_VALID=1;
while(abs(R2del) > tol && iter <= 25)
    iter=iter+1;
                    ----- STARTING ITERATION %d -----!',iter)
    % elevation of toe of slope
    Ztoe
    % station of toe slope (relative to 0-NAVD88 shoreline
    toe_sta
    % station of top of slope/extent of 2% run-up
    top_sta
    % elevation of top of slope/extent of 2% run-up
    Z_2
    % incident significant wave height
    НΟ
    % incident spectral peak wave period
    Тp
    % incident spectral mean wave period
    т0
    R2=R2 new
    Z2=R2+SWEL
    % determine slope for this iteration
    top_sta=-999;
    for kk=1:length(sta)-1
       if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))
                                                      \mbox{\ensuremath{\mbox{\$}}} here is the intersection of z2 with profile
           top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
          break;
       end
    end
    if top_sta==-999
       dy=Z2-dep(end);
       top_sta=sta(end)+dy/S(end)
    % get the length of the slope (not accounting for berm)
    Lslope=top_sta-toe_sta
    % loop over profile segments to determine berm factor
    % re-calculate influence of depth of berm based on this run-up elevation
    % check for berm, berm width, berm height
    berm_width=0;
    rdh_sum=0;
```

```
Berm_Segs=[];
Berm_Heights=[];
for kk=1:length(sta)-1
   ddep=dep(kk+1)-dep(kk);
   dsta=sta(kk+1)-sta(kk);
   s=ddep/dsta;
                       % count it as a berm if slope is flatter than 1:15 (see TAW manual)
      (s < 1/15)
      sprintf ('Berm Factor Calculation: Iteration %d, Profile Segment: %d',iter,kk)
      berm_width=berm_width+dsta; % tally the width of all berm segments
      % compute the rdh for this segment and weight it by the segment length
      dh=SWEL-(dep(kk)+dep(kk+1))/2
      if dh < 0
          chi=R2;
      else
          chi=2* H0;
      end
      if (dh \le R2 \& dh \ge -2*H0)
         rdh=(0.5-0.5*cos(3.14159*dh/chi));
      else
         rdh=1;
      end
      rdh_sum=rdh_sum + rdh * dsta
      Berm_Segs=[Berm_Segs, kk];
      Berm_Heights=[Berm_Heights, (dep(kk)+dep(kk+1))/2];
   if dep(kk) >= Z2 % jump out of loop if we reached limit of run-up for this iteration
      break
   end
end
sprintf ('!----- End Berm Factor Calculation, Iter: %d -----!',iter)
berm_width
rB=berm_width/Lslope
if (berm_width > 0)
  rdh_mean=rdh_sum/berm_width
else
  rdh_mean=1
end
gamma_berm=1- rB * (1-rdh_mean)
if gamma_berm > 1
   gamma_berm=1
end
if gamma_berm < 0.6
   gamma_berm =0.6
end
% Iribarren number
slope=(Z2-Ztoe)/(Lslope-berm_width)
Irb=(slope/(sqrt(H0/L0)))
% runup height
gamma_berm
gamma_perm
gamma_beta
gamma rough
\verb"gamma=gamma_berm*gamma_perm*gamma_beta*gamma_rough"
% check validity
TAW_VALID=1;
if (Irb*gamma_berm < 0.5 | Irb*gamma_berm > 10 )
   sprintf('!!! - - Iribaren number: %6.2f is outside the valid range (0.5-10), TAW NOT VALID - - !!!\n', Irb*gam
else
  sprintf('!!! - - Iribaren number: %6.2f is in the valid range (0.5-10), TAW RECOMMENDED - - !!!\n', Irb*gamma_
end
islope=1/slope;
if (slope < 1/8 | slope > 1)
sprintf('!!! - - slope: 1
                  - slope: 1:%3.1f V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!\n', islope)
   TAW_VALID=0;
else
   sprintf('!!! - - slope: 1:%3.1f V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!\n', islope)
end
if TAW_VALID == 0
   TAW_ALWAYS_VALID=0;
end
if (Irb*gamma berm < 1.8)
  R2_new=gamma*H0*1.77*Irb
else
  R2_new=gamma*H0*(4.3-(1.6/sqrt(Irb)))
end
\$ check to see if we need to evaluate a shallow foreshore if berm_width > 0.25 * L0;
   disp ('!
disp ('!
              Berm_width is greater than 1/4 wave length')
              Runup will be weighted average with foreshore calculation assuming depth limited wave height on ber
   % do the foreshore calculation
   fore_H0=0.78*(SWEL_fore-min(Berm_Heights))
   % get upper slope
   fore_toe_sta=-999;
   fore_toe_dep=-999;
   for kk=length(dep)-1:-1:1
```

```
ddep=dep(kk+1)-dep(kk);
          dsta=sta(kk+1)-sta(kk);
          s=ddep/dsta;
          if s < 1/15
            break
          end
          fore_toe_sta=sta(kk);
          fore_toe_dep=dep(kk);
          upper_slope=(Z2-fore_toe_dep)/(top_sta-fore_toe_sta)
       end
       fore_Irb=upper_slope/(sqrt(fore_H0/L0));
       fore_gamma=gamma_perm*gamma_beta*gamma_rough;
       if (fore_Irb < 1.8)
          fore_R2=fore_gamma*fore_H0*1.77*fore_Irb;
          fore_R2=fore_gamma*fore_H0*(4.3-(1.6/sqrt(fore_Irb)));
       end
       if berm_width >= L0
         R2_new=fore_R2
          disp ('berm is wider than one wavelength, use full shallow foreshore solution');
       else
          w2=(berm_width-0.25*L0)/(0.75*L0)
         R2_new=w2*fore_R2 + w1*R2_new
      end
    end % end berm width check
    % convergence criterion
    R2del=abs(R2-R2_new)
   R2_all(iter)=R2_new;
    % get the new top station (for plot purposes)
    Z2=R2_new+SWEL
    top_sta=-999;
    for kk=1:length(sta)-1
      if ((Z2 > dep(kk)) & (Z2 \le dep(kk+1)))
                                               % here is the intersection of z2 with profile
          top_sta=interpl(dep(kk:kk+1),sta(kk:kk+1),Z2)
         break;
       end
    end
    if top_sta==-999
       dy=Z2-dep(end);
      top_sta=sta(end)+dy/S(end);
    end
    topStaAll(iter)=top_sta;
end
ans =
 -----!
Ztoe =
                 4.050071
toe_sta =
         77.2269642274977
top_sta =
         149.955386142946
Z2 =
                13.907771
H0 =
                   3.2859
Tp =
                  11.1501
T0 =
         10.1364545454545
R2 =
                   9.8577
Z2 =
                18.836621
top_sta =
         232.903333838208
Lslope =
          155.67636961071
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 55
dh =
               -4.1887385
rdh_sum =
        0.383155297159985
ans =
!----- End Berm Factor Calculation, Iter: 1 -----!
berm_width =
rB =
       0.0064235824775503
rdh_mean =
        0.383155297159985
gamma_berm
        0.996037647175467
slope =
       0.0955966967495737
Irb =
         1.20921171602835
```

```
gamma_berm =
        0.996037647175467
gamma_perm =
gamma_beta =
    1
gamma_rough =
                      0.8
gamma =
        0.796830117740374
ans =
!!! - - Iribaren number: 1.20 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:10.5 V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!
R2\_new =
         5.60396863461067
R2del =
         4.25373136538933
Z2 =
         14.5828896346107
ans =
     -----! STARTING ITERATION 2 -----!
Ztoe =
                 4.050071
toe_sta =
         77.2269642274977
top_sta =
         161.317002989022
Z2 =
         14.5828896346107
H0 =
                   3.2859
Tp =
                  11.1501
T0 =
        10.1364545454545
R2 =
         5.60396863461067
Z_{2} =
         14.5828896346107
top_sta =
         161.317002989022
Lslope =
         84.0900387615248
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 55
dh =
               -4.1887385
rdh_sum =
        0.850719448625709
!---- End Berm Factor Calculation, Iter: 2 -----!
berm_width =
        0.011892014972617
rdh_mean =
        0.850719448625709
gamma_berm =
        0.998224753447936
slope =
        0.126763915285209
Irb =
         1.60344882976496
gamma_berm =
        0.998224753447936
gamma\_perm =
gamma_beta =
gamma_rough =
                      0.8
gamma =
        0.798579802758349
ans =
!!! - - Iribaren number: 1.60 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:7.9 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2\_new =
         7.44733750152237
R2del =
         1.8433688669117
Z_{2} =
         16.4262585015224
!----- STARTING ITERATION 3 -----!
Ztoe =
                 4.050071
toe_sta =
         77.2269642274977
```

```
top_sta =
         192.339181459794
Z_{2} =
         16.4262585015224
H0 =
                    3.2859
= qT
                  11.1501
T0 =
         10.1364545454545
R2 =
         7.44733750152237
7.2 =
         16.4262585015224
top_sta =
          192.339181459794
Lslope =
         115.112217232297
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 55
dh =
               -4.1887385
rdh_sum =
        0.597463988351453
ans =
!----- End Berm Factor Calculation, Iter: 3 -----!
berm_width =
rB =
        0.0086871752107945
rdh_mean =
        0.597463988351453
gamma_berm =
        0.996503099138155
slope =
        0.108456288044323
Irb =
         1.37187391028473
gamma_berm = 0.996503099138155
gamma_perm =
gamma_beta =
gamma_rough =
                       0.8
gamma =
        0.797202479310524
ans =
!!! - - Iribaren number: 1.37 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
!!! - - slope: 1:9.2 V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!
R2\_new =
          6.36078104692281
R2del =
         1.08655645459956
z2 =
         15.3397020469228
ans =
      ----- STARTING ITERATION 4 -----!
Ztoe =
                 4.050071
toe_sta =
         77.2269642274977
top_sta =
         174.053449906983
Z2 =
         15.3397020469228
H0 =
                    3.2859
Tp =
                  11.1501
T0 =
         10.1364545454545
R2 =
         6.36078104692281
Z_{2} =
         15.3397020469228
top_sta =
         174.053449906983
Lslope =
          96.8264856794857
ans =
Berm Factor Calculation: Iteration 4, Profile Segment: 55
dh =
                -4.1887385
rdh_sum =
        0.738844273826844
!----- End Berm Factor Calculation, Iter: 4 -----!
```

```
berm_width =
    1
rB =
       0.0103277527112798
rdh_mean =
        0.738844273826844
gamma_berm =
        0.997302848240949
slope =
        0.117813263909976
Irb =
         1.49023118860138
gamma_berm =
        0.997302848240949
gamma_perm =
gamma_beta =
gamma_rough =
                      0.8
gamma =
        0.797842278592759
ans =
!!! - - Iribaren number: 1.49 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
!!! - - slope: 1:8.5 V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!
R2\_new =
         6.91509743027412
R2del =
        0.554316383351312
Z2 =
        15.8940184302741
ans =
!----- STARTING ITERATION 5 -----!
Ztoe =
                  4.050071
toe_sta =
         77.2269642274977
top_sta =
         183.382077552956
7.2 =
         15.8940184302741
H0 =
                   3.2859
Tp =
                  11.1501
T0 =
         10.1364545454545
R2 =
         6.91509743027412
Z2 =
         15.8940184302741
top_sta =
         183.382077552956
Lslope =
         106.155113325458
ans =
Berm Factor Calculation: Iteration 5, Profile Segment: 55
               -4.1887385
rdh_sum =
        0.663054520758695
ans =
!----- End Berm Factor Calculation, Iter: 5 -----!
berm_width =
rB =
       0.0094201774052478
rdh_mean =
        0.663054520758695
gamma_berm =
        0.996825913809651
slope =
        0.112633109848085
Irb =
          1.4247069268282
gamma_berm =
        0.996825913809651
gamma_perm =
gamma_beta =
gamma_rough =
                       0.8
gamma =
        0.797460731047721
!!! - - Iribaren number: 1.42 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
!!! - - slope: 1:8.9 V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!
```

```
R2\_new =
         6.60788461849849
R2del =
       0.307212811775632
Z_{2} =
        15.5868056184985
ans =
!----- STARTING ITERATION 6 -----!
Ztoe =
                 4.050071
toe_sta =
         77.2269642274977
top_sta =
         178.211972509694
Z2 =
         15.5868056184985
H0 =
                   3.2859
Tp =
                  11.1501
T0 =
         10.1364545454545
R2 =
         6.60788461849849
Z2 =
         15.5868056184985
top_sta =
         178.211972509694
Lslope =
         100.985008282197
ans =
Berm Factor Calculation: Iteration 6, Profile Segment: 55
               -4.1887385
rdh_sum =
        0.704180489844552
ans =
!----- End Berm Factor Calculation, Iter: 6 -----!
berm_width =
rB =
      0.00990245994935762
rdh_mean =
        0.704180489844552
gamma_berm =
        0.997070659148447
slope =
        0.115384644325251
Irb =
        1.45951134831946
gamma_berm =
        0.997070659148447
gamma_perm =
gamma_beta =
gamma_rough =
                      0.8
gamma =
        0.797656527318758
!!! - - Iribaren number: 1.46 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
!!! - - slope: 1:8.7 V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!
R2\_new =
         6.77097185153569
R2del =
        0.163087233037195
Z2 =
         15.7498928515357
ans =
!----- STARTING ITERATION 7 -----!
Ztoe =
                 4.050071
toe_sta = 77.2269642274977
top_sta =
          180.9565785082
7.2 =
         15.7498928515357
H0 =
                   3.2859
Tp =
                  11.1501
T0 =
         10.1364545454545
R2 =
         6.77097185153569
Z2 =
         15.7498928515357
```

```
top_sta =
          180.9565785082
Lslope =
        103.729614280702
ans =
Berm Factor Calculation: Iteration 7, Profile Segment: 55
dh =
               -4.1887385
rdh_sum =
        0.682061575075939
ans =
!----- End Berm Factor Calculation, Iter: 7 -----!
berm_width =
rB =
      0.00964044845760156
rdh_mean =
        0.682061575075939
gamma_berm
        0.996934931001829
slope =
        0.113889475137779
Irb =
         1.44059881095773
gamma_berm =
        0.996934931001829
gamma_perm =
gamma_beta =
gamma_rough =
                       0.8
gamma =
        0.797547944801463
ans =
!!! - - Iribaren number: 1.44 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:8.8 V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!
R2\_new =
         6.68232295222414
R2del =
       0.0886488993115444
7.2 =
         15.6612439522241
ans =
!----- STARTING ITERATION 8 -----!
Ztoe =
                 4.050071
toe_sta =
         77.2269642274977
top_sta =
           179.4647002276
Z2 =
         15.6612439522241
H0 =
                   3.2859
Tp =
                  11.1501
T0 =
         10.1364545454545
R2 =
         6.68232295222414
Z2 =
         15.6612439522241
top_sta =
           179.4647002276
Lslope =
         102.237736000102
ans =
Berm Factor Calculation: Iteration 8, Profile Segment: 55
dh =
               -4.1887385
rdh_sum =
        0.694006084174838
!----- End Berm Factor Calculation, Iter: 8 -----!
berm_width =
rB =
      0.00978112426119259
rdh_mean = 0.694006084174838
gamma_berm =
        0.997007035486145
slope =
        0.114692143571963
         1.45075184037927
gamma_berm =
        0.997007035486145
```

```
gamma_perm =
    1
gamma_beta =
gamma_rough =
                      0.8
gamma =
        0.797605628388916
ans =
!!! - - Iribaren number: 1.45 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:8.7 V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!
R2\_new =
         6.72990523486542
R2del =
       0.0475822826412786
Z_{2} =
        15.7088262348654
ans =
!----- STARTING ITERATION 9 -----!
Ztoe =
                 4.050071
toe_sta =
         77.2269642274977
top_sta =
         180.265465658025
Z2 =
         15.7088262348654
H0 =
                   3.2859
Tp =
                  11.1501
T0 =
        10.1364545454545
R2 =
         6.72990523486542
Z2 =
         15.7088262348654
top_sta =
         180.265465658025
Lslope =
         103.038501430527
ans =
Berm Factor Calculation: Iteration 9, Profile Segment: 55
dh =
               -4.1887385
rdh_sum =
        0.687571261007195
!----- End Berm Factor Calculation, Iter: 9 -----!
berm_width =
      0.00970511009104926
rdh_mean =
        0.687571261007195
gamma_berm =
        0.996967844692467
slope =
        0.114258393365403
         1.44526529273239
gamma_berm =
        0.996967844692467
gamma_perm =
gamma_beta =
gamma_rough =
                      0.8
gamma =
       0.797574275753974
ans =
!!! - - Iribaren number: 1.44 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
!!! - - slope: 1:8.8 V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!
R2\_new =
         6.70419009999764
R2del =
         0.02571513486778
Z2 =
         15.6831110999976
ans =
!-----!
Ztoe =
                 4.050071
toe_sta =
         77.2269642274977
top_sta =
        179.832703926183
```

```
Z2 =
         15.6831110999976
H0 =
                   3.2859
Tp =
                  11.1501
T0 =
         10.1364545454545
R2 =
         6.70419009999764
Z_{2} =
         15.6831110999976
top_sta =
         179.832703926183
Lslope =
         102.605739698685
ans =
Berm Factor Calculation: Iteration 10, Profile Segment: 55
dh =
               -4.1887385
rdh_sum =
        0.691042119918211
ans =
!----- End Berm Factor Calculation, Iter: 10 -----!
berm_width =
rB =
      0.00974604347609237
rdh_mean =
        0.691042119918211
gamma_berm =
        0.996988883068442
slope =
        0.114491958175747
Irb =
         1.44821967624899
gamma_berm =
        0.996988883068442
gamma_perm =
gamma_beta =
gamma\_rough =
                      0.8
gamma =
        0.797591106454753
ans =
!!! - - Iribaren number: 1.44 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
!!! - - slope: 1:8.7 V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!
R2\_new =
         6.71803643991034
R2del =
       0.0138463399126989
Z2 =
         15.6969574399103
ans =
!----!
Ztoe =
                 4.050071
toe_sta =
         77.2269642274977
top_sta =
          180.06572491056
Z2 =
         15.6969574399103
H0 =
                   3.2859
Tp =
                  11.1501
T0 =
         10.1364545454545
R2 =
         6.71803643991034
Z_{2} =
         15.6969574399103
top_sta =
          180.06572491056
Lslope =
         102.838760683062
ans =
Berm Factor Calculation: Iteration 11, Profile Segment: 55
dh =
               -4.1887385
rdh_sum =
       0.689171253231771
!----- End Berm Factor Calculation, Iter: 11 -----!
berm_width =
```

```
rB =
       0.00972396004539463
rdh_mean = 0.689171253231771
gamma_berm =
          0.996977513685466
slope =
          0.114365948306826
Irb =
          1.44662576542346
gamma_berm = 0.996977513685466
gamma_perm =
gamma_rough =
                          0.8
gamma =
         0.797582010948373
!!! - - Iribaren number: 1.44 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
!!! - - slope: 1:8.7 V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!
R2\_new =
          6.71056604155056
R2del =
        0.0074703983597777
Z2 =
15.6894870415506
% final 2% runup elevation
Z2=R2_new+SWEL
15.6894870415506
diary off
-1.000000e+00
-1.000000e+00
```