

```

diary on          % begin recording

% FEMA appeal for The Town of Harpswell, Cumberland county, Maine
% TRANSECT ID: CM-149
% calculation by SJH, Ransom Consulting, Inc. 20-Feb-2020
% 100-year wave runup using TAW methodology
% including berm and weighted average with foreshore if necessary
%
% chk nld 20200220
%
% This script assumes that the incident wave conditions provided
% as input in the configuration section below are the
% appropriate values located at the end of the foreshore
% or toe of the slope on which the run-up is being calculated
% the script does not attempt to apply a depth limit or any other
% transformation to the incident wave conditions other than
% conversion of the peak wave period to the spectral mean wave
% as recommended in the references below
%
% references:
%
% Van der Meer, J.W., 2002. Technical Report Wave Run-up and
% Wave Overtopping at Dikes. TAW Technical Advisory Committee on
% Flood Defence, The Netherlands.
%
% FEMA. 2007, Atlantic Ocean and Gulf of Mexico Coastal Guidelines Update
%
%
%-----
% CONFIG
%-----
fname='inpfiles/CM-149sta_ele_include.csv'; % file with station, elevation, include
                                         % third column is 0 for excluded points
imgname='logfiles/CM-149-runup';
SWEL=8.8429; % 100-yr still water level including wave setup.
H0=9.9977; % significant wave height at toe of structure
Tp=13.6834; % peak period, 1/fma,
T0=Tp/1.1;

gamma_berm=0.91997; % this may get changed automatically below
gamma_rough=0.8;
gamma_beta=1;
gamma_perm=1;

setupAtToe=0.087333;
maxSetup=1.6597; % only used in case of berm/shallow foreshore weighted average

plotTitle='Iterative TAW for CM-149'

plotTitle =

Iterative TAW for CM-149

% END CONFIG
%-----

SWEL=SWEL+setupAtToe

SWEL =

8.930233

SWEL_fore=SWEL+maxSetup

SWEL_fore =

10.589933

% FIND WAVELENGTH USING DEEPWATER DISPERSION RELATION
% using English units
L0=32.15/(2*pi)*T0^2

L0 =

791.778644369023

% Find Hb (Munk, 1949)
%Hb=H0/(3.3*(H0/L0)^(1/3))
%Db=-Hb/.78+SWEL; % depth at breaking

% The toe elevation here is only used to determine the average
% structure slope, it is not used to depth limit the wave height.
% Any depth limiting or other modification of the wave height

```

```

% to make it consistent with TAW guidance should be performed
% prior to the input of the significant wave height given above.
Ztoe=SWEL-1.5*H0

Ztoe =

        -6.066317

% read the transect
[sta,dep,inc] = textread(fname,'%n%n%n%[^\\n]','delimiter',' ','headerlines',0);

% remove unselected points
k=find(inc==0);
sta(k)=[];
dep(k)=[];

sta_org=sta; % used for plotting purposes
dep_org=dep;

% initial guess at maximum run-up elevation to estimate slope
Z2=SWEL+1.5*H0

Z2 =

        23.926783

% determine station at the max runup and -1.5*H0 (i.e. the toe)
top_sta=-999;
toe_sta=-999;
for kk=1:length(sta)-1
    if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1))) % here is the intersection of z2 with profile
        top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
    end
    if ((Ztoe > dep(kk)) & (Ztoe <= dep(kk+1))) % here is the intersection of Ztoe with profile
        toe_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Ztoe)
    end
end

top_sta =

        71.2845872259295

% check to make sure we got them, if not extend the end slopes outward
S=diff(dep)./diff(sta);
if toe_sta== -999
    dy=dep(1)-Ztoe;
    toe_sta=sta(1)-dy/S(1)
end

toe_sta =

        -33.0319658119658

if top_sta== -999
    dy=Z2-dep(end);
    top_sta=sta(end)+dy/S(end)
end

% just so the reader can tell the values aren't -999 anymore
top_sta

top_sta =

        71.2845872259295

toe_sta

toe_sta =

        -33.0319658119658

% check for case where the toe of slope is below SWL-1.5*H0
% in this case interpolate setup from the setupAtToe(really setup as first station), and the max setup
% also un-include points seaward of SWL-1.5*H0
if Ztoe > dep(1)
    dd=SWEL_fore-dep;
    k=find(dd<0,1); % k is index of first land point
    staAtSWL=interp1(dep(k-1:k),sta(k-1:k),SWEL_fore);
    dsta=staAtSWL-sta(1);
    dsetup=maxSetup-setupAtToe;
    dsetdsta=dsetup/dsta;
    setup=setupAtToe+dsetdsta*(toe_sta-sta(1));
    sprintf('!!- Location of SWEL-1.5*H0 is %4.1f ft landward of toe of slope',dsta)
    sprintf('!!- Setup is interpolated between setup at toe of slope and max setup')

```

```

    sprintf('!!-      setup is adjusted to %4.2f feet',setup)
    SWEL=SWEL-setupAtToe+setup;
    sprintf('!!-      SWEL is adjusted to %4.2f feet',SWEL)
    k=find(dep < SWEL-1.5*H0)
    sta(k)=[];
    dep(k)=[];
else
    sprintf('!!- The User has selected a starting point that is %4.2f feet above the elevation of SWEL-1.5H0\n',dep(1)
    sprintf('!!- This may be reasonable for some cases.  However the user may want to consider:\n')
    sprintf('!!-      1) Selecting a starting point that is at or below %4.2f feet elevation, or\n', Ztoe)
    sprintf('!!-      2) Reducing the incident wave height to a depth limited condition.\n')
end

ans =

-!!- The User has selected a starting point that is 1.21 feet above the elevation of SWEL-1.5H0

ans =

-!!- This may be reasonable for some cases.  However the user may want to consider:

ans =

-!!-      1) Selecting a starting point that is at or below -6.07 feet elevation, or

ans =

-!!-      2) Reducing the incident wave height to a depth limited condition.

% now iterate converge on a runup elevation
tol=0.01; % convergence criteria
R2del=999;
R2_new=3*H0; %initial guess
R2=R2_new;
iter=0;
R2_all=[];
topStaAll=[];
Berm_Segs=[];
TAW_ALWAYS_VALID=1;
while(abs(R2del) > tol && iter <= 25)
    iter=iter+1;
    sprintf('!----- STARTING ITERATION %d -----!',iter)
    % elevation of toe of slope
    Ztoe
    % station of toe slope (relative to 0-NAVD88 shoreline
    toe_sta
    % station of top of slope/extent of 2% run-up
    top_sta
    % elevation of top of slope/extent of 2% run-up
    Z2
    % incident significant wave height
    H0
    % incident spectral peak wave period
    Tp
    % incident spectral mean wave period
    T0

    R2=R2_new
    Z2=R2+SWEL
    % determine slope for this iteration
    top_sta=-999;
    for kk=1:length(sta)-1
        if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1))) % here is the intersection of z2 with profile
            top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
            break;
        end
    end
    if top_sta== -999
        dy=Z2-dep(end);
        top_sta=sta(end)+dy/S(end)
    end

    % get the length of the slope (not accounting for berm)
    Lslope=top_sta-toe_sta

    % loop over profile segments to determine berm factor
    % re-calculate influence of depth of berm based on this run-up elevation
    % check for berm, berm width, berm height
    berm_width=0;
    rdh_sum=0;

```

```

Berm_Segs=[];
Berm_Heights=[];
for kk=1:length(sta)-1
    ddep=dep(kk+1)-dep(kk);
    dsta=sta(kk+1)-sta(kk);
    s=ddep/dsta;
    if (s < 1/15) % count it as a berm if slope is flatter than 1:15 (see TAW manual)
        sprintf('Berm Factor Calculation: Iteration %d, Profile Segment: %d',iter, kk)
        berm_width=berm_width+dsta; % tally the width of all berm segments
        % compute the rdh for this segment and weight it by the segment length
        dh=SWEL-(dep(kk)+dep(kk+1))/2
        if dh < 0
            chi=R2;
        else
            chi=2* H0;
        end
        if (dh <= R2 & dh >=-2*H0)
            rdh=(0.5-0.5*cos(3.14159*dh/chi)) ;
        else
            rdh=1;
        end
        rdh_sum=rdh_sum + rdh * dsta
        Berm_Segs=[Berm_Segs, kk];
        Berm_Heights=[Berm_Heights, (dep(kk)+dep(kk+1))/2];
    end
    if dep(kk) >= Z2 % jump out of loop if we reached limit of run-up for this iteration
        break
    end
end
sprintf('!----- End Berm Factor Calculation, Iter: %d -----!',iter)
berm_width
rB=berm_width/Lslope
if (berm_width > 0)
    rdh_mean=rdh_sum/berm_width
else
    rdh_mean=1
end
gamma_berm=1- rB * (1-rdh_mean)
if gamma_berm > 1
    gamma_berm=1
end
if gamma_berm < 0.6
    gamma_berm =0.6
end
% Iribarren number
slope=(Z2-Ztoe)/(Lslope-berm_width)
Irb=(slope/(sqrt(H0/L0)))
% runup height
gamma_berm
gamma_perm
gamma_beta
gamma_rough
gamma=gamma_berm*gamma_perm*gamma_beta*gamma_rough

% check validity
TAW_VALID=1;
if (Irb*gamma_berm < 0.5 | Irb*gamma_berm > 10 )
    sprintf('!!! - - Iribarren number: %6.2f is outside the valid range (0.5-10), TAW NOT VALID - - !!!\n', Irb*gamma_berm)
    TAW_VALID=0;
else
    sprintf('!!! - - Iribarren number: %6.2f is in the valid range (0.5-10), TAW RECOMMENDED - - !!!\n', Irb*gamma_berm)
end
islope=1/slope;
if (slope < 1/8 | slope > 1)
    sprintf('!!! - - slope: 1:%3.1f V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!\n', islope)
    TAW_VALID=0;
else
    sprintf('!!! - - slope: 1:%3.1f V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!\n', islope)
end
if TAW_VALID == 0
    TAW_ALWAYS_VALID=0;
end

if (Irb*gamma_berm < 1.8)
    R2_new=gamma*H0*1.77*Irb
else
    R2_new=gamma*H0*(4.3-(1.6/sqrt(Irb)))
end

% check to see if we need to evaluate a shallow foreshore
if berm_width > 0.25 * L0;
    disp('! Berm_width is greater than 1/4 wave length')
    disp('! Runup will be weighted average with foreshore calculation assuming depth limited wave height on berm')
    % do the foreshore calculation
    fore_H0=0.78*(SWEL_fore-min(Berm_Heights))
    % get upper slope
    fore_toe_sta=-999;
    fore_toe_dep=-999;
    for kk=length(dep)-1:-1:1

```

```

        ddep=dep(kk+1)-dep(kk);
        dsta=sta(kk+1)-sta(kk);
        s=ddep/dsta;
        if s < 1/15
            break
        end
        fore_toe_sta=sta(kk);
        fore_toe_dep=dep(kk);
        upper_slope=(Z2-fore_toe_dep)/(top_sta-fore_toe_sta)
    end
    fore_Irb=upper_slope/(sqrt(fore_H0/L0));
    fore_gamma=gamma_perm*gamma_beta*gamma_rough;
    if (fore_Irb < 1.8)
        fore_R2=fore_gamma*fore_H0*1.77*fore_Irb;
    else
        fore_R2=fore_gamma*fore_H0*(4.3-(1.6/sqrt(fore_Irb)));
    end
    if berm_width >= L0
        R2_new=fore_R2
        disp('berm is wider than one wavelength, use full shallow foreshore solution');
    else
        w2=(berm_width-0.25*L0)/(0.75*L0)
        w1=1-w2
        R2_new=w2*fore_R2 + w1*R2
    end
end % end berm width check

% convergence criterion
R2del=abs(R2-R2_new)
R2_all(iter)=R2_new;

% get the new top station (for plot purposes)
Z2=R2_new+SWEL
top_sta=-999;
for kk=1:length(sta)-1
    if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1))) % here is the intersection of z2 with profile
        top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
        break;
    end
end
if top_sta== -999
    dy=Z2-dep(end);
    top_sta=sta(end)+dy/S(end);
end
topStaAll(iter)=top_sta;
end
ans =
!----- STARTING ITERATION 1 -----!
Ztoe =
        -6.066317
toe_sta =
        -33.0319658119658
top_sta =
        71.2845872259295
Z2 =
        23.926783
H0 =
        9.9977
Tp =
        13.6834
T0 =
        12.4394545454545
R2 =
        29.9931
Z2 =
        38.923333
top_sta =
        132.20608738502
Lslope =
        165.238053196985
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 7
dh =
        12.382508
rdh_sum =
        0.68299170147957
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 8
dh =
        12.328058
rdh_sum =
        1.36199604723052
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 9
dh =
        12.271658
rdh_sum =
        2.03685643018158
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 10

```

```
dh =
    12.213308
rdh_sum =
    2.70741512821091
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 31
dh =
    8.636658
rdh_sum =
    3.10130700475645
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 32
dh =
    8.609308
rdh_sum =
    3.49310024933137
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 33
dh =
    8.578633
rdh_sum =
    3.88254210565268
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 34
dh =
    8.544633
rdh_sum =
    4.26938069921017
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 35
dh =
    8.498358
rdh_sum =
    4.65268137832162
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 36
dh =
    8.439808
rdh_sum =
    5.0315145326165
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 37
dh =
    8.381033
rdh_sum =
    5.4058733071759
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 38
dh =
    8.322033
rdh_sum =
    5.77575134949381
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 39
dh =
    8.277883
rdh_sum =
    6.14228373001921
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 40
dh =
    8.248583
rdh_sum =
    6.50659930853604
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 41
dh =
    8.216808
rdh_sum =
    6.86851408110597
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 42
dh =
    8.182558
rdh_sum =
    7.22784490138294
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 43
dh =
    8.138083
rdh_sum =
    7.58382644601503
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 44
dh =
    8.083383
rdh_sum =
    7.93569836187242
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 107
```

```

dh =
    -16.518192
rdh_sum =
    8.51505198909292
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 108
dh =
    -16.555042
rdh_sum =
    9.09631046400068
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 109
dh =
    -16.587992
rdh_sum =
    9.67927116371693
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 110
dh =
    -16.617042
rdh_sum =
    10.263731791949
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 111
dh =
    -16.651192
rdh_sum =
    10.8499546742065
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 112
dh =
    -16.690442
rdh_sum =
    11.438201623483
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 121
dh =
    -18.287642
rdh_sum =
    12.1071682125981
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 122
dh =
    -18.337992
rdh_sum =
    12.7786142345738
ans =
!----- End Berm Factor Calculation, Iter: 1 -----!
berm_width =
    26
rB =
    0.157348743203871
rdh_mean =
    0.491485162868222
gamma_berm =
    0.919985829476794
slope =
    0.32311317895512
Irb =
    2.87545459139332
gamma_berm =
    0.919985829476794
gamma_perm =
    1
gamma_beta =
    1
gamma_rough =
    0.8
gamma =
    0.735988663581435
ans =
!!! - - Iribaren number: 2.65 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.1 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
    24.6973809027147
R2del =
    5.29571909728525
Z2 =
    33.6276139027147
ans =
!----- STARTING ITERATION 2 -----!
Ztoe =
    -6.066317
toe_sta =
    -33.0319658119658
top_sta =
    114.808849877512
Z2 =
    33.6276139027147

```

```

H0 =
          9.9977
Tp =
          13.6834
T0 =
          12.4394545454545
R2 =
          24.6973809027147
Z2 =
          33.6276139027147
top_sta =
          114.808849877512
Lslope =
          147.840815689478
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 7
dh =
          12.382508
rdh_sum =
          0.68299170147957
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 8
dh =
          12.328058
rdh_sum =
          1.36199604723052
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 9
dh =
          12.271658
rdh_sum =
          2.03685643018158
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 10
dh =
          12.213308
rdh_sum =
          2.70741512821091
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 31
dh =
          8.636658
rdh_sum =
          3.10130700475645
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 32
dh =
          8.609308
rdh_sum =
          3.49310024933137
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 33
dh =
          8.578633
rdh_sum =
          3.88254210565268
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 34
dh =
          8.544633
rdh_sum =
          4.26938069921017
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 35
dh =
          8.498358
rdh_sum =
          4.65268137832162
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 36
dh =
          8.439808
rdh_sum =
          5.0315145326165
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 37
dh =
          8.381033
rdh_sum =
          5.4058733071759
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 38
dh =
          8.322033
rdh_sum =
          5.77575134949381
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 39
dh =
          8.277883

```



```

rdh_sum =
    6.14228373001921
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 40
dh =
    8.248583
rdh_sum =
    6.50659930853604
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 41
dh =
    8.216808
rdh_sum =
    6.86851408110597
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 42
dh =
    8.182558
rdh_sum =
    7.22784490138294
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 43
dh =
    8.138083
rdh_sum =
    7.58382644601503
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 44
dh =
    8.083383
rdh_sum =
    7.93569836187242
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 107
dh =
    -16.518192
rdh_sum =
    8.68862606113646
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 108
dh =
    -16.555042
rdh_sum =
    9.44357271181498
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 109
dh =
    -16.587992
rdh_sum =
    10.2003198967875
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 110
dh =
    -16.617042
rdh_sum =
    10.9586507625789
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 111
dh =
    -16.651192
rdh_sum =
    11.7188388268258
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 112
dh =
    -16.690442
rdh_sum =
    12.4811553790912
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 121
dh =
    -18.287642
rdh_sum =
    13.3239647427693
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 122
dh =
    -18.337992
rdh_sum =
    14.1690982410325
ans =
!----- End Berm Factor Calculation, Iter: 2 -----!
berm_width =
    26
rB =
    0.17586483055268
rdh_mean =
    0.544965316962789
gamma_berm =
    0.919975402572069

```

```

slope =
    0.325785170413486
Irb =
    2.89923322565383
gamma_berm =
    0.919975402572069
gamma_perm =
    1
gamma_beta =
    1
gamma_rough =
    0.8
gamma =
    0.735980322057655
ans =
!!! - - Iribaren number: 2.67 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.1 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
    24.7256308737496
R2del =
    0.028249971034839
Z2 =
    33.6558638737496
ans =
!----- STARTING ITERATION 3 -----!
Ztoe =
    -6.066317
toe_sta =
    -33.0319658119658
top_sta =
    114.901655301411
Z2 =
    33.6558638737496
H0 =
    9.9977
Tp =
    13.6834
T0 =
    12.4394545454545
R2 =
    24.7256308737496
Z2 =
    33.6558638737496
top_sta =
    114.901655301411
Lslope =
    147.933621113377
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 7
dh =
    12.382508
rdh_sum =
    0.68299170147957
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 8
dh =
    12.328058
rdh_sum =
    1.36199604723052
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 9
dh =
    12.271658
rdh_sum =
    2.03685643018158
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 10
dh =
    12.213308
rdh_sum =
    2.70741512821091
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 31
dh =
    8.636658
rdh_sum =
    3.10130700475645
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 32
dh =
    8.609308
rdh_sum =
    3.49310024933137
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 33
dh =
    8.578633
rdh_sum =
    3.88254210565268

```

```
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 34  
dh =  
      8.544633  
rdh_sum =  
      4.26938069921017  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 35  
dh =  
      8.498358  
rdh_sum =  
      4.65268137832162  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 36  
dh =  
      8.439808  
rdh_sum =  
      5.0315145326165  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 37  
dh =  
      8.381033  
rdh_sum =  
      5.4058733071759  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 38  
dh =  
      8.322033  
rdh_sum =  
      5.77575134949381  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 39  
dh =  
      8.277883  
rdh_sum =  
      6.14228373001921  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 40  
dh =  
      8.248583  
rdh_sum =  
      6.50659930853604  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 41  
dh =  
      8.216808  
rdh_sum =  
      6.86851408110597  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 42  
dh =  
      8.182558  
rdh_sum =  
      7.22784490138294  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 43  
dh =  
      8.138083  
rdh_sum =  
      7.58382644601503  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 44  
dh =  
      8.083383  
rdh_sum =  
      7.93569836187242  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 107  
dh =  
     -16.518192  
rdh_sum =  
      8.68758990409521  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 108  
dh =  
     -16.555042  
rdh_sum =  
      9.4415009426573  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 109  
dh =  
     -16.587992  
rdh_sum =  
     10.1972130328231  
ans =  
Berm Factor Calculation: Iteration 3, Profile Segment: 110  
dh =  
     -16.617042  
rdh_sum =  
     10.9545092834786
```

```

ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 111
dh =
    -16.651192
rdh_sum =
    11.7136633248002
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 112
dh =
    -16.690442
rdh_sum =
    12.4749465726919
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 121
dh =
    -18.287642
rdh_sum =
    13.3167873292111
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 122
dh =
    -18.337992
rdh_sum =
    14.1609554133414
ans =
!----- End Berm Factor Calculation, Iter: 3 -----!
berm_width =
    26
rB =
    0.175754502622994
rdh_mean =
    0.544652131282363
gamma_berm =
    0.919970561813091
slope =
    0.325768893854263
Irb =
    2.89908837700636
gamma_berm =
    0.919970561813091
gamma_perm =
    1
gamma_beta =
    1
gamma_rough =
    0.8
gamma =
    0.735976449450473
ans =
!!! - - Iribaren number: 2.67 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.1 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
    24.7253280446482
R2del =
    0.000302829101421764
Z2 =
    33.6555610446482
% final 2% runup elevation
Z2=R2_new+SWEL
Z2 =
    33.6555610446482
diary off
-1.000000e+00

```