

## SDG Goal 11

## Sustainable cities and communities

### SDG Target 11.6

By 2030, reduce the adverse per capita environmental impact of cities, including by paying special attention to air quality and municipal and other waste management

### SDG Indicator 11.6.2

Annual mean levels of fine particulate matter (e.g. PM<sub>2.5</sub> and PM<sub>10</sub>) in cities (population weighted)

### Time series

Population weighted annual mean levels of fine particulate matter

### 1. General information on the time series

- Date of national metadata: 12 October 2022
- National data: <http://sdg-indicators.de/11-6-2/>
- Definition: The time series shows the average PM<sub>2.5</sub> and PM<sub>10</sub> concentration per year in Germany, weighted by population.
- Disaggregation: fine particulate matter

### 2. Comparability with the global metadata

- Date of global metadata: July 2022
- Global metadata: <https://unstats.un.org/sdgs/metadata/files/Metadata-11-06-02.pdf>
- The time series is not compliant with the global metadata, but provides additional information. It covers data on PM<sub>10</sub> and PM<sub>2.5</sub> concentrations. The time series is population weighted across urban and rural areas in Germany and not only across urban areas.

### 3. Data description

- The data is derived from the German Environment Agency (UBA). The dataset for the time series is calculated by combining modelled data from the REM-CALGRID chemical transport model with PM<sub>10</sub> measurement data provided by the Federal States of Germany and the UBA. After converting the data into PM<sub>2.5</sub> concentrations, these are combined with the spatial distribution of population density and are finally distributed among the different PM<sub>2.5</sub> concentration classes as an annual mean.

### 4. Access to data source

- Population-weighted particulate matter exposure:  
<https://www.umweltbundesamt.de/en/indicator-population-weighted-particulate-matter>

### 5. Metadata on source data

- Population-weighted particulate matter exposure:  
<https://www.umweltbundesamt.de/en/indicator-population-weighted-particulate-matter#assessing-the-development>

### 6. Timeliness and frequency

- Timeliness: Not available.
- Frequency: Annual

## 7. Calculation method

- Unit of measurement: Micrograms per m<sup>3</sup>
- Calculation:

**Complex calculation method.**

## SDG Goal 11

## Sustainable cities and communities

### SDG Target 11.6

By 2030, reduce the adverse per capita environmental impact of cities, including by paying special attention to air quality and municipal and other waste management

### SDG Indicator 11.6.2

Annual mean levels of fine particulate matter (e.g. PM<sub>2.5</sub> and PM<sub>10</sub>) in cities (population weighted)

### Time series

Population with excessive exposure to fine particulate matter

### 1. General information on the time series

- Date of national metadata: 12 October 2022
- National data: <http://sdg-indicators.de/11-6-2/>
- Definition: The time series shows the population exposed to a concentration of fine particulate matter higher than the 2005 guideline values defined by WHO.
- Disaggregation: fine particulate matter

### 2. Comparability with the global metadata

- Date of global metadata: July 2022
- Global metadata: <https://unstats.un.org/sdgs/metadata/files/Metadata-11-06-02.pdf>
- The time series is not compliant with the global metadata, but provides additional information. It covers data on PM<sub>10</sub> and PM<sub>2.5</sub> concentrations. The time series represents data across urban and rural areas in Germany and not only across urban areas. Instead of the mean levels of fine particulate matter, it shows the population number exposed to fine particulate matter higher than the 2005 guideline values defined by the WHO.

### 3. Data description

- The data is provided by the German Environment Agency (UBA). The dataset for the time series is calculated by combining modelled data from the REM-CALGRID chemical transport model with PM<sub>10</sub> measurement data provided by the Federal States of Germany and the UBA and additional spatial interpolation procedures. The PM<sub>10</sub> data are first converted into PM<sub>2.5</sub> concentrations and are then combined with the spatial distribution of population density.

### 4. Access to data source

- Population exposed to PM<sub>2.5</sub> -concentrations exceeding the WHO 2005 annual mean guideline value: <https://www.umweltbundesamt.de/en/data/environmental-indicators/indicator-population-exposure-to-particulate-matter>

### 5. Metadata on source data

- Population exposed to PM<sub>2.5</sub> -concentrations exceeding the WHO 2005 annual mean guideline value: <https://www.umweltbundesamt.de/en/data/environmental-indicators/indicator-population-exposure-to-particulate-matter>

### 6. Timeliness and frequency

- Timeliness: Not available.
- Frequency: Annual

## 7. Calculation method

- Unit of measurement: Million inhabitants
- Calculation:

**Complex calculation method.**