





## Positive or negative movie review?



- unbelievably disappointing



- Full of zany characters and richly applied satire, and some great plot twists



- this is the greatest screwball comedy ever filmed



- It was pathetic. The worst part about it was the boxing scenes.



## Google Product Search



**HP Officejet 6500A Plus e-All-in-One Color Ink-jet - Fax / copier / printer / scanner**

**\$89 online, \$100 nearby** ★★★★★ 377 reviews

September 2010 - Printer - HP - Inkjet - Office - Copier - Color - Scanner - Fax - 250 sh

### Reviews

**Summary** - Based on 377 reviews



What people are saying


|                  |                        |  |
|------------------|------------------------|--|
| ease of use      | <div><div></div></div> | "This was very easy to setup to four computers." |
| value            | <div><div></div></div> | "Appreciate good quality at a fair price."       |
| setup            | <div><div></div></div> | "Overall pretty easy setup."                     |
| customer service | <div><div></div></div> | "I DO like honest tech support people."          |
| size             | <div><div></div></div> | "Pretty Paper weight."                           |
| mode             | <div><div></div></div> | "Photos were fair on the high quality mode."     |
| colors           | <div><div></div></div> | "Full color prints came out with great quality." |



## Bing Shopping

### HP Officejet 6500A E710N Multifunction Printer

[Product summary](#) [Find best price](#) **Customer reviews** [Specifications](#) [Related items](#)



**\$121.53 - \$242.39** (14 stores)

☐ Compare

Average rating ★★★★★ (144)



Most mentioned



Show reviews by source


Best Buy (140)  
CNET (5)  
Amazon.com (3)

Dan Jurafsky



# Twitter sentiment versus Gallup Poll of Consumer Confidence

Brendan O'Connor, Ramnath Balasubramanyan, Bryan R. Routledge, and Noah A. Smith. 2010.  
From Tweets to Polls: Linking Text Sentiment to Public Opinion Time Series. In ICWSM-2010






# Twitter sentiment:

Johan Bollen, Huina Mao, Xiaojun Zeng. 2011.

Twitter mood predicts the stock market,

Journal of Computational Science 2:1, 1-8.

10.1016/j.jocs.2010.12.007.






Bollen et al. (2011)

- CALM predicts DJIA 3 days later
- At least one current hedge fund uses this algorithm

CALM Dow Jones





# Target Sentiment on Twitter


- Twitter Sentiment App

- Alec Go, Richa Bhayani, Lei Huang. 2009. Twitter Sentiment Classification using Distant Supervision

Type in a word and we'll highlight the good and the bad

[Save this search](#)

## Sentiment analysis for "united airlines"



jljacobson: OMG... Could @United airlines have worse customer service? W8g now 15 minut  
Posted 2 hours ago

12345clumsy6789: I hate United Airlines Ceiling!!! Fukn impossible to get my conduit in this d  
Posted 2 hours ago

EMLandPRGbelgiu: EML/PRG fly with Q8 united airlines and 24seven to an exotic destination  
Posted 2 hours ago

CountAdam: FANTASTIC customer service from United Airlines at XNA today. Is tweet more,  
Posted 4 hours ago





# Sentiment analysis has many other names

- Opinion extraction
- Opinion mining
- Sentiment mining
- Subjectivity analysis



## Why sentiment analysis?

- *Movie*: is this review positive or negative?
- *Products*: what do people think about the new iPhone?
- *Public sentiment*: how is consumer confidence? Is despair increasing?
- *Politics*: what do people think about this candidate or issue?
- *Prediction*: predict election outcomes or market trends from sentiment



# Scherer Typology of Affective States

- **Emotion:** brief organically synchronized ... evaluation of a major event
  - *angry, sad, joyful, fearful, ashamed, proud, elated*
- **Mood:** diffuse non-caused low-intensity long-duration change in subjective feeling
  - *cheerful, gloomy, irritable, listless, depressed, buoyant*
- **Interpersonal stances:** affective stance toward another person in a specific interaction
  - *friendly, flirtatious, distant, cold, warm, supportive, contemptuous*
- **Attitudes:** enduring, affectively colored beliefs, dispositions towards objects or persons
  - *liking, loving, hating, valuing, desiring*
- **Personality traits:** stable personality dispositions and typical behavior tendencies
  - *nervous, anxious, reckless, morose, hostile, jealous*



# Scherer Typology of Affective States

- **Emotion:** brief organically synchronized ... evaluation of a major event
  - *angry, sad, joyful, fearful, ashamed, proud, elated*
- **Mood:** diffuse non-caused low-intensity long-duration change in subjective feeling
  - *cheerful, gloomy, irritable, listless, depressed, buoyant*
- **Interpersonal stances:** affective stance toward another person in a specific interaction
  - *friendly, flirtatious, distant, cold, warm, supportive, contemptuous*
- **Attitudes:** enduring, affectively colored beliefs, dispositions towards objects or persons
  - *liking, loving, hating, valuing, desiring*
- **Personality traits:** stable personality dispositions and typical behavior tendencies
  - *nervous, anxious, reckless, morose, hostile, jealous*



# Sentiment Analysis

- Sentiment analysis is the detection of **attitudes**  
“enduring, affectively colored beliefs, dispositions towards objects or persons”
  1. **Holder (source)** of attitude
  2. **Target (aspect)** of attitude
  3. **Type** of attitude
    - From a set of types
      - *Like, love, hate, value, desire, etc.*
    - Or (more commonly) simple weighted **polarity**:
      - *positive, negative, neutral*, together with *strength*
  4. **Text** containing the attitude
    - Sentence or entire document



# Sentiment Analysis

- Simplest task:
  - Is the attitude of this text positive or negative?
- More complex:
  - Rank the attitude of this text from 1 to 5
- Advanced:
  - Detect the target, source, or complex attitude types



# Sentiment Analysis

- Simplest task:
  - Is the attitude of this text positive or negative?
- More complex:
  - Rank the attitude of this text from 1 to 5
- Advanced:
  - Detect the target, source, or complex attitude types

[illegible][illegible]





# A Baseline Algorithm

Dan Jurafsky



# Sentiment Classification in Movie Reviews

Bo Pang, Lillian Lee, and Shivakumar Vaithyanathan. 2002. Thumbs up? Sentiment Classification using Machine Learning Techniques. EMNLP-2002, 79—86.

Bo Pang and Lillian Lee. 2004. A Sentimental Education: Sentiment Analysis Using Subjectivity Summarization Based on Minimum Cuts. ACL, 271-278

- Polarity detection:
  - Is an IMDB movie review positive or negative?
- Data: *Polarity Data 2.0*:
  - <http://www.cs.cornell.edu/people/pabo/movie-review-data>



## IMDB data in the Pang and Lee database



when \_star wars\_ came out some twenty years ago , the image of traveling throughout the stars has become a commonplace image . [...]

when han solo goes light speed , the stars change to bright lines , going towards the viewer in lines that converge at an invisible point .

cool .

\_october sky\_ offers a much simpler image—that of a single white dot , traveling horizontally across the night sky . [ . . . ]



“ snake eyes ” is the most aggravating kind of movie : the kind that shows so much potential then becomes unbelievably disappointing .

it’s not just because this is a brian depalma film , and since he’s a great director and one who’s films are always greeted with at least some fanfare .

and it’s not even because this was a film starring nicolas cage and since he gives a brauvara performance , this film is hardly worth his talents .

Dan Jurafsky



# Baseline Algorithm (adapted from Pang and Lee)

- Tokenization
- Feature Extraction
- Classification using different classifiers
  - Naïve Bayes
  - MaxEnt
  - SVM



# Sentiment Tokenization Issues

- Deal with HTML and XML markup
- Twitter mark-up (names, hash tags)
- Capitalization (preserve for

words in all caps)

- Phone numbers, dates

- Emoticons

- Useful code:

Potts emoticons

|                                  |                          |
|----------------------------------|--------------------------|
| [<>]?                            | # optional hat/brow      |
| [:=8]                            | # eyes                   |
| [\-o\*\ ' ]?                     | # optional nose          |
| [\)\]\]\(\[dDpP/\: \}\{\@ \ \ \] | # mouth                  |
|                                  | #### reverse orientation |
| [\)\]\]\(\[dDpP/\: \}\{\@ \ \ \] | # mouth                  |
| [\-o\*\ ' ]?                     | # optional nose          |
| [:=8]                            | # eyes                   |
| [<>]?                            | # optional hat/brow      |

- [Christopher Potts sentiment tokenizer](#)
- [Brendan O'Connor twitter tokenizer](#)



# Extracting Features for Sentiment Classification

- How to handle negation
  - I **didn't** like this movie
  - vs
  - I really like this movie
- Which words to use?
  - Only adjectives
  - All words
    - All words turns out to work better, at least on this data



# Negation

Das, Sanjiv and Mike Chen. 2001. Yahoo! for Amazon: Extracting market sentiment from stock message boards. In Proceedings of the Asia Pacific Finance Association Annual Conference (APFA).  
Bo Pang, Lillian Lee, and Shivakumar Vaithyanathan. 2002. Thumbs up? Sentiment Classification using Machine Learning Techniques. EMNLP-2002, 79—86.

Add NOT\_ to every word between negation and following punctuation:

didn't like this movie , but I



didn't NOT\_like NOT\_this NOT\_movie but I



## Reminder: Naïve Bayes

$$c_{NB} = \operatorname{argmax}_{c_j \in C} P(c_j) \prod_{i \in \text{positions}} P(w_i | c_j)$$

$$\hat{P}(w | c) = \frac{\text{count}(w, c) + 1}{\text{count}(c) + |V|}$$





## Binarized (Boolean feature) Multinomial Naïve Bayes

- Intuition:
  - For sentiment (and probably for other text classification domains)
  - Word occurrence may matter more than word frequency
    - The occurrence of the word *fantastic* tells us a lot
    - The fact that it occurs 5 times may not tell us much more.
  - Boolean Multinomial Naïve Bayes
    - Clips all the word counts in each document at 1

在Sentiment Analysis中  
比起某個字出現的次數  
我們更在意某個字有沒有出現  
次數其實不太重要  
所以可以設計一個用boolean的Naive Bayes



# Boolean Multinomial Naïve Bayes: Learning

- From training corpus, extract *Vocabulary*
- Calculate  $P(c_j)$  terms
  - For each  $c_j$  in  $C$  do
    - $docs_j \leftarrow$  all docs with class =  $c_j$
    - $$P(c_j) \leftarrow \frac{|docs_j|}{|\text{total \# documents}|}$$
- Calculate  $P(w_k | c_j)$  terms
  - Remove duplicates in containing all  $docs_j$
  - For each word type  $w$  in  $Vocabulary$ 
    - Retain only a single instance of  $w$
    - $n_k \leftarrow$  # of occurrences of  $w_k$  in  $Text_j$
    - $$P(w_k | c_j) \leftarrow \frac{n_k + \alpha}{n + \alpha |Vocabulary|}$$

Boolean Naive Bayes

$n_k = 1$  if  $n_k > 0$

因為我們只在意出現次數



## Boolean Multinomial Naïve Bayes on a test document $d$

- First remove all duplicate words from  $d$
- Then compute NB using the same equation:

$$c_{NB} = \operatorname{argmax}_{c_j \in C} P(c_j) \prod_{i \in \text{positions}} P(w_i | c_j)$$



## Normal vs. Boolean Multinomial NB

| Normal   | Doc | Words                               | Class |
|----------|-----|-------------------------------------|-------|
| Training | 1   | Chinese Beijing Chinese             | c     |
|          | 2   | Chinese Chinese Shanghai            | c     |
|          | 3   | Chinese Macao                       | c     |
|          | 4   | Tokyo Japan Chinese                 | j     |
| Test     | 5   | Chinese Chinese Chinese Tokyo Japan | ?     |

| Boolean  | Doc | Words               | Class |
|----------|-----|---------------------|-------|
| Training | 1   | Chinese Beijing     | c     |
|          | 2   | Chinese Shanghai    | c     |
|          | 3   | Chinese Macao       | c     |
|          | 4   | Tokyo Japan Chinese | j     |
| Test     | 5   | Chinese Tokyo Japan | ?     |



# Binarized (Boolean feature) Multinomial Naïve Bayes

B. Pang, L. Lee, and S. Vaithyanathan. 2002. Thumbs up? Sentiment Classification using Machine Learning Techniques. EMNLP-2002, 79—86.

V. Metsis, I. Androutsopoulos, G. Paliouras. 2006. Spam Filtering with Naive Bayes – Which Naive Bayes? CEAS 2006 - Third Conference on Email and Anti-Spam.

K.-M. Schneider. 2004. On word frequency information and negative evidence in Naive Bayes text classification. ICANLP, 474-485.

JD Rennie, L Shih, J Teevan. 2003. Tackling the poor assumptions of naive bayes text classifiers. ICML 2003


- Binary seems to work better than full word counts
  - This is **not** the same as Multivariate Bernoulli Naïve Bayes
    - MBNB doesn't work well for sentiment or other text tasks
- Other possibility:  $\log(\text{freq}(w))$



# Cross-Validation

- Break up data into 10 folds
  - (Equal positive and negative inside each fold?)
- For each fold
  - Choose the fold as a temporary test set
  - Train on 9 folds, compute performance on the test fold
- Report average performance of the 10 runs

Iteration





## Other issues in Classification

- MaxEnt and SVM tend to do better than Naïve Bayes



# Problems:

## What makes reviews hard to classify?

- Subtlety:
  - Perfume review in *Perfumes: the Guide*:
    - “If you are reading this because it is your darling fragrance, please wear it at home exclusively, and tape the windows shut.”
  - Dorothy Parker on Katherine Hepburn
    - “She runs the gamut of emotions from A to B”

有些評論者可能是高級酸民  
會用反諷或舉例的方式來評論  
所以你很難用positive/negative words  
去判斷這則評論的立場





## Thwarted Expectations and Ordering Effects

- “This film should be **brilliant**. It sounds like a **great** plot, the actors are **first grade**, and the supporting cast is **good** as well, and Stallone is attempting to deliver a good performance. However, it **can’t hold up**.”
- Well as usual Keanu Reeves is nothing special, but surprisingly, the **very talented** Laurence Fishbourne is **not so good** either, I was surprised.



# Sentiment Analysis

A Baseline Algorithm

[illegible][illegible]

Dan Jurafsky



# The General Inquirer

Philip J. Stone, Dexter C Dunphy, Marshall S. Smith, Daniel M. Ogilvie. 1966. The General Inquirer: A Computer Approach to Content Analysis. MIT Press

- Home page: <http://www.wjh.harvard.edu/~inquirer>
- List of Categories: <http://www.wjh.harvard.edu/~inquirer/homecat.htm>
- Spreadsheet: <http://www.wjh.harvard.edu/~inquirer/inquirerbasic.xls>
- Categories:
  - Positiv (1915 words) and Negativ (2291 words)
  - Strong vs Weak, Active vs Passive, Overstated versus Understated
  - Pleasure, Pain, Virtue, Vice, Motivation, Cognitive Orientation, etc
- Free for Research Use



# LIWC (Linguistic Inquiry and Word Count)

Pennebaker, J.W., Booth, R.J., & Francis, M.E. (2007). Linguistic Inquiry and Word Count: LIWC 2007. Austin, TX

- Home page: <http://www.liwc.net/>
- 2300 words, >70 classes
- **Affective Processes**
  - negative emotion (*bad, weird, hate, problem, tough*)
  - positive emotion (*love, nice, sweet*)
- **Cognitive Processes**
  - Tentative (*maybe, perhaps, guess*), Inhibition (*block, constraint*)
- **Pronouns, Negation** (*no, never*), **Quantifiers** (*few, many*)
- \$30 or \$90 fee



# MPQA Subjectivity Cues Lexicon

Theresa Wilson, Janyce Wiebe, and Paul Hoffmann (2005). Recognizing Contextual Polarity in Phrase-Level Sentiment Analysis. Proc. of HLT-EMNLP-2005.

Riloff and Wiebe (2003). Learning extraction patterns for subjective expressions. EMNLP-2003.

- Home page: [http://www.cs.pitt.edu/mpqa/subj\\_lexicon.html](http://www.cs.pitt.edu/mpqa/subj_lexicon.html)
- 6885 words from 8221 lemmas
  - 2718 positive
  - 4912 negative
- Each word annotated for intensity (strong, weak)
- GNU GPL



# Bing Liu Opinion Lexicon

Minqing Hu and Bing Liu. Mining and Summarizing Customer Reviews. ACM SIGKDD-2004.

- [Bing Liu's Page on Opinion Mining](#)
- <http://www.cs.uic.edu/~liub/FBS/opinion-lexicon-English.rar>
- 6786 words
  - 2006 positive
  - 4783 negative



# SentiWordNet

Stefano Baccianella, Andrea Esuli, and Fabrizio Sebastiani. 2010 SENTIWORDNET 3.0: An Enhanced Lexical Resource for Sentiment Analysis and Opinion Mining. LREC-2010

- Home page: <http://sentiwordnet.isti.cnr.it/>
- All WordNet synsets automatically annotated for degrees of positivity, negativity, and neutrality/objectiveness
- [estimable(J,3)] “may be computed or estimated”  
Pos 0    Neg 0    Obj 1
- [estimable(J,1)] “deserving of respect or high regard”  
Pos .75    Neg 0    Obj .25





# Disagreements between polarity lexicons

Christopher Potts, [Sentiment Tutorial](#), 2011

|                  | Opinion<br>Lexicon | General<br>Inquirer | SentiWordNet    | LIWC          |
|------------------|--------------------|---------------------|-----------------|---------------|
| MPQA             | 33/5402 (0.6%)     | 49/2867 (2%)        | 1127/4214 (27%) | 12/363 (3%)   |
| Opinion Lexicon  |                    | 32/2411 (1%)        | 1004/3994 (25%) | 9/403 (2%)    |
| General Inquirer |                    |                     | 520/2306 (23%)  | 1/204 (0.5%)  |
| SentiWordNet     |                    |                     |                 | 174/694 (25%) |
| LIWC             |                    |                     |                 |               |



# Analyzing the polarity of each word in IMDB


Potts, Christopher. 2011. On the negativity of negation. SALT 20, 636-659.

- How likely is each word to appear in each sentiment class?
- Count("bad") in 1-star, 2-star, 3-star, etc.
- But can't use raw counts:

- Instead, **likelihood**: 
$$P(w | c) = \frac{f(w, c)}{\sum_{w \in c} f(w, c)}$$

- Make them comparable between words

- **Scaled likelihood**: 
$$\frac{P(w | c)}{P(w)}$$



訓練一個字是positive / negative的方法

看那個字都出現在幾顆星的評語之中

然後再去算包含該字的評論數目比例

即可算出該字對於星星數的likelihood (e.g.一顆星的評語中，有多少比例包含"bad")


取完likelihood後再做標準化 (e.g.包含"bad"的評語中，每種星等各有多少比例，做標準化)

即可得到下一頁的結果



# Analyzing the polarity of each word in IMDB

Potts, Christopher. 2011. On the negativity of negation. SALT 20, 636-659.





## Other sentiment feature: Logical negation

Potts, Christopher. 2011. On the negativity of negation. *SALT* 20, 636-659.

- Is logical negation (*no*, *not*) associated with negative sentiment?
- Potts experiment:
  - Count negation (*not*, *n't*, *no*, *never*) in online reviews
  - Regress against the review rating





# Potts 2011 Results: More negation in negative sentiment

IMDB (4,073,228 tokens)

Five-star reviews (846,444 tokens)

Scaled likelihood  
 $P(w|c)/P(w)$



[illegible]

[illegible]



# Semi-supervised learning of lexicons

- Use a small amount of information
  - A few labeled examples
  - A few hand-built patterns
- To bootstrap a lexicon





# Hatzivassiloglou and McKeown intuition for identifying word polarity

Vasileios Hatzivassiloglou and Kathleen R. McKeown. 1997. Predicting the Semantic Orientation of Adjectives. ACL, 174–181

- Adjectives conjoined by “*and*” have same polarity
  - Fair **and** legitimate, corrupt **and** brutal
  - \*fair **and** brutal, \*corrupt **and** legitimate
- Adjectives conjoined by “*but*” do not
  - fair **but** brutal



# Hatzivassiloglou & McKeown 1997

## Step 1

- Label **seed set** of 1336 adjectives (all >20 in 21 million word WSJ corpus)
  - 657 positive
    - adequate central clever famous intelligent remarkable  
reputed sensitive slender thriving...
  - 679 negative
    - contagious drunken ignorant lanky listless primitive  
strident troublesome unresolved unsuspecting...



# Hatzivassiloglou & McKeown 1997

## Step 2

用google找到其他訓練資料沒有的字

- Expand seed set to conjoined adjectives



"was nice and"

[Nice location in Porto and the front desk staff was \*\*nice and helpful\*\*...](#)

[www.tripadvisor.com/ShowUserReviews-g189180-d206904-r12068...](#) +1

Mercure Porto Centro: Nice location in Porto and the front desk staff **was nice and helpful** - See traveler reviews, 77 candid photos, and great deals for Porto, ...

nice, helpful

[If a girl was \*\*nice and classy\*\*, but had some vibrant purple dye in ...](#)

[answers.yahoo.com › Home › All Categories › Beauty & Style › Hair](#) +1

4 answers - Sep 21

Question: Your personal opinion or what you think other people's opinions might ...

Top answer: I think she would be cool and confident like katy perry :)


nice, classy



# Hatzivassiloglou & McKeown 1997

## Step 3

- Supervised classifier assigns “polarity similarity” to each word pair, resulting in graph:




綠字代表字義相近  
 可能這兩個字中間有and相連  
 反之可能代表兩個字中間是but相連



# Hatzivassiloglou & McKeown 1997

## Step 4

- Clustering for partitioning the graph into two





# Output polarity lexicon

- Positive
  - bold decisive disturbing generous good honest important large mature patient peaceful positive proud sound stimulating straightforward strange talented vigorous witty...
- Negative
  - ambiguous cautious cynical evasive harmful hypocritical inefficient insecure irrational irresponsible minor outspoken pleasant reckless risky selfish tedious unsupported vulnerable wasteful...



# Output polarity lexicon

- Positive
  - bold decisive **disturbing** generous good honest important large mature patient peaceful positive proud sound stimulating straightforward **strange** talented vigorous witty...
- Negative
  - ambiguous **cautious** cynical evasive harmful hypocritical inefficient insecure irrational irresponsible minor **outspoken pleasant** reckless risky selfish tedious unsupported vulnerable wasteful...



# Turney Algorithm

Turney (2002): Thumbs Up or Thumbs Down? Semantic Orientation Applied to Unsupervised Classification of Reviews

1. Extract a *phrasal lexicon* from reviews
2. Learn polarity of each phrase
3. Rate a review by the average polarity of its phrases





## Extract two-word phrases with adjectives

| First Word      | Second Word       | Third Word (not extracted) |
|-----------------|-------------------|----------------------------|
| JJ              | NN or NNS         | anything                   |
| RB, RBR, RBS    | JJ                | Not NN nor NNS             |
| JJ              | JJ                | Not NN or NNS              |
| NN or NNS       | JJ                | Nor NN nor NNS             |
| RB, RBR, or RBS | VB, VBD, VBN, VBG | anything                   |



## How to measure polarity of a phrase?

- Positive phrases co-occur more with “*excellent*”
- Negative phrases co-occur more with “*poor*”
- But how to measure co-occurrence?



## Pointwise Mutual Information

- **Mutual information** between 2 random variables  $X$  and  $Y$

$$I(X, Y) = \sum_x \sum_y P(x, y) \log_2 \frac{P(x, y)}{P(x)P(y)}$$

- **Pointwise mutual information:**
  - How much more do events  $x$  and  $y$  co-occur than if they were independent?

$$\text{PMI}(X, Y) = \log_2 \frac{P(x, y)}{P(x)P(y)}$$



# Pointwise Mutual Information

- **Pointwise mutual information:**

- How much more do events  $x$  and  $y$  co-occur than if they were independent?

$$\text{PMI}(X, Y) = \log_2 \frac{P(x, y)}{P(x)P(y)}$$

- **PMI between two words:**

- How much more do two words co-occur than if they were independent?

$$\text{PMI}(\text{word}_1, \text{word}_2) = \log_2 \frac{P(\text{word}_1, \text{word}_2)}{P(\text{word}_1)P(\text{word}_2)}$$



## How to Estimate Pointwise Mutual Information

- Query search engine (Altavista)
  - $P(\text{word})$  estimated by  $\text{hits}(\text{word}) / N$
  - $P(\text{word}_1, \text{word}_2)$  by  $\text{hits}(\text{word1 NEAR word2}) / N^2$

$$\text{PMI}(\text{word}_1, \text{word}_2) = \log_2 \frac{\text{hits}(\text{word}_1 \text{ NEAR } \text{word}_2)}{\text{hits}(\text{word}_1) \text{hits}(\text{word}_2)}$$

兩個字同時出現的機率 / 兩個字獨立出現的機率



**Does phrase appear more with “poor” or “excellent”?**

$$\text{Polarity}(\textit{phrase}) = \text{PMI}(\textit{phrase}, \text{"excellent"}) - \text{PMI}(\textit{phrase}, \text{"poor"})$$

$$= \log_2 \frac{\text{hits}(\textit{phrase} \text{ NEAR "excellent"})}{\text{hits}(\textit{phrase})\text{hits}(\text{"excellent"})} - \log_2 \frac{\text{hits}(\textit{phrase} \text{ NEAR "poor"})}{\text{hits}(\textit{phrase})\text{hits}(\text{"poor"})}$$

$$= \log_2 \frac{\text{hits}(\textit{phrase} \text{ NEAR "excellent"})}{\text{hits}(\textit{phrase})\text{hits}(\text{"excellent"})} \frac{\text{hits}(\textit{phrase})\text{hits}(\text{"poor"})}{\text{hits}(\textit{phrase} \text{ NEAR "poor"})}$$

$$= \log_2 \left( \frac{\text{hits}(\textit{phrase} \text{ NEAR "excellent"})\text{hits}(\text{"poor"})}{\text{hits}(\textit{phrase} \text{ NEAR "poor"})\text{hits}(\text{"excellent"})} \right)$$

算出某個phrase比較常和excellent一起出現，還是比較常和poor一起出現  
就可以大概知道這個phrase是positive還是negative



## Phrases from a thumbs-up review

| Phrase                 | POS tags | Polarity |
|------------------------|----------|----------|
| online service         | JJ NN    | 2 . 8    |
| online experience      | JJ NN    | 2 . 3    |
| direct deposit         | JJ NN    | 1 . 3    |
| local branch           | JJ NN    | 0 . 42   |
| ...                    |          |          |
| low fees               | JJ NNS   | 0 . 33   |
| true service           | JJ NN    | -0 . 73  |
| other bank             | JJ NN    | -0 . 85  |
| inconveniently located | JJ NN    | -1 . 5   |
| <i>Average</i>         |          | 0 . 32   |



## Phrases from a thumbs-down review

| Phrase              | POS tags | Polarity |
|---------------------|----------|----------|
| direct deposits     | JJ NNS   | 5 . 8    |
| online web          | JJ NN    | 1 . 9    |
| very handy          | RB JJ    | 1 . 4    |
| ...                 |          |          |
| virtual monopoly    | JJ NN    | -2 . 0   |
| lesser evil         | RBR JJ   | -2 . 3   |
| other problems      | JJ NNS   | -2 . 8   |
| low funds           | JJ NNS   | -6 . 8   |
| unethical practices | JJ NNS   | -8 . 5   |
| <i>Average</i>      |          | -1 . 2   |





## Results of Turney algorithm

- 410 reviews from Epinions
  - 170 (41%) negative
  - 240 (59%) positive
- Majority class baseline: 59%
- Turney algorithm: 74%
- Phrases rather than words
- Learns domain-specific information



# Using WordNet to learn polarity

S.M. Kim and E. Hovy. 2004. Determining the sentiment of opinions. COLING 2004

M. Hu and B. Liu. Mining and summarizing customer reviews. In Proceedings of KDD, 2004

- WordNet: online thesaurus (covered in later lecture).
- Create positive (“good”) and negative seed-words (“terrible”)
- Find Synonyms and Antonyms
  - Positive Set: Add synonyms of positive words (“well”) and antonyms of negative words
  - Negative Set: Add synonyms of negative words (“awful”) and antonyms of positive words (“evil”)
- Repeat, following chains of synonyms
- Filter



# Summary on Learning Lexicons

- Advantages:
  - Can be domain-specific
  - Can be more robust (more words)
- Intuition
  - Start with a seed set of words ('good', 'poor')
  - Find other words that have similar polarity:
    - Using "and" and "but"
    - Using words that occur nearby in the same document
    - Using WordNet synonyms and antonyms





# Sentiment Analysis

# Other Sentiment Tasks



## Finding sentiment of a sentence

- Important for finding aspects or attributes
  - Target of sentiment
- The food was great but the service was awful

整句話的評價正反都有，就沒辦法說他一定是positive或negative



## Finding aspect/attribute/target of sentiment

M. Hu and B. Liu. 2004. Mining and summarizing customer reviews. In Proceedings of KDD.

S. Blair-Goldensohn, K. Hannan, R. McDonald, T. Neylon, G. Reis, and J. Reynar. 2008. Building a Sentiment Summarizer for Local Service Reviews. WWW Workshop.

- Frequent phrases + rules
  - Find all highly frequent phrases across reviews (“fish tacos”)
  - Filter by rules like “occurs right after sentiment word”
    - “...great fish tacos” means fish tacos a likely aspect

|                   |  |
|-------------------|--|
| Casino            | casino, buffet, pool, resort, beds           |
| Children’s Barber | haircut, job, experience, kids               |
| Greek Restaurant  | food, wine, service, appetizer, lamb         |
| Department Store  | selection, department, sales, shop, clothing |



## Finding aspect/attribute/target of sentiment


- The aspect name may not be in the sentence
- For restaurants/hotels, aspects are well-understood
- Supervised classification
  - Hand-label a small corpus of restaurant review sentences with aspect
    - food, décor, service, value, NONE
  - Train a classifier to assign an aspect to a sentence
    - “Given this sentence, is the aspect *food*, *décor*, *service*, *value*, or *NONE*”





# Putting it all together: Finding sentiment for aspects

S. Blair-Goldensohn, K. Hannan, R. McDonald, T. Neylon, G. Reis, and J. Reynar. 2008. Building a Sentiment Summarizer for Local Service Reviews. WWW Workshop





## Results of Blair-Goldensohn et al. method

Rooms (3/5 stars, 41 comments)

- (+) The room was clean and everything worked fine – even the water pressure ...
- (+) We went because of the free room and was pleasantly pleased ...
- (-) ...the worst hotel I had ever stayed at ...

Service (3/5 stars, 31 comments)

- (+) Upon checking out another couple was checking early due to a problem ...
- (+) Every single hotel staff member treated us great and answered every ...
- (-) The food is cold and the service gives new meaning to SLOW.

Dining (3/5 stars, 18 comments)

- (+) our favorite place to stay in biloxi.the food is great also the service ...
- (+) Offer of free buffet for joining the Play



# Baseline methods assume classes have equal frequencies!

- If not balanced (common in the real world)
  - can't use accuracies as an evaluation
  - need to use F-scores
- Severe imbalancing also can degrade classifier performance
- Two common solutions:
  1. Resampling in training
    - Random undersampling
  2. Cost-sensitive learning
    - Penalize SVM more for misclassification of the rare thing



# How to deal with 7 stars?

Bo Pang and Lillian Lee. 2005. Seeing stars: Exploiting class relationships for sentiment categorization with respect to rating scales. ACL, 115-124

1. Map to binary
2. Use linear or ordinal regression
  - Or specialized models like metric labeling



## Summary on Sentiment

- Generally modeled as classification or regression task
  - predict a binary or ordinal label
- Features:
  - Negation is important
  - Using all words (in naïve bayes) works well for some tasks
  - Finding subsets of words may help in other tasks
    - Hand-built polarity lexicons
    - Use seeds and semi-supervised learning to induce lexicons



# Scherer Typology of Affective States

- **Emotion:** brief organically synchronized ... evaluation of a major event
  - *angry, sad, joyful, fearful, ashamed, proud, elated*
- **Mood:** diffuse non-caused low-intensity long-duration change in subjective feeling
  - *cheerful, gloomy, irritable, listless, depressed, buoyant*
- **Interpersonal stances:** affective stance toward another person in a specific interaction
  - *friendly, flirtatious, distant, cold, warm, supportive, contemptuous*
- **Attitudes:** enduring, affectively colored beliefs, dispositions towards objects or persons
  - *liking, loving, hating, valuing, desiring*
- **Personality traits:** stable personality dispositions and typical behavior tendencies
  - *nervous, anxious, reckless, morose, hostile, jealous*



# Computational work on other affective states

- **Emotion:**
  - Detecting annoyed callers to dialogue system
  - Detecting confused/frustrated versus confident students
- **Mood:**
  - Finding traumatized or depressed writers
- **Interpersonal stances:**
  - Detection of flirtation or friendliness in conversations
- **Personality traits:**
  - Detection of extroverts



# Detection of Friendliness

Ranganath, Jurafsky, McFarland

- Friendly speakers use collaborative conversational style
  - Laughter
  - Less use of negative emotional words
  - More sympathy
    - That's too bad      I'm sorry to hear that
  - More agreement
    - I think so too
  - Less hedges
    - kind of      sort of      a little ...





# Sentiment Analysis

# Other Sentiment Tasks