## Introduction to LaFiC

#### Sebastian Meisel

April 11, 2019

LaFiC means *layout and format in comments*, as all layout and format information is put into comment lines. So layout and content are *fully* separated. For details see Writing text in LaFiC.

## Part I Installation

Get source from github using:

git clone https://github.com/SebastianMeisel/lafic.git

Add lafic directory to \$PATH, e.g.:

export PATH=\${PATH}:~/lafic

See lafic-mode.el for installation instructions, if you want to use in in Gnu  $Emacs^1$ .

#### Part II

# Writing text in LaFiC

## 1 Lines and paragraphs

The content is presented in two forms<sup>2</sup>, which also include the most basic layout: There are lines and paragraphs.

 $<sup>^1\</sup>mathrm{GNU}$  Emacs ist als freie Software unter der GNU General Public License erhältlich und läuft auf den meisten heute üblichen Betriebssystemen (Unix, GNU/Linux, macOS und Windows).

<sup>&</sup>lt;sup>2</sup>Lari Fari.

The difference is not so much the length, but lines include none of the punctation marks ».«, »?«, »!«, »:«. If no further layout information³ is provided, these are interpreted as headings.

The first line is interpreted as the title and presented as this is as <h1>, when converted to Html, and , when converted to LATeX.

Further line will be converted to <h3> (Html) or

## 2 (

LATEX), if no otherwise specified.

This way simple Documents Html may be structured with no explicit layout information at all.

#### 3 Comments

You can add comments to your text, by starting a single line or each *line* of a paragraph with a % char with no leading spaces. These lines or paragraphs must, however, be separated by empty line from the content<sup>4</sup>.

```
% This is a comment.
```

```
% This is a longer comment, that spreads over several
% lines. It is important that it is not connected to a line
% of the general content.
```

"It is recommended, however, to start comments with two % chars. Else there may occur 'problems', when there" is a »:« somewhere in the comment. You also can start a longer comment this way and don't need to repeat it 'in every' line.

```
%% This is a comment! No mistake!
Even when you go on with no leading % it's still a comment.
```

## 4 Formated paragraphs

Paragraphs can be formated by adding a line before the paragraph, that starts with a % char, followed by a single word. There are some predefined keywords, like quote or quotation for – well a quotation.

 $<sup>^3</sup>$ Bla bla bla.

 $<sup>^4</sup>$ Waba Waba.

```
% quote
This is a quotation.
```

This is a quotation.

If the keyword is unknown, it will be converted to an environment name in  $\LaTeX$  for the name of a <div> in Html.

#### 5 Formated lines

Line are formated in the same way, only they are converted to macros (LATEX) oder <span> names (HTML). Know keywords are H1 ... H6 for headings.

```
% heading4
This is a subsection
```

#### 5.1 This is a subsection

#### 6 Inline formation

If you want to format words or sequences in a paragraph (or line if needed), you add format lines with a leading % after a paragraph. It has two parts:

- 1. the word or the sequence to be formated in the form start...end.
- 2. a keyword.

The both are separated by a »:«.

Known environment keywords are e.g. quote or quotation.

If the keyword is unknown, it is converted to a macro (LATeX) oder <span> (HTML) name.

#### 7 Lists

Lists are the only things, that need some kind of markup. You have to start each topic of the list with one of the following chars: -, \*, +, -. It doesn't matter, which one you choose. You may indent the lines, but that has no influence on the layout.

```
* Top 1.
```

<sup>-</sup> Top 2.

- Top 1.
- Top 2.

For multilevel lists, you have to choises, to raise or decrease the level: The clean LaFiC style would be, to start a new paragraph and add the keyword <code>%%level+«</code> or <code>%%level-«</code> at the end.

```
* Top 1.

* Top 2a.

* Top 2b.

% level+

• Top 1.

• Top 2.

— Top 2a.
```

- Top 2b.

Or you can write the list in one paragraph, marking the raise or decrease of the level with a > or < at the beginning of a single line.

```
* Top 2.

* Top 2a.

* Top 2b.

* Top 3

• Top 1.

• Top 2.

- Top 2a.

- Top 2b.


• Top 3
```

\* Top 1.

## 8 Images

The simplest way to put an image into a LaFiC file is a line with the image name, with a know extention: png, jpg, jpeg, gif.

```
Image.png
% height = 40%
```



Note that this will not put an figure environment in LATEXfiles, so the image won't float this way. For this to achieve to have to put % image, %img or %figure before the line. You don't need the extention then.

```
%image
Image.png
% width = 40%
% caption = "Moon and Mars"
```




Figure 1: "Moon and Mars"