



# **Security Findings of Project**"baseCase"

| Analysis Date:  | 2020-03-07 04:22:23 |
|-----------------|---------------------|
| Allalysis Date. | 2020-03-07 04.22.23 |

# **Analyzed Workspace:**

| Packages: | 1 | Total LOC:                    | 12 |
|-----------|---|-------------------------------|----|
| Classes:  | 1 | No. of Bytecode Instructions: | 22 |


# **Computed Call Graph:**

Classes not in Call Graph: 0 Methods not in Call Graph: 0


### **Findings in List:**

All Findings: 7 Problematic Findings: 6






# Finding Classifications:




# **Finding Ratings:**




#### OWASP Top 10 2017



#### Hot Spots (Packages)



#### Hot Spots (Classes)





# **Findings List**

Finding ID: 4 Problem Type: Cryptography: AES Decryption (Protocol Check

Findings)

Classification: Warning Date: 2020-03-07 04:22:23 - new

Rating: 5.00 Reviewed State: Not Reviewed

Location: CipherExample.java (<Source Code>):10

Tags: no tags assigned
Comment: no comment

**Description:** An identified location for problem type 'Cryptography: AES Decryption'.

Dataflow ended in a state that was not GOOD.

Violated protocol: Creation of an AES Cipher for Decryption

Protocol description:

Creation of a cipher for AES consists of creating an uninitialized cipher, and then initializing it

properly, either for encryption or for decryption.

Finding ID: 5 Problem Type: Cryptography: AES Encryption (Protocol Check

Findings)

Classification: Warning Date: 2020-03-07 04:22:23 - new

Rating: 5.00 Reviewed State: Not Reviewed

**Location:** CipherExample.java (<Source Code>):10

Tags: no tags assigned
Comment: no comment

**Description:** An identified location for problem type 'Cryptography: AES Encryption'.

Dataflow ended in a state that was not GOOD.

Violated protocol: Creation of an AES Cipher for Encryption

Protocol description:

Creation of a cipher for AES consists of creating an uninitialized cipher, and then initializing it

properly.

Xanitizer Findings List Page 2 of 4



# **Findings List**

Finding ID: 3 Problem Type: Cryptography: Check that only allowed crypto

algorithms are used (Protocol Check Findings)

Classification: Warning Date: 2020-03-07 04:22:23 - new

Rating: 5.00 Reviewed State: Not Reviewed

**Location:** CipherExample.java (<Source Code>):9

Tags: no tags assigned
Comment: no comment

**Description:** An identified location for problem type 'Cryptography: Check that only allowed crypto algorithms are

ısed'.

The protocol check detected something wrong when encountering symbol

'AnyAlgorithm\_CipherConstruction':

Only AES is allowed as algorithm for encryption or decryption.

Violated protocol: Check Allowed Cryptography Algorithms

Protocol description:

Allow only a given set of cryptography algorithm names where algorithm names are expected.

The algorithm names are configured via constant value constraint variables.

Names to be checked against can be found here: https://docs.oracle.com/javase/8/docs/technotes/

guides/security/StandardNames.html

Matching pattern in protocol check kind 'AnyAlgorithm\_CipherConstruction': static javax.crypto.Cipher javax.crypto.Cipher.getInstance(java.lang.String, \*\*\*)

Finding ID: 2 Problem Type: Cryptography: Cryptographic Algorithms Used in Project

(Special Code)

Classification: Information Date: 2020-03-07 04:22:23 - new

Rating: 0.00 Reviewed State: Not Reviewed

Location: CipherExample.java (<Source Code>):9

Tags: no tags assigned
Comment: no comment

**Description:** An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'.

Declared in: javax.crypto.Cipher

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project':

static javax.crypto.\*\* javax.crypto.\*\*.getInstance(java.lang.String)

Finding ID: 1 Problem Type: Cryptography: Cryptographic Algorithms w/o Specified

Crypto-Provider (Special Code)

Classification: Warning Date: 2020-03-07 04:22:23 - new

Rating: 1.00 Reviewed State: Not Reviewed

**Location:** CipherExample.java (<Source Code>):9

Tags: no tags assigned
Comment: no comment

**Description:** An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-

Provider'.

Declared in: javax.crypto.Cipher

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-

Provider':

static javax.crypto.\*\* javax.crypto.\*\*.getInstance(java.lang.String)

Xanitizer Findings List Page 3 of 4



# **Findings List**

Finding ID: 7 Problem Type: FindSecBugs: ECB mode is insecure (SpotBugs

Security Issues)

Classification: Warning Date: 2020-03-07 04:22:23 - new

Rating: 8.00 Reviewed State: Not Reviewed

Location: CipherExample.java (<Source Code>):9

Tags: no tags assigned
Comment: no comment

**Description:** A finding identified by the external 'SpotBugs' plugin:

The cipher uses ECB mode, which provides poor confidentiality for encrypted data

- In method CipherExample.main(String[])

Finding ID: 6 Problem Type: FindSecBugs: Cipher with no integrity (SpotBugs

Security Issues)

Classification: Warning Date: 2020-03-07 04:22:23 - new

Rating: 8.00 Reviewed State: Not Reviewed

Location: CipherExample.java (<Source Code>):9

Tags: no tags assigned
Comment: no comment

**Description:** A finding identified by the external 'SpotBugs' plugin:

The cipher does not provide data integrity

- In method CipherExample.main(String[])

Xanitizer Findings List Page 4 of 4