

Share:    

Coping With Agitation, Aggression, and Sundowning in Alzheimer's Disease

[Español](#)

People with [Alzheimer's disease](#) may become agitated or aggressive as the disease gets worse. Agitation means that a person is restless and worried, and they aren't able to settle down. Agitated people may pace a lot, not be able to sleep, or act aggressively toward others. They may verbally lash out or try to hit or hurt someone. When these problems start to happen or worsen in the late afternoon or early evening, it's called sundowning. On this page, learn about the causes of agitation, aggression, and sundowning and how to manage them.

Causes of agitation and aggression

Most of the time, agitation and aggression happen for a reason. When they happen, try to find the cause, then talk with a health care provider about possible solutions. Causes of agitation and aggression can include:

- [Pain](#), [depression](#), or stress
- [Too little rest or sleep](#)
- [Constipation](#)
- Sudden change in a well-known place, routine, or person
- A feeling of loss — for example, the person may miss the freedom to [drive](#)
- Too much noise or confusion, or too many people in the room
- Being pushed by others to do something — for example, to [bathe](#) or to remember events or people — when Alzheimer's has made the activity very hard or impossible
- [Feeling lonely](#) and not having enough contact with other people
- [Certain medications](#) or interactions between two medications



A doctor can give the person with Alzheimer's a medical exam to look for any physical problems that may cause agitation and aggression, and in certain cases, may prescribe medication to ease the symptoms.

Six Tips to Help Manage Behavior Changes in Alzheimer's Disease



Tips for coping with agitation or aggression

Here are some ways you can help minimize and cope with agitation or aggression:

- **Be patient and try not to show frustration.** Speak calmly. Listen to the person's concerns and avoid arguing. Reassure the person that they are safe, and that you are there to help. Use other communication methods besides speaking, such as gentle touching, to help them calm down. Take deep breaths and count to 10 if you get upset.
- **Create a comforting home setting.** Try to keep to a routine, such as bathing, dressing, and eating at the same times each day. Reduce noise and clutter. Play soothing music and keep well-loved objects and photos around the home. Let in natural light during the day. Slow down and try to relax if you think your own worries may be causing concern.
- **Try focusing on an object or activity.** Distract the person with a snack, beverage, or activity. You could watch a favorite TV show, listen to music, go for a walk, read a book, or do a household chore, such as folding laundry, together.
- **Protect yourself and others if needed.** Hide or lock up car keys and items that could be used in a harmful



[Read and share this infographic](#) about how to communicate with a person who

way, such as guns and kitchen knives. If your loved one becomes aggressive, stay at a safe distance until the behavior stops. Talk to a doctor if aggressive behaviors worsen and consider medications that may help. In an emergency, **call 911** and explain that your loved one has dementia.

has Alzheimer's disease.

Sundowning: Avoiding Late-Day Confusion

When restlessness, agitation, irritability, and confusion happen as daylight begins to fade, it's known as sundowning. Being overly tired can increase late-afternoon and early-evening restlessness. Try taking these steps with the person living with dementia to help prevent sundowning:

- Stick to a schedule.
- Arrange a time to go outside or sit by a window to get sunlight each day.
- Aim to be physically active each day, but don't plan too many activities.
- Avoid alcoholic drinks and beverages with caffeine, such as coffee or cola, late in the day.
- Discourage long naps and dozing late in the day.

You may also be interested in

- Reading more about [managing behavior changes in Alzheimer's](#)
- Finding [resources for help with Alzheimer's caregiving](#)
- Exploring [ways to take care of yourself](#) as a caregiver

For more information

NIA Alzheimer's and related Dementias Education and Referral (ADEAR) Center

800-438-4380

adear@nia.nih.gov

www.nia.nih.gov/alzheimers

The NIA ADEAR Center offers information and free print publications about Alzheimer's and related dementias for families, caregivers, and health professionals. ADEAR Center staff answer telephone, email, and written requests and make referrals to local and national resources.

Alzheimers.govwww.alzheimers.gov

Explore the Alzheimers.gov website for information and resources on Alzheimer's and related dementias from across the federal government.

Eldercare Locator

800-677-1116

eldercarelocator@USAgings.org<https://eldercare.acl.gov>**Alzheimer's Association**

800-272-3900

866-403-3073 (TTY)

info@alz.orgwww.alz.org**Alzheimer's Foundation of America**

866-232-8484

info@alzfdn.org<https://alzfdn.org>**Family Caregiver Alliance**

800-445-8106

info@caregiver.orgwww.caregiver.org**National Respite Locator Service**www.archrespite.org/respitelocator

This content is provided by the NIH National Institute on Aging (NIA). NIA scientists and other experts review this content to ensure it is accurate and up to date.

Content reviewed: July 17, 2024

[Return to top](#)**Newsletters**

Sign up to receive updates and resources
delivered to your inbox.

Sign up

nia.nih.gov

An official website of the [National Institutes of Health](https://www.nih.gov)