



Cambridge International Examinations

Cambridge International Advanced Subsidiary and Advanced Level

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

CHEMISTRY 9701/23

Paper 2 Structured Questions AS Core

October/November 2014

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: Data Booklet

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.






© UCLES 2014

Answer all the questions in the spaces provided.


1 (a) Successive ionisation energies for the elements fluorine, F, to bromine, Br, are shown on the graph.



(i)	Explain why the first ionisation energies decrease down the group.
	[3]
(ii)	Explain why there is an increase in the successive ionisation energies of fluorine.

(b)		oup VII is the only group in the Periodic Table containing elements in all three states of tter at room conditions.
		te and explain, in terms of intermolecular forces, the trend in the boiling points of the ments down Group VII.
		[41]
		[4]
(c)		mpounds containing different halogen atoms covalently bonded together are called rhalogen compounds.
	(i)	One interhalogen compound can be prepared by the reaction between iodine and fluorine. This compound has $M_{\rm r}$ = 222 and the percentage composition by mass: F, 42.8; I, 57.2.
		Calculate the molecular formula of this interhalogen compound.
		molecular formula [3]
	(ii)	Another interhalogen compound has the formula IC1.
		Draw a 'dot-and-cross' diagram of a molecule of this compound, showing outer shell electrons only. Explain whether or not you would expect this molecule to be polar.
		[2]

(d) Some reactions involving chlorine and its compounds are shown in the reaction scheme below.



(i) Give the formulae of W, X, Y and Z.

W	
X	
Y	
Z	
	[4]

(ii) Write an equation for the reaction of chlorine with hot NaOH(aq).

r	101
	ーフト
	-

(iii) State the oxidation numbers of chlorine at the start and at the end of the reaction in (ii).

[0]
コンロ
 [-]

(iv) Write an ionic equation for the reaction of Y with AgNO₃(aq). Include state symbols.

.....[1]

[Total: 23]

Question 2 starts on the next page.

2	The Haber process for the manufacture of ammonia, NH ₃ , was originally devised at the start of the
	20th century and was developed into a full-scale industrial process by Carl Bosch in 1913.


The key step in the process is the reversible reaction of nitrogen and hydrogen in the presence of an iron catalyst.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$
 $\Delta H = -92 \text{ kJ mol}^{-1}$

(a) The hydrogen for this reaction can be formed by reacting methane with steam, during which carbon monoxide is also produced. Write an equation for this reaction.

.....[1]

(b) Use the Boltzmann distribution shown to explain why a catalyst increases the rate of this reaction.



N

(c) Draw a three-dimensional diagram to show the shape of an ammonia molecule. Name this shape and state the bond angle.

shape bond angle [3]

1) Ine	e Haber process is typically carried out at a temperature of 400 °C.
(i)	With reference to Le Chatelier's Principle and reaction kinetics, state and explain one advantage and one disadvantage of using a higher temperature.
	[4]
(ii)	State the expression for the equilibrium constant, K_p , for the formation of ammonia from nitrogen and hydrogen in the Haber process.
	$\mathcal{K}_{p} =$
	[1]
(iii)	2.00 moles of nitrogen and 3.00 moles of hydrogen were put in a vessel and left to reach equilibrium.
	At equilibrium, the pressure was $2.00 \times 10^7 \text{Pa}$ and the mixture contained 1.60 moles of ammonia.
	Calculate K_p . Include the units.
	$\mathcal{K}_{p} = \dots$
	units =[5]
	[Total: 18]

3 P, Q, R and S are structural isomers with the molecular formula C₅H₁₀.

All four compounds readily decolourise bromine in the dark.

P, R and S do not exhibit stereoisomerism but Q exists as a pair of geometrical (cis-trans) isomers.

All four compounds react with hot concentrated, acidified potassium manganate (VII) to produce a variety of products as shown in the table.

compound	products
Р	CO ₂ and CH ₃ CH ₂ CH ₂ CO ₂ H
Q	CH ₃ CO ₂ H and CH ₃ CH ₂ CO ₂ H
R	CO_2 and T (C_4H_8O)
S	CH ₃ CO ₂ H and (CH ₃) ₂ CO

T reacts with 2,4-dinitrophenylhydrazine reagent, 2,4-DNPH, to form an orange crystalline product but does not react with Fehling's reagent.

(a)	Give the structural formulae of P, Q, R, S and T.


	Ρ	
	R	S
	Т	[5]
(b)	(i)	Explain what is meant by the term <i>stereoisomerism</i> .

[2]

(11)	Draw the displayed formulae of the geometrical isomers of Q and name them to	otn.
	name name	[2]
Naı	ame the organic product of the reaction of T with sodium borohydride, NaBH ₄ .	
		[1]
		[Total: 10]

4 A series of reactions based on propan-1-ol is shown.

(a) Suggest a suitable reagent and conditions for reaction 1.



	[2]

(b)	(i)	Write an equation for reaction 2 , using [O] to represent the oxidising agent.	
			[1]
	(ii)	Suggest a suitable reagent and conditions for reaction 2.	

(c)	Give the structural formulae of U and V .
	U
	V

(d)	Suggest a suitable reagent and conditions for reaction 3.	
		 [2]

[Total: 9]

[2]

11

BLANK PAGE

12

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.