

Discrete Dynamics

Control Theory, Lecture 5 (continuation)

by Sergei Savin

Spring 2021

- Discrete Dynamics
- Stability of the Discrete Dynamics
- Discretization
 - ▶ Finite difference
 - ▶ Finite difference in an autonomous LTI
- Zero order hold
- ZOH and other types of discretization
 - ▶ Zero order hold vs First order hold
 - ▶ Exact discretization
- Read more

The following dynamical system is called *discrete*:

$$\mathbf{x}_{i+1} = \mathbf{A}\mathbf{x}_i + \mathbf{B}\mathbf{u}_i \quad (1)$$

Note that those:

- have no derivatives in the equation;
- are easily simulated.

The affine control for this system can be given as:

$$\mathbf{u}_i = -\mathbf{K}\mathbf{x}_i + \mathbf{u}_i^* \quad (2)$$

STABILITY OF THE DISCRETE DYNAMICS

Part 1

Let us consider stability of the discrete dynamical system
 $\mathbf{x}_{i+1} = \mathbf{A}\mathbf{x}_i$.

We will attack the problem in the same way as before, first assuming that $\mathbf{A} = \mathbf{V}^{-1}\mathbf{D}\mathbf{V}$, where \mathbf{D} is a diagonal matrix with eigenvalues of \mathbf{A} on its diagonal:

$$\mathbf{x}_{i+1} = \mathbf{V}^{-1}\mathbf{D}\mathbf{V}\mathbf{x}_i \quad (3)$$

Multiplying both sides of the equation by \mathbf{V} and defining $\mathbf{z}_i = \mathbf{V}\mathbf{x}_i$, we get:

$$\mathbf{V}\mathbf{x}_{i+1} = \mathbf{V}\mathbf{V}^{-1}\mathbf{D}\mathbf{V}\mathbf{x}_i \quad (4)$$

$$\mathbf{z}_{i+1} = \mathbf{D}\mathbf{z}_i \quad (5)$$

STABILITY OF THE DISCRETE DYNAMICS

Part 2

Now, considering $\mathbf{z}_{i+1} = \mathbf{D}\mathbf{z}_i$ we can see that the norm of the state \mathbf{z}_i would not increase iff the norm of the elements of \mathbf{D} (which as eigenvalues of \mathbf{A}) are smaller than 1.

Stability criterion

In general, discrete systems $\mathbf{x}_{i+1} = \mathbf{A}\mathbf{x}_i$ are stable as long as the eigenvalues of \mathbf{A} are smaller than 1 by absolute value: $|\lambda_i(\mathbf{A})| \leq 1, \forall i$. This is true for complex eigenvalues as well.

DISCRETIZATION

Finite difference

Consider linear time-invariant autonomous system:

$$\dot{\mathbf{x}} = \mathbf{A}\mathbf{x} \quad (6)$$

The time derivative $\dot{\mathbf{x}}$ can be replaced with a finite difference:

$$\dot{\mathbf{x}} \approx \frac{1}{\Delta t}(\mathbf{x}(t + \Delta t) - \mathbf{x}(t)) \quad (7)$$

Note that we could have also used other definitions of a finite difference:

$$\dot{\mathbf{x}} \approx \frac{1}{\Delta t}(\mathbf{x}(t + 0.5\Delta t) - \mathbf{x}(t - 0.5\Delta t)) \quad (8)$$

or

$$\dot{\mathbf{x}} \approx \frac{1}{\Delta t}(\mathbf{x}(t) - \mathbf{x}(t - \Delta t)) \quad (9)$$

DISCRETIZATION

Finite difference notation

We can introduce notation:

$$\begin{cases} \mathbf{x}_0 = \mathbf{x}(0) \\ \mathbf{x}_1 = \mathbf{x}(\Delta t) \\ \mathbf{x}_2 = \mathbf{x}(2\Delta t) \\ \dots \\ \mathbf{x}_n = \mathbf{x}(n\Delta t) \end{cases} \quad (10)$$

We say that \mathbf{x}_i is the value of \mathbf{x} at the time step i . Then the finite difference can be written, for example, as follows:

$$\dot{\mathbf{x}} \approx \frac{1}{\Delta t} (\mathbf{x}_{i+1} - \mathbf{x}_i) \quad (11)$$

DISCRETIZATION

Finite difference in an autonomous LTI

We can rewrite our original autonomous LTI as follows:

$$\frac{1}{\Delta t}(\mathbf{x}_{i+1} - \mathbf{x}_i) = \mathbf{A}\mathbf{x}_i \quad (12)$$

Isolating \mathbf{x}_{i+1} on the left hand side, we get:

$$\mathbf{x}_{i+1} = (\mathbf{A}\Delta t + \mathbf{I})\mathbf{x}_i \quad (13)$$

Or alternatively:

$$\frac{1}{\Delta t}(\mathbf{x}_{i+1} - \mathbf{x}_i) = \mathbf{A}\mathbf{x}_{i+1} \quad (14)$$

Isolating \mathbf{x}_{i+1} on the left hand side, we get:

$$\mathbf{x}_{i+1} = (\mathbf{I} - \mathbf{A}\Delta t)^{-1}\mathbf{x}_i \quad (15)$$

DISCRETIZATION

Zero order hold

Defining *discrete state space matrix* $\bar{\mathbf{A}}$ and *discrete control matrix* $\bar{\mathbf{B}}$ as follows:

$$\bar{\mathbf{A}} = \mathbf{A}\Delta t + \mathbf{I} \quad (16)$$

$$\bar{\mathbf{B}} = \mathbf{B}\Delta t \quad (17)$$

We get discrete dynamics:

$$\mathbf{x}_{i+1} = \bar{\mathbf{A}}\mathbf{x}_i + \bar{\mathbf{B}}\mathbf{u}_i \quad (18)$$

This way of defining discrete dynamics is called *zero order hold (ZOH)*.

ZOH AND OTHER TYPES OF DISCRETIZATION

Zero order hold vs First order hold

Graphically, we can understand what zero order hold is, by comparing it to the first order hold:

Graphically, zero order hold is this:



First order hold is this:




Figure 1: Different types of discretization

ZOH AND OTHER TYPES OF DISCRETIZATION

Exact discretization

Let the discrete state \mathbf{x}_i correspond to continuous state \mathbf{x} at the moment of time t_i . Then, we can say that the discretization is *exact* the following holds for any solution $\mathbf{x}(t)$

$$\mathbf{x}_0 = \mathbf{x}(t_0) \rightarrow \mathbf{x}_i = \mathbf{x}(t_i), \quad \forall i \quad (19)$$

We can compute the exact discretization as follows:

$$\bar{\mathbf{A}} = e^{\mathbf{A}\Delta t} \quad (20)$$

$$\bar{\mathbf{B}} = \mathbf{B} \int_{t_0}^{t_0+\Delta t} e^{\mathbf{A}s} ds \quad (21)$$

- [Automatic Control 1 Discrete-time linear systems](#), Prof. Alberto Bemporad, University of Trento

THANK YOU!

Lecture slides are available via Moodle.

You can help improve these slides at:

github.com/SergeiSa/Control-Theory-Slides-Spring-2021

Check Moodle for additional links, videos, textbook suggestions.