

rk1

April 2, 2023

1 1

1.1

```
[341]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
from category_encoders.count import CountEncoder as ce_CountEncoder
from sklearn.datasets import load_breast_cancer
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import RobustScaler
%matplotlib inline
sns.set(style="ticks")
```

1.2 №1

() “count (frequency) encoding”.

1.2.1

```
[342]: #
data_loaded = pd.read_csv('data/hotel.csv', sep=",")
data_loaded.shape
```

[342]: (4000, 36)

```
[343]: data_loaded.head()
```

```
[343]: additional_info \
0 Room Service|Internet Access|Restaurant|Free I...
1 Room Service|Gym/Spa
2 Restaurant|Swimming Pool
3 NaN
4 Internet Access|Restaurant

address area city \
```

0	15th Mile, N.H.21,Manali, District Kullu,Himac...	Others	Manali
1	A-585, Sushant Lok-1 ,Near Iffco Chowk Metro S...	Sushant Lok	Gurgaon
2	Cobra Vaddo,Calungate Baga Road, Bardez, Calan...	Calangute Area	Goa
3		Simsa Village	Simsa Manali
4	8180 Street No.-6,Arakashan Road,Paharganj	Paharganj	Delhi

	country	crawl_date	guest_recommendation	hotel_brand	hotel_category	\
0	India	2016-07-24	85.0	NaN	gostays	
1	India	2016-07-24	87.0	NaN	regular	
2	India	2016-07-24	50.0	NaN	regular	
3	India	2016-07-24	100.0	NaN	regular	
4	India	2016-07-24	63.0	NaN	regular	

	hotel_description	...	room_count	\
0	The standard check-in time is 12:00 PM and the...	...	17	
1	The standard check-in time is 12:00 PM and the...	...	18	
2	The standard check-in time is 12:00 PM and the...	...	15	
3	The standard check-in time is 12:00 PM and the...	...	24	
4	The standard check-in time is 12:00 PM and the...	...	20	

	room_facilities	\
0	Room Service Basic Bathroom Amenities Cable /...	
1	Room Service Air Conditioning Basic Bathroom...	
2	Room Service Air Conditioning Cable / Satell...	
3	Basic Bathroom Amenities Cable / Satellite / P...	
4	Basic Bathroom Amenities Cable / Satellite / P...	

	room_type	\
0	Deluxe Room	
1	Deluxe Room With Free WIFI	
2	Standard Room	
3	Deluxe Room	
4	Standard Room Non AC	

	similar_hotel	site_review_count	\
0	https://www.goibibo.com/hotels/woodchime-homes...	87.0	
1	https://www.goibibo.com/hotels/stepinn-iffco-c...	8.0	
2	https://www.goibibo.com/hotels/sunrise-beach-r...	2.0	
3	https://www.goibibo.com/hotels/green-cottages-...	1.0	
4	https://www.goibibo.com/hotels/delhi-continent...	121.0	

	site_review_rating	site_stay_review_rating	\
0	4.0	Service Quality::3.9 Amenities::3.7 Food and D...	
1	4.5	Service Quality::4.7 Amenities::4.7 Food and D...	
2	2.5	Service Quality::2.5 Amenities::2.5 Food and D...	
3	5.0	Service Quality::5.0 Amenities::5.0 Food and D...	
4	2.8	Service Quality::2.7 Amenities::2.6 Food and D...	

	sitename	state	uniq_id
0	goibibo	Himachal Pradesh	2c8db027d43a9452a43e88eb30d9f983
1	goibibo	Haryana	e98f69f889c0235e6dc480e7df6de0de
2	goibibo	Goa	9b59d00eaffc273d83000ed7dcda0e83
3	goibibo	Himachal Pradesh	df0971f9c5501af112485ee28b468ce5
4	goibibo	Delhi	0c3514344c9cda8718f558e84bdb44ef

[5 rows x 36 columns]

```
[344]: data_features = list(zip(
#
[i for i in data_loaded.columns],
zip(
#
[str(i) for i in data_loaded.dtypes],
#
[i for i in data_loaded.isnull().sum()]
)))
#
data_features
```

```
[344]: [('additional_info', ('object', 808)),
('address', ('object', 0)),
('area', ('object', 35)),
('city', ('object', 0)),
('country', ('object', 0)),
('crawl_date', ('object', 0)),
('guest_recommendation', ('float64', 1584)),
('hotel_brand', ('object', 3611)),
('hotel_category', ('object', 0)),
('hotel_description', ('object', 17)),
('hotel_facilities', ('object', 194)),
('hotel_star_rating', ('int64', 0)),
('image_count', ('int64', 0)),
('latitude', ('float64', 0)),
('locality', ('object', 35)),
('longitude', ('float64', 0)),
('pageurl', ('object', 0)),
('point_of_interest', ('object', 240)),
('property_id', ('object', 0)),
('property_name', ('object', 0)),
('property_type', ('object', 0)),
('province', ('object', 0)),
('qts', ('object', 1284)),
('query_time_stamp', ('object', 0)),
('review_count_by_category', ('object', 1585)),
```

```
(('room_area', ('object', 2872)),
 ('room_count', ('int64', 0)),
 ('room_facilities', ('object', 270)),
 ('room_type', ('object', 0)),
 ('similar_hotel', ('object', 83)),
 ('site_review_count', ('float64', 1584)),
 ('site_review_rating', ('float64', 1584)),
 ('site_stay_review_rating', ('object', 0)),
 ('sitename', ('object', 0)),
 ('state', ('object', 0)),
 ('uniq_id', ('object', 0))]
```

```
[345]: #
cols_filter = ['uniq_id', 'property_name', 'property_type', 'city',
               ↪ 'crawl_date',
               'guest_recommendation', 'sitename']
data = data_loaded[cols_filter]
data.head()
```

```
[345]:
```

	uniq_id	property_name	property_type	\
0	2c8db027d43a9452a43e88eb30d9f983	Baragarh Regency	Resort	
1	e98f69f889c0235e6dc480e7df6de0de	Asian Suites A- 585	Guest House	
2	9b59d00eaffc273d83000ed7dcda0e83	Bevvann Resort	Resort	
3	df0971f9c5501af112485ee28b468ce5	Apple Inn Cottage	Cottage	
4	0c3514344c9cda8718f558e84bdb44ef	Anmol Hotel Pvt.Ltd	Hotel	

	city	crawl_date	guest_recommendation	sitename
0	Manali	2016-07-24	85.0	goibibo
1	Gurgaon	2016-07-24	87.0	goibibo
2	Goa	2016-07-24	50.0	goibibo
3	Manali	2016-07-24	100.0	goibibo
4	Delhi	2016-07-24	63.0	goibibo

```
[346]: #
def impute_na(df, variable, value):
    df[variable].fillna(value, inplace=True)

impute_na(data, 'guest_recommendation', data['guest_recommendation'].mean())
```

/var/folders/fs/5xh23h99763f_blp7m50x23h0000gq/T/ipykernel_3775/3897478908.py:3:

SettingWithCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy

```
df[variable].fillna(value, inplace=True)
```

```
[347]: #
data.isnull().sum()
```

```
[347]: uniq_id          0
property_name        0
property_type        0
city                 0
crawl_date           0
guest_recommendation  0
sitename             0
dtype: int64
```

1.2.2 “count (frequence) encoding”

```
[348]: ce_CountEncoder1 = ce_CountEncoder()
data_COUNT_ENC = ce_CountEncoder1.fit_transform(data[data.columns.
↳difference(['uniq_id'])])
```

```
[349]: data_COUNT_ENC
```

```
[349]:      city  crawl_date  guest_recommendation  property_name  property_type \
0      70      976      85.000000      1      516
1     101      976      87.000000      1      243
2     220      976      50.000000      1      516
3      70      976     100.000000      1       75
4     137      976      63.000000      1     2314
...  ...      ...      ...      ...      ...
3995   16      799      75.537666      1     2314
3996   62      799      75.537666      2     2314
3997   65      799      83.000000      1     2314
3998    3      799      75.537666      2     2314
3999    1      799      50.000000      1     2314
```

```
      sitename
0      4000
1      4000
2      4000
3      4000
4      4000
...      ...
3995     4000
3996     4000
3997     4000
3998     4000
3999     4000
```

```
[4000 rows x 6 columns]
```

```
[350]: data['property_type'].unique()
```

```
[350]: array(['Resort', 'Guest House', 'Cottage', 'Hotel', 'Homestay', 'Villa',  
        'Palace', 'Lodge', 'Houseboat', 'Service Apartment', 'BnB',  
        'Hostel', 'Bungalow', 'Tent', 'Luxury Yacht', 'Motel', 'Beach Hut',  
        'Farm Stay'], dtype=object)
```

```
[351]: data_COUNT_ENC['property_type'].unique()
```

```
[351]: array([[ 516,  243,   75, 2314,  231,   49,   11,  117,   78,  183,   10,  
         46,   57,    3,    9,    2,    7])
```

```
[352]: ce_CountEncoder2 = ce_CountEncoder(normalize=True)  
data_FREQ_ENC = ce_CountEncoder2.fit_transform(data[data.columns.  
    ↳ difference(['uniq_id'])])
```

```
[353]: data_FREQ_ENC
```

```
[353]:
```

	city	crawl_date	guest_recommendation	property_name	property_type \
0	0.01750	0.24400	85.000000	0.00025	0.12900
1	0.02525	0.24400	87.000000	0.00025	0.06075
2	0.05500	0.24400	50.000000	0.00025	0.12900
3	0.01750	0.24400	100.000000	0.00025	0.01875
4	0.03425	0.24400	63.000000	0.00025	0.57850
...
3995	0.00400	0.19975	75.537666	0.00025	0.57850
3996	0.01550	0.19975	75.537666	0.00050	0.57850
3997	0.01625	0.19975	83.000000	0.00025	0.57850
3998	0.00075	0.19975	75.537666	0.00050	0.57850
3999	0.00025	0.19975	50.000000	0.00025	0.57850

```
    sitename  
0          1.0  
1          1.0  
2          1.0  
3          1.0  
4          1.0  
...      ...  
3995       1.0  
3996       1.0  
3997       1.0  
3998       1.0  
3999       1.0
```

```
[4000 rows x 6 columns]
```

```
[354]: data_FREQ_ENC['property_type'].unique()
```

```
[354]: array([1.290e-01, 6.075e-02, 1.875e-02, 5.785e-01, 5.775e-02, 1.225e-02,
        2.750e-03, 2.925e-02, 1.950e-02, 4.575e-02, 2.500e-03, 1.150e-02,
        1.425e-02, 7.500e-04, 2.250e-03, 5.000e-04, 1.750e-03])
```

1.3 №21

()

1.4

```
[355]: boston_dataset = load_breast_cancer()
data = pd.DataFrame(boston_dataset.data,
                    columns=boston_dataset.feature_names)
data['Y'] = boston_dataset.target
data.shape
```

```
[355]: (569, 31)
```

```
[356]: data.head()
```

```
[356]:
```

	mean radius	mean texture	mean perimeter	mean area	mean smoothness	\
0	17.99	10.38	122.80	1001.0	0.11840	
1	20.57	17.77	132.90	1326.0	0.08474	
2	19.69	21.25	130.00	1203.0	0.10960	
3	11.42	20.38	77.58	386.1	0.14250	
4	20.29	14.34	135.10	1297.0	0.10030	

	mean compactness	mean concavity	mean concave points	mean symmetry	\
0	0.27760	0.3001	0.14710	0.2419	
1	0.07864	0.0869	0.07017	0.1812	
2	0.15990	0.1974	0.12790	0.2069	
3	0.28390	0.2414	0.10520	0.2597	
4	0.13280	0.1980	0.10430	0.1809	

	mean fractal dimension	...	worst texture	worst perimeter	worst area	\
0	0.07871	...	17.33	184.60	2019.0	
1	0.05667	...	23.41	158.80	1956.0	
2	0.05999	...	25.53	152.50	1709.0	
3	0.09744	...	26.50	98.87	567.7	
4	0.05883	...	16.67	152.20	1575.0	

	worst smoothness	worst compactness	worst concavity	worst concave points	\
0	0.1622	0.6656	0.7119	0.2654	
1	0.1238	0.1866	0.2416	0.1860	
2	0.1444	0.4245	0.4504	0.2430	
3	0.2098	0.8663	0.6869	0.2575	
4	0.1374	0.2050	0.4000	0.1625	

	worst symmetry	worst fractal dimension	Y
0	0.4601	0.11890	0
1	0.2750	0.08902	0
2	0.3613	0.08758	0
3	0.6638	0.17300	0
4	0.2364	0.07678	0

[5 rows x 31 columns]

```
[357]: #
data.describe()
```

```
[357]:
```

	mean radius	mean texture	mean perimeter	mean area \
count	569.000000	569.000000	569.000000	569.000000
mean	14.127292	19.289649	91.969033	654.889104
std	3.524049	4.301036	24.298981	351.914129
min	6.981000	9.710000	43.790000	143.500000
25%	11.700000	16.170000	75.170000	420.300000
50%	13.370000	18.840000	86.240000	551.100000
75%	15.780000	21.800000	104.100000	782.700000
max	28.110000	39.280000	188.500000	2501.000000

	mean smoothness	mean compactness	mean concavity	mean concave points \
count	569.000000	569.000000	569.000000	569.000000
mean	0.096360	0.104341	0.088799	0.048919
std	0.014064	0.052813	0.079720	0.038803
min	0.052630	0.019380	0.000000	0.000000
25%	0.086370	0.064920	0.029560	0.020310
50%	0.095870	0.092630	0.061540	0.033500
75%	0.105300	0.130400	0.130700	0.074000
max	0.163400	0.345400	0.426800	0.201200

	mean symmetry	mean fractal dimension	... worst texture \
count	569.000000	569.000000	569.000000
mean	0.181162	0.062798	25.677223
std	0.027414	0.007060	6.146258
min	0.106000	0.049960	12.020000
25%	0.161900	0.057700	21.080000
50%	0.179200	0.061540	25.410000
75%	0.195700	0.066120	29.720000
max	0.304000	0.097440	49.540000

	worst perimeter	worst area	worst smoothness	worst compactness \
count	569.000000	569.000000	569.000000	569.000000
mean	107.261213	880.583128	0.132369	0.254265
std	33.602542	569.356993	0.022832	0.157336

min	50.410000	185.200000	0.071170	0.027290
25%	84.110000	515.300000	0.116600	0.147200
50%	97.660000	686.500000	0.131300	0.211900
75%	125.400000	1084.000000	0.146000	0.339100
max	251.200000	4254.000000	0.222600	1.058000

	worst concavity	worst concave points	worst symmetry \
count	569.000000	569.000000	569.000000
mean	0.272188	0.114606	0.290076
std	0.208624	0.065732	0.061867
min	0.000000	0.000000	0.156500
25%	0.114500	0.064930	0.250400
50%	0.226700	0.099930	0.282200
75%	0.382900	0.161400	0.317900
max	1.252000	0.291000	0.663800

	worst fractal dimension	Y
count	569.000000	569.000000
mean	0.083946	0.627417
std	0.018061	0.483918
min	0.055040	0.000000
25%	0.071460	0.000000
50%	0.080040	1.000000
75%	0.092080	1.000000
max	0.207500	1.000000

[8 rows x 31 columns]

```
[358]: # DataFrame
X_ALL = data.drop('Y', axis=1)
```

```
[359]: #
#
def arr_to_df(arr_scaled):
    res = pd.DataFrame(arr_scaled, columns=X_ALL.columns)
    return res
```

```
[360]: #
X_train, X_test, y_train, y_test = train_test_split(X_ALL, data['Y'],
                                                    test_size=0.2,
                                                    random_state=1)

# DataFrame
X_train_df = arr_to_df(X_train)
X_test_df = arr_to_df(X_test)

X_train_df.shape, X_test_df.shape
```

[360]: ((455, 30), (114, 30))

1.5

```
[361]: cs41 = RobustScaler()
data_cs41_scaled_temp = cs41.fit_transform(X_ALL)
# DataFrame
data_cs41_scaled = arr_to_df(data_cs41_scaled_temp)
data_cs41_scaled.describe()
```

```
[361]:
```

	mean radius	mean texture	mean perimeter	mean area	mean smoothness \
count	569.000000	569.000000	569.000000	569.000000	569.000000
mean	0.185611	0.079867	0.198031	0.286394	0.025900
std	0.863737	0.763950	0.839923	0.971065	0.742954
min	-1.565931	-1.621670	-1.467335	-1.124724	-2.284205
25%	-0.409314	-0.474245	-0.382648	-0.360927	-0.501849
50%	0.000000	0.000000	0.000000	0.000000	0.000000
75%	0.590686	0.525755	0.617352	0.639073	0.498151
max	3.612745	3.630551	3.534739	5.380519	3.567353

	mean compactness	mean concavity	mean concave points	mean symmetry \
count	569.000000	569.000000	569.000000	569.000000
mean	0.178848	0.269521	0.287188	0.058043
std	0.806548	0.788212	0.722720	0.811073
min	-1.118662	-0.608464	-0.623952	-2.165680
25%	-0.423183	-0.316195	-0.245670	-0.511834
50%	0.000000	0.000000	0.000000	0.000000
75%	0.576817	0.683805	0.754330	0.488166
max	3.860263	3.611430	3.123487	3.692308

	mean fractal dimension	...	worst radius	worst texture \
count	569.000000	...	569.000000	569.000000
mean	0.149360	...	0.224773	0.030929
std	0.838523	...	0.836201	0.711372
min	-1.375297	...	-1.217993	-1.549769
25%	-0.456057	...	-0.339100	-0.501157
50%	0.000000	...	0.000000	0.000000
75%	0.543943	...	0.660900	0.498843
max	4.263658	...	3.645329	2.792824

	worst perimeter	worst area	worst smoothness	worst compactness \
count	569.000000	569.000000	569.000000	569.000000
mean	0.232531	0.341275	0.036347	0.220766
std	0.813818	1.001155	0.776613	0.819888
min	-1.144345	-0.881484	-2.045238	-0.962011
25%	-0.328167	-0.301037	-0.500000	-0.337155
50%	0.000000	0.000000	0.000000	0.000000

75%	0.671833	0.698963	0.500000	0.662845
max	3.718576	6.273079	3.105442	4.409067

	worst concavity	worst concave points	worst symmetry \
count	569.000000	569.000000	569.000000
mean	0.169480	0.152133	0.116675
std	0.777289	0.681376	0.916555
min	-0.844635	-1.035866	-1.862222
25%	-0.418033	-0.362807	-0.471111
50%	0.000000	0.000000	0.000000
75%	0.581967	0.637193	0.528889
max	3.820045	1.980616	5.653333


	worst fractal dimension
count	569.000000
mean	0.189419
std	0.875910
min	-1.212415
25%	-0.416101
50%	0.000000
75%	0.583899
max	6.181377

[8 rows x 30 columns]

```
[362]: cs42 = RobustScaler()
cs42.fit(X_train)
data_cs42_scaled_train_temp = cs42.transform(X_train)
data_cs42_scaled_test_temp = cs42.transform(X_test)
# DataFrame
data_cs42_scaled_train = arr_to_df(data_cs42_scaled_train_temp)
data_cs42_scaled_test = arr_to_df(data_cs42_scaled_test_temp)
```


```
[363]: #
def draw_kde(col_list, df1, df2, label1, label2):
    fig, (ax1, ax2) = plt.subplots(
        ncols=2, figsize=(12, 5))
    #
    ax1.set_title(label1)
    sns.kdeplot(data=df1[col_list], ax=ax1)
    #
    ax2.set_title(label2)
    sns.kdeplot(data=df2[col_list], ax=ax2)
    plt.show()
```

```
[364]: draw_kde(['mean smoothness', 'worst area', 'mean perimeter'], data,
    ↪data_cs41_scaled, ' ', ' ')
```



```
[365]: draw_kde(['mean smoothness', 'worst area', 'mean perimeter'],
↳data_cs42_scaled_train, data_cs42_scaled_test, ' ', ' ')

```



1.6

5-23, 5-23 -

“ (boxplot)”.

```
[367]: sns.boxplot(data=data, x="mean smoothness")

```

```
[367]: <Axes: xlabel='mean smoothness'>

```

