

✓

¡Felicitaciones! ¡Aprobaste!

PARA APROBAR 75 % o más

Continúa aprendiendo

CALIFICACIÓN

91.66%

Practice quiz on Exponents and Logarithms

PUNTOS TOTALES DE 12

1. Re write the number $784 = 2 \times 2 \times 2 \times 7 \times 7$ using exponents.

1 / 1 puntos

- ☐ $(16^4)(49^2)$
- ☒ $(2^4)(7^2)$
- ☐ $(2 \times 7)^6$
- ☐ $(2^6)(7^6)$

✓ Correcto

For this type of problem, count the number of times each relevant factor appears in the product. That number is the exponent for that factor.

2. What is $(x^2 - 5)^0$?

1 / 1 puntos

- ☐ -4
- ☐ (x^2)

✓ Correcto

Any real number (except zero) raised to the "zeroth" power = 1.

3. Simplify $((x - 5)^2)^{-3}$

1 / 1 puntos

- ☒ $(x - 5)^{-6}$
- ☐ $(x - 5)^{-5}$
- ☐ $(x - 5)^{-1}$
- ☐ $(x - 5)$

✓ Correcto

By Rule 2, "Power to a Power," multiply the exponents and get:

$$(x - 5)^{(2 \times -3)} = (x - 5)^{-6}$$

By the definition of negative exponents, this is equal to $\frac{1}{(x - 5)^6}$

4. Simplify $(\frac{8^2}{8^7})^2$

1 / 1 puntos

- ☒ 8^{-10}
- ☐ 8^{-5}
- ☐ 8^{-4}

✓ Correcto

We can first simplify what is inside the parenthesis to 8^{-5} using the Division and Negative Powers Rule.

Then apply division and negative powers-- the result is the same. $\frac{8^4}{8^{14}} = 8^{-10}$

5. $\log 35 = \log 7 + \log x$

1 / 1 puntos

Solve for x

- ☒ 5
- ☐ 4
- ☐ 7
- ☐ 28

✓ Correcto

$\log(x) = \log 35 - \log 7$

By the Quotient Rule $\log x = \log 5$

6. $\log_2(x^2 + 5x + 7) = 0$

1 / 1 puntos

Solve for x

- ☒ $x = -2$ or $x = -3$
- ☐ $x = 3$
- ☐ $x = 2$ or $x = 3$
- ☐ $x = 2$

✓ Correcto

We use the property that $b^{\log_b a} = a$

Use both sides as exponent for 2.

$$2^{\log_2 x^2 + 5x + 7} = 2^0$$

$$x^2 + 5x + 7 = 1$$

$$x^2 + 5x + 6 = 0$$

$$x = -3 \text{ OR}$$

$$x = -2$$

7. Simplify $\log_2 72 - \log_2 9$

1 / 1 puntos

- ☐ 4
- ☒ 3
- ☐ $\log_2 4$
- ☐ $\log_2 63$

✓ Correcto

By the quotient rule, this is $\log_2 \frac{72}{9} = \log_2 2^3 = 3$

8. Simplify $\log_3 9 - \log_3 3 + \log_3 5$

1 / 1 puntos

- ☒ $\log_3 15$
- ☐ 8
- ☐ 15
- ☐ $\log_3 8$

By the Quotient and Product Rules, this is $\log_3 \frac{9 \times 5}{3} = \log_3 15$

9. Simplify $\log_2(3^8 \times 5^7)$

1 / 1 puntos

- ☐ $(5 \times \log_2 3) + (8 \times \log_2 5)$
- ☒ $(8 \times \log_2 3) + (7 \times \log_2 5)$
- ☐ $15 \times \log_2 56$
- ☐ $56 \times \log_2 15$

✓ Correcto

We first apply the Product Rule to convert to the sum: $\log_2(3^8) + \log_2(5^7)$. Then apply the power and root rule.

10. If $\log_{10} y = 100$, what is $\log_2 y = ?$

1 / 1 puntos

- ☐ 20
- ☒ 332.19
- ☐ 500
- ☐ 301.03

✓ Correcto

By the Change of Base Rule, $\log_x b = \frac{\log b}{\log x}$

Where the "old" base is x and the "new" base is a .

$$\text{So } \frac{\log_{10} 100}{\log_{10} 2} = \frac{100}{0.30103} = 332.19$$

11. A tree is growing taller at a continuous rate. In the past 12 years it has grown from 3 meters to 15 meters. What is its rate of growth per year?

1 / 1 puntos

- ☐ 12.41%
- ☒ 10.41%

✓ Correcto

$$\frac{\ln \frac{15}{3}}{12} = 0.1341$$

12. Bacteria can reproduce exponentially if not constrained. Assume a colony grows at a continually compounded rate of 400% per day. How many days before a colony with initial mass of 6.25×10^{-10} grams weights 1000 kilograms?

0 / 1 puntos

- ☐ 87.5 days
- ☐ 0.875 days
- ☐ 8.75 days
- ☒ 875 days

! Incorrecto

$$6.25 \times 10^{-10} \times e^{4t} = 10^6$$

$$4t = \ln \left(\frac{10^6}{(6.25 \times 10^{-10})} \right) = 35.00878$$

1 of 6