

Lecture 9

Continuous Random Variables

STAT 330 - Iowa State University

1 / 18

Continuous Random Variables

Discrete vs. Continuous R.Vs

Discrete Random Variable

Sample space (Ω) maps to finite or countably infinite set in \mathbb{R}

Ex: $\{1, 2, 3\}$, $\{1, 2, 3, 4, \dots\}$

Continuous Random Variable

Sample space (Ω) maps to an uncountable set in \mathbb{R} .

Ex: $(0, \infty)$, $(10, 20)$

- We have already learned about discrete R.Vs (Lectures 5-8)
- All properties of discrete R.Vs have direct counterparts for continuous R.Vs
- Summations (Σ) used for discrete R.V's are replaced by integrals (\int) for continuous R.V's.

2 / 18

CDF of Continuous Random Variables

Definition

Let X be a continuous random variable. The *cumulative distribution function (cdf)* of X is

$$F_X(t) = P(X \leq t)$$

- All cdf properties discussed earlier still hold
 1. $0 \leq F_X(t) \leq 1$
 2. F_X is non-decreasing (if $a \leq b$, then $F_X(a) \leq F_X(b)$).
 3. $\lim_{t \rightarrow -\infty} F_X(t) = 0$ and $\lim_{t \rightarrow \infty} F_X(t) = 1$
 4. F_X is right-continuous with respect to t
- The cdf for continuous R.V is also continuous (not a step function like in discrete case)

3 / 18

Definition

For a continuous variable X with cdf F_X , the *probability density function (pdf)* of X is defined as:

$$f(x) = F'_X(x) = \frac{d}{dx} F_X(x)$$

Properties of pdf:

1. $f(x) \geq 0$ for all x ,
2. $\int_{-\infty}^{\infty} f(x)dx = 1$.

Additionally, for continuous R.V X ,

- $F_X(t) = P(X \leq t) = \int_{-\infty}^t f(x)dx$ for any $t \in \mathbb{R}$
- $P(a \leq X \leq b) = \int_a^b f(x)dx$ for any $a, b \in \mathbb{R}$
- $P(X = a) = P(a \leq X \leq a) = \int_a^a f(x)dx = 0$ for any $a \in \mathbb{R}$

Examples

Continuous R.V Example

Example 1: Let Y be the time (in yrs) until the first major failure of a new disk drive. Suppose the probability density function (pdf) of X is given by

$$f(y) = \begin{cases} 0 & y \leq 0 \\ e^{-y} & y > 0 \end{cases}$$

1. Check whether $f(y)$ is a *valid* density function.

We need to check the 2 properties of pdfs.

(1) $f(y)$ is non-negative function on \mathbb{R}

(2) $\int_{-\infty}^{\infty} f(y)dy = 1$

$$\int_{-\infty}^{\infty} f(y)dy =$$

5 / 18

Continuous R.V Example Cont.

2. What is the probability that the 1st major disk drive failure occurs within the first year?

$$P(Y \leq 1) =$$

6 / 18

Continuous R.V Example Cont.

3. What is the probability that the 1st major disk drive failure occurs before the first year?

$$P(Y < 1) =$$

7 / 18

Continuous R.V. Example Cont.

4. What is the probability that the 1st major disk drive failure occurs after the first year?

8 / 18

Continuous R.V. Example Cont.

5. What is the probability that the 1st major disk drive failure occurs after first year but before second year?

9 / 18


Continuous R.V. Example Cont.

6. What is the cumulative distribution function (cdf) of Y ?

10 / 18

Continuous R.V Example Cont.

For Example 1, the pdf and cdf of Y are shown below.



11 / 18

Continuous R.V. Example Cont.

SHORT CUT: Use the cdf to calculate desired probabilities instead of integrating the pdf for each problem.

- Only need to integrate the pdf once to obtain the cdf
- Write any probability in terms of the cdf and plug in to solve

Back to Example 1:

- $P(Y \leq 1) =$
- $P(Y > 1) =$
- $P(1 < Y < 2) =$

12 / 18

Additional Example

Example 2: Let X be a random variable with the following probability density function (pmf):

$$f(x) = \begin{cases} 0 & \text{for } x < 0 \\ \frac{1}{2} & \text{for } 0 \leq x \leq \frac{1}{2} \\ 2x & \text{for } \frac{1}{2} < x < 1 \\ 0 & \text{for } x \geq 1 \end{cases}$$

13 / 18

Additional Example Cont.

1. Give the cumulative distribution function (cdf) of X

14 / 18

Additional Example Cont.

2. What is the probability that X is less than 0.75?

17 / 18

Summary of Discrete & Continuous R.V.

Discrete R.V.

- $\text{Im}(X)$ finite or countable infinite
- CDF: $F_X(t) = P(X \leq t)$
$$= \sum_{x \leq t} p_X(x)$$
- PMF: $p_X(x) = P(X = x)$
- $E(h(X)) = \sum_x h(x)p_X(x)$
- $E(X) = \sum_x xp_X(x)$
- $\text{Var}(X) = E(X^2) - [E(X)]^2$

Continuous R.V.

- $\text{Im}(X)$ uncountable
- CDF: $F_X(t) = P(X \leq t)$
$$= \int_{-\infty}^t f(x)dx$$
- PDF: $f_X(x) = \frac{d}{dx}F_X(x)$
- $E(h(X)) = \int_x h(x)f(x)dx$
- $E(X) = \int_{-\infty}^{\infty} xf(x)dx$
- $\text{Var}(X) = E(X^2) - [E(X)]^2$

18 / 18