

## Lab: Your First Keystrokes

To access the Linux **Command Line Interface**, you need to open the [Terminal Emulator], which is often referred to as the **Terminal** for simplicity.

Let's walk through an example to understand and tie everything together. Go ahead and open the Terminal by clicking on the Dash and then search [Terminal]. When the Terminal opens, you will see a new window, as shown in the following screenshot. Run following command in the terminal to switch to `elliott` user:

```
su - elliott
```



It looks kind of similar to the [Command Prompt] on Microsoft Windows. Alright, now type [date] on your Terminal and then hit *Enter*:

```
elliott@ubuntu-linux:~$ date
Tue Feb 17 16:39:13 CST 2023
```

Now let's discuss what happened, [date] is a Linux command that prints the current date and time, right after you hit *Enter*, the Shell (which is working behind the scenes) then executed the command [date] and displayed the output on your Terminal.

You shouldn't be confused between the **Terminal** and the **Shell**. The Terminal is the window you see on your screen where you can type in your commands while the Shell is responsible for executing the commands. That's it, nothing more and nothing less.

You should also know that if you type any gibberish, you will get a **command not found** error as shown in the following example:

```
elliott@ubuntu-linux:~$ blabla
blabla: command not found
```

## A few simple commands

Congratulations on learning your first Linux command ([date]). Now let's keep learning more!

One would usually display the calendar after displaying that date, right? To display the calendar of the current month, you can run the [cal] command:

```
[elliott@ubuntu-linux:~$ cal
      February 2020
Su Mo Tu We Th Fr Sa
                1
 2   3   4   5   6   7   8
 9  10  11  12  13  14  15
16  17  18  19  20  21  22
23  24  25  26  27  28  29
```

You can also display the calendar of the whole year, for example, to get the full 2022 calendar, you can run:

```

[elliott@ubuntu-linux:~]$ cal 2022
                2022
    January      February      March
Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa
                   1          1 2 3 4 5          1 2 3 4 5
 2 3 4 5 6 7 8    6 7 8 9 10 11 12    6 7 8 9 10 11 12
 9 10 11 12 13 14 15 13 14 15 16 17 18 19 13 14 15 16 17 18 19
16 17 18 19 20 21 22 20 21 22 23 24 25 26 20 21 22 23 24 25 26
23 24 25 26 27 28 29 27 28          27 28 29 30 31
30 31

    April        May          June
Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa
                   1 2    1 2 3 4 5 6 7          1 2 3 4
 3 4 5 6 7 8 9    8 9 10 11 12 13 14    5 6 7 8 9 10 11
10 11 12 13 14 15 16 15 16 17 18 19 20 21 12 13 14 15 16 17 18
17 18 19 20 21 22 23 22 23 24 25 26 27 28 19 20 21 22 23 24 25
24 25 26 27 28 29 30 29 30 31          26 27 28 29 30

    July        August       September
Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa
                   1 2    1 2 3 4 5 6          1 2 3
 3 4 5 6 7 8 9    7 8 9 10 11 12 13    4 5 6 7 8 9 10
10 11 12 13 14 15 16 14 15 16 17 18 19 20 11 12 13 14 15 16 17
17 18 19 20 21 22 23 21 22 23 24 25 26 27 18 19 20 21 22 23 24
24 25 26 27 28 29 30 28 29 30 31          25 26 27 28 29 30
31


    October     November     December
Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa
                   1          1 2 3 4 5          1 2 3
 2 3 4 5 6 7 8    6 7 8 9 10 11 12    4 5 6 7 8 9 10
 9 10 11 12 13 14 15 13 14 15 16 17 18 19 11 12 13 14 15 16 17
16 17 18 19 20 21 22 20 21 22 23 24 25 26 18 19 20 21 22 23 24
23 24 25 26 27 28 29 27 28 29 30          25 26 27 28 29 30 31
30 31

```

You can also specify a month, for example, to display the calendar of February 1993, you can run the command:

```
[elliott@ubuntu-linux:~$ cal feb 1993
February 1993
Su Mo Tu We Th Fr Sa
    1  2  3  4  5  6
 7  8  9 10 11 12 13
14 15 16 17 18 19 20
21 22 23 24 25 26 27
28
```

You now have a lot of output on your Terminal. You can run the [clear] command to clear the Terminal screen:


A terminal window titled 'elliott@ubuntu-linux: ~' with standard Ubuntu window controls. It displays a large amount of text, including three full calendar grids for February, October, November, and December 1993. The text is wrapped across multiple lines. At the bottom, the command 'clear' has been entered, and the cursor is at the end of the line.

```
elliott@ubuntu-linux: ~
3 4 5 6 7 8 9 7 8 9 10 11 12 13 4 5 6 7 8 9 10
10 11 12 13 14 15 16 14 15 16 17 18 19 20 11 12 13 14 15 16 17
17 18 19 20 21 22 23 21 22 23 24 25 26 27 18 19 20 21 22 23 24
24 25 26 27 28 29 30 28 29 30 31 25 26 27 28 29 30
31

October November December
Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa
    1  2  3  4  5 1  2  3  4  5 4  5  6  7  8  9 10
 2  3  4  5  6  7  8  6  7  8  9 10 11 12 4  5  6  7  8  9 10
 9 10 11 12 13 14 15 13 14 15 16 17 18 19 11 12 13 14 15 16 17
16 17 18 19 20 21 22 20 21 22 23 24 25 26 18 19 20 21 22 23 24
23 24 25 26 27 28 29 27 28 29 30 25 26 27 28 29 30 31
30 31
elliott@ubuntu-linux:~$ cal feb 1993
February 1993
Su Mo Tu We Th Fr Sa
    1  2  3  4  5  6
 7  8  9 10 11 12 13
14 15 16 17 18 19 20
21 22 23 24 25 26 27
28
elliott@ubuntu-linux:~$ clear
```

\

This is how your Terminal will look after running the [clear] command:



You can use the `[lscpu]` command, which is short for **List CPU**, to display your CPU architecture information:

```
elliott@ubuntu-linux:~$ lscpu
Architecture:          x86_64
CPU op-mode(s):        32-bit, 64-bit
Byte Order:             Little Endian
CPU(s):                 1
On-line CPU(s) list:    0
Thread(s) per core:     1
Core(s) per socket:     1
Socket(s):              1
NUMA node(s):           1
Vendor ID:              GenuineIntel
CPU family:              6
Model:                  61
Model name:              Intel(R) Core(TM) i5-5300U CPU@ 2.30GHz Stepping: 4
CPU MHz:                2294.678
BogoMIPS:               4589.35
Hypervisor vendor:      KVM
Virtualization type:     full
L1d cache:               32K
L1i cache:               32K
L2 cache:                256K
L3 cache:                3072K
NUMA node0 CPU(s):      0
Flags:                   fpu vme de pse tsc msr pae mce cx8 apic sep mtrr
```

You can use the `[uptime]` command to check how long your system has been running. The `[uptime]` command also displays:

- The current time.
- The number of users that are currently logged on.
- The system load averages for the past 1, 5, and 15 minutes.

```
elliott@ubuntu-linux:~$ uptime
18:48:04 up 4 days, 4:02, 1 user, load average: 0.98, 2.12, 3.43
```

You might be intimidated by the output of the `[uptime]` command, but don't worry, the following table breaks down the output for you.

18:48:04	The first thing you see in the output is the current time.
up 4 days, 4:02	This is basically saying that the system has been up and running for 4 days, 4 hours, and 2 minutes.
1 user	Only one user is currently logged in.
load average: 0.98, 2.12, 3.43	The system load averages for the past 1, 5, and 15 minutes.

You probably haven't heard about load averages before. To understand load averages, you first have to understand system load.

### WHAT IS SYSTEM LOAD?

In simple terms, system load is the amount of work the CPU performs at a given time.

So the more processes (or programs) running on your computer, the higher your system load is, and fewer processes running leads to a lower system load. Now, since you understand what a system load is, it's easy to understand load averages.

### WHAT IS LOAD AVERAGE?

The load average is the average system load calculated over a given period of 1, 5, and 15 minutes.

So the three numbers that you see at the very end of the [uptime] command output are the load averages over 1, 5, and 15 minutes respectively. For example, if your load averages values are:

```
load average: 2.00, 4.00, 6.00
```

Then these three numbers represent the following:

- [2.00 --+]: The load average over the last minute.
- [4.00 --+]: The load average over the last five minutes.
- [6.00 --+]: The load average over the last fifteen minutes.

From the definition of load average, we can conclude the following key points:

1. A load average of value [0.0] means the system is idle (doing nothing).
2. If the 1-minute load average is higher than the [5]- or [15]-minute averages, then this means your system load is increasing.
3. If the 1-minute load average is lower than the [5]- or [15]-minute averages, then this means your system load is decreasing.

For instance, load averages of:

```
load average: 1.00, 3.00, 7.00
```

Shows that the system load is decreasing over time. On the other hand, load averages of:

```
load average: 5.00, 3.00, 2.00
```

Indicates that the system load is increasing over time. As an experiment, first take note of your load averages by running the [uptime] command, then open up your web browser and open multiple tabs, then rerun [uptime]; you

will see that your load averages have increased. After that, close your browser and run [uptime] again, you will see your load averages have decreased.

You can run the [pwd] command to print the name of your current working directory:

```
elliott@ubuntu-linux:~$ pwd
/home/elliott
```

The current working directory is the directory in which a user is working at a given time. By default, when you log into your Linux system, your current working directory is set to your home directory:

```
/home/your_username
```

## WHAT IS A DIRECTORY?

In Linux, we refer to folders as directories. A directory is a file that contains other files.

You can run the [ls] command to list the contents of your current working directory:

```
elliott@ubuntu-linux:~$ ls
Desktop Documents Downloads Music Pictures Public Videos
```

If you want to change your password, you can run the [passwd] command:

**Note** Current password: `elliott`

```
elliott@ubuntu-linux:~$ passwd
Changing password for elliot.
(current) UNIX password:
Enter new UNIX password:
Retype new UNIX password:
passwd: password updated successfully
```

You can use the [hostname] command to display your system's hostname:

```
elliott@ubuntu-linux:~$ hostname

YOUR_HOSTNAME
```

You can use the [free] command to display the amount of free and used memory on your system:

```
elliott@ubuntu-linux:~$ free
              total        used        free      shared    buff/cache   available
Mem:      4039732      1838532      574864        71900       1626336      1848444
Swap:      969960           0       969960
```

By default, the [free] command displays the output in kilobytes, but only aliens will make sense out of this output.

You can get an output that makes sense to us humans by running the [free] command with the [-h] option:

```
elliott@ubuntu-linux:~$ free -h
              total        used        free      shared    buff/cache   available
Mem:           3.9G        1.8G        516M        67M         1.6G         1.7G
Swap:          947M           0B        947M
```

That's much better, right? The `[-h]` is short for `[--human]`, and it displays the output in a human-readable format.

You may have noticed that this is the first time we ran a command with an option. The majority of Linux commands have options that you can use to change their default behavior slightly.

You should also know that command options are either preceded by a single hyphen (`[-]`) or a double hyphen (`[--]`). You can use a single hyphen if you are using the abbreviated name of the command option. On the other hand, if you are using the full name of the command option, then you need to use a double hyphen:

```
elliott@ubuntu-linux:~$ free --human
```

	total	used	free	shared	buff/cache	available
Mem:	3.9G	1.8G	516M	67M	1.6G	1.7G
Swap:	947M	0B	947M			

As you can see, the previous two runs of the `[free]` command yielded the same output. The only difference is that the first time, we used the abbreviated command option name `[-h]`, and so we used a single hyphen. In the second time, we used the full command option name `[--human]`, and so we used a double hyphen.

You have the freedom of choice when it comes to using the abbreviated command option names versus the full command option names.

You can use the `[df]` command to display the amount of disk space available on your system:

```
elliott@ubuntu-linux:~$ df
```

Filesystem	1K-blocks	Used	Available	Use%	Mounted on
udev	1989608	0	1989608	0%	/dev
tmpfs	403976	1564	402412	1%	/run
/dev/sda1	20509264	6998972	12445436	36%	/
tmpfs	2019864	53844	1966020	3%	/dev/shm
tmpfs	5120	4	5116	1%	/run/lock
tmpfs	2019864	0	2019864	0%	/sys/fs/cgroup
/dev/loop0	91648	91648	0	100%	/snap/core/6130
tmpfs	403972	28	403944	1%	/run/user/121
tmpfs	403972	48	403924	1%	/run/user/1000

Again you may want to use the human-readable option `[-h]` to display a nicer format:

```
elliott@ubuntu-linux:~$ df -h
```

Filesystem	Size	Used	Avail	Use%	Mounted on
udev	1.9G	0	1.9G	0%	/dev
tmpfs	395M	1.6M	393M	1%	/run
/dev/sda1	20G	6.7G	12G	36%	/
tmpfs	2.0G	57M	1.9G	3%	/dev/shm
tmpfs	5.0M	4.0K	5.0M	1%	/run/lock
tmpfs	2.0G	0	2.0G	0%	/sys/fs/cgroup
/dev/loop0	90M	90M	0	100%	/snap/core/6130
tmpfs	395M	28K	395M	1%	/run/user/121
tmpfs	395M	48K	395M	1%	/run/user/1000

Don't worry if you can't understand everything you see in the output, as I will explain everything in detail in the following labs. The whole idea of this lab is to get your feet wet; we will dive deep later with the sharks!

The `[echo]` command is another very useful command; it allows you to print a line of text on your Terminal. For example, if you want to display the line `[Cats are better than Dogs!]` on your Terminal, then you can run:



```
elliott@ubuntu-linux:~$ echo Cats are better than Dogs!  
Cats are better than Dogs!
```

Let's run the [history] command and see what we get here:

```
elliott@ubuntu-linux:~$ history
```

As expected, the [history] command displayed all the commands that we ran so far in chronological order. If I want to rerun the command on line 7, all I need to do is run [!15]:

```
elliott@ubuntu-linux:~$ !15  
lscpu  
Architecture:           x86_64  
CPU op-mode(s):         32-bit, 64-bit  
Byte Order:             Little Endian  
CPU(s):                 1  
On-line CPU(s) list:    0  
Thread(s) per core:     1  
Core(s) per socket:     1  
Socket(s):              1  
NUMA node(s):           1  
Vendor ID:              GenuineIntel  
CPU family:             6  
Model:                 61  
Model name:             Intel(R) Core(TM) i5-5300U CPU @ 2.30GHz  
Stepping:               4  
CPU MHz:                2294.678  
BogoMIPS:               4589.35  
Hypervisor vendor:     KVM  
Virtualization type:    full  
L1d cache:              32K  
L1i cache:              32K  
L2 cache:               256K  
L3 cache:               3072K  
NUMA node0 CPU(s):     0  
Flags:                  fpu vme de pse tsc msr pae mce cx8 apic sep mtrr
```

## UP AND DOWN ARROW KEYS

You can scroll up and down on your command line history. Every time you hit your *up arrow* key, you scroll up one line in your command history.

You can also reverse and scroll down with your *down arrow* key.

You can use the [uname] command to display your system's kernel information. When you run the [uname] command without any options, then it will print just the kernel name:

```
elliott@ubuntu-linux:~$ uname  
Linux
```

You can use the [-v] option to print the current kernel version information:

```
elliott@ubuntu-linux:~$ uname -v

#36-Ubuntu SMP PREEMPT_DYNAMIC Fri Feb 3 18:36:56 UTC 2023
```

You can also use the `[-r]` option to print the current kernel release information:

```
elliott@ubuntu-linux:~$ uname -r

5.19.0-35-generic
```

You can also use the `[-a]` option to print all the information of your current kernel at once:

```
elliott@ubuntu-linux:~$ uname -a

Linux 4847fcf04108 5.19.0-35-generic #36-Ubuntu SMP PREEMPT_DYNAMIC Fri Feb 3 18:36:56
UTC 2023 x86_64 x86_64 x86_64 GNU/Linux
```

You can also run the `[lsb_release -a]` command to display the Ubuntu version you are currently running:

```
elliott@ubuntu-linux:~$ lsb_release -a
No LSB modules are available.
Distributor ID: Ubuntu
Description: Ubuntu 20.04 LTS
Release: 20.04
Codename: focal
```

Finally, the last command you are going to learn in this lab is the `[exit]` command, which terminates your current Terminal session:

```
elliott@ubuntu-linux:~$ exit
```

Congratulations! You made it through the first lab. Now it's time for your first knowledge check exercise.

## Knowledge check

For the following exercises, open up your Terminal and try to solve the following tasks:

1. Display the whole calendar for the year 2023.
2. Display the memory information of your system in a human-readable format.
3. Display the contents of your home directory.
4. Change your current user password.
5. Print the line "Mr. Robot is an awesome TV show!" on your Terminal.

### True or false

1. The command `[DATE]` displays the current date and time.
2. To restart your Linux system, you simply run the `[restart]` command.
3. There is no difference between running the `[free -h]` and `[free --human]` commands.
4. The system load is increasing over time if your load averages values are:

```
load average: 2.12, 3.09, 4.03
```

5. The system load is decreasing over time if your load averages values are:

load average: 0.30, 1.09, 2.03