
Java Servlet Practical Lab Sheet

Lab Task 1: Simple Servlet - Display Static Message

Create a Java Servlet (DisplayMessageServlet) that outputs a static message.

```
package com.example;
import java.io.IOException;
  import java.io.PrintWriter;
  import javax.servlet.ServletException;
  import javax.servlet.annotation.WebServlet;
  import javax.servlet.http.HttpServlet;
  import javax.servlet.http.HttpServletRequest;
  import javax.servlet.http.HttpServletResponse;
  @WebServlet("/displayMessage")
  public class DisplayMessageServlet extends HttpServlet {
      protected void doGet (HttpServletRequest request, HttpServletResponse response)
              throws ServletException, IOException {
          response.setContentType("text/html");
          PrintWriter out = response.getWriter();
          out.println("<html><body>");
          out.println("<hl>Welcome to the Java Servlet Lab!</hl>");
          out.println("</body></html>");
```



Output



Welcome to the Java Servlet Lab!


• Lab Task 2: Get User Input from Form and Display

<u>Servlet Code (GetUserInputServlet.java):</u>

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
 * @author student
@WebServlet(urlPatterns = {"/getUserInput"})
public class getUserInput extends HttpServlet {
 protected void processRequest(HttpServletRequest request, HttpServletResponse response)
         throws ServletException, IOException {
     String name=request.getParameter("uname");
     response.setContentType("text/html;charset=UTF-8");
     try (PrintWriter out = response.getWriter()) {
         /* TODO output your page here. You may use following sample code. */
         out.println("<!DOCTYPE html>");
         out.println("<html>");
         out.println("<head>");
         out.println("<title>Servlet getUserInput</title>");
         out.println("</head>");
         out.println("<body>");
        out.println("<h1> input name:"+hame+ "</h1>");
         out.println("</body>");
         out.println("</html>");
 HttpServlet methods. Click on the + sign on the left to edit the code.
```

```
<html>
<head>
   <title>User Input</title>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
<body bgcolor="#add8e6"> <!-- Changed background color to light blue -->
   <div><h1><center>User Input</center></h1> </div>
   <hr>
   <form action="getUserInput" method="post">
      <center>
         <h3>name</h3><input type="text" name="uname">
             <input type="submit" value="Save">
             </center>
   </form>
   <hr>
</body>
</html>
```

Output





• Lab Task 3: Get Multiple Inputs, Perform Calculation, and Display Result

Servlet Code (CalculateSumServlet.java):

```
import java.io.IOException;
 import java.io.PrintWriter;
 import javax.servlet.ServletException;
 import javax.servlet.annotation.WebServlet;
 import javax.servlet.http.HttpServlet;
 import javax.servlet.http.HttpServletRequest;
 import javax.servlet.http.HttpServletResponse;
  @WebServlet(urlPatterns = {"/CalculateSum"})
  public class CalculateSum extends HttpServlet {
      protected void processRequest(HttpServletRequest request, HttpServletResponse response)
_
              throws ServletException, IOException {
          int num1 = Integer.parseInt(request.getParameter("num1"));
          int num2 = Integer.parseInt(request.getParameter("num2"));
          int sum = num1 + num2;
          response.setContentType("text/html;charset=UTF-8");
          try (PrintWriter out = response.getWriter()) {
              /* TODO output your page here. You may use following sample code. */
              out.println("<!DOCTYPE html>");
              out.println("<html>");
              out.println("<head>");
              out.println("<title>Servlet CalculateSum</title>");
              out.println("</head>");
              out.println("<body>");
              out.println("<h1> calculate answer: " +sum+ "</h1>");
              out.println("</body>");
              out.println("</html>");
```

HTML Form (calculate.html):

Output

Calculate

First Number: 12	
Second Number: 13	
Calculate Sum	

Calculation Result

The Answer 25

• Lab Task 4: Java Servlet with Database CRUD Operations

Database Setup:

```
CREATE DATABASE stock_management;
USE stock_management;


CREATE TABLE stock (

id INT AUTO_INCREMENT PRIMARY KEY,

product_name VARCHAR(255) NOT NULL,

quantity INT NOT NULL

);
```



HTML Form (stockForm.html):

Servlet Code (StockManagementServlet.java):

```
package com.example;
import java.io.*;
import java.sql.*;
import javax.servlet.*;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;
@WebServlet("/stockAction")
public class StockManagementServlet extends HttpServlet {
 // Initialize driver when servlet loads
  @Override
  public void init() throws ServletException {
    try {
      Class.forName("com.mysql.cj.jdbc.Driver");
    } catch (ClassNotFoundException e) {
      throw new ServletException("MySQL JDBC Driver not found", e);
```

```
private Connection getConnection() throws SQLException {
 String url = "jdbc:mysql://localhost:3306/stock_management?useSSL=false&serverTimezone=UTC";
  String username = "root";
  String password = "316830059";
 return DriverManager.getConnection(url, username, password);
protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
  response.setContentType("text/html");
  PrintWriter out = response.getWriter();
 String action = request.getParameter("action");
  String productName = request.getParameter("product_name");
  int quantity = Integer.parseInt(request.getParameter("quantity"));
 try (Connection conn = getConnection()) {
```

```
switch (action) {
    case "Add Product":
      addProduct(conn, productName, quantity, out);
      break;
    case "Update Product":
      updateProduct(conn, productName, quantity, out);
      break;
    case "Delete Product":
      deleteProduct(conn, productName, out);
      break;
    default:
      out.println("<h1>Invalid Action</h1>");
  }
} catch (SQLException e) {
  out.println("<h1>Database Error: " + e.getMessage() + "</h1>");
  e.printStackTrace();
out.println("<br><a href='stockForm.html'>Back to Form</a>");
```

```
private void addProduct(Connection conn, String name, int quantity, PrintWriter out)
    throws SQLException {
  String sql = "INSERT INTO stock (product_name, quantity) VALUES (?, ?)";
  try (PreparedStatement stmt = conn.prepareStatement(sql)) {
    stmt.setString(1, name);
    stmt.setInt(2, quantity);
    stmt.executeUpdate();
    out.println("<h1>Product Added Successfully</h1>");
private void updateProduct(Connection conn, String name, int quantity, PrintWriter out)
    throws SQLException {
  String sql = "UPDATE stock SET quantity = ? WHERE product_name = ?";
 try (PreparedStatement stmt = conn.prepareStatement(sql)) {
    stmt.setInt(1, quantity);
    stmt.setString(2, name);
    int rows = stmt.executeUpdate();
    if (rows > 0) {
```


```
out.println("<h1>Product Updated Successfully</h1>");
    } else {
      out.println("<h1>Product Not Found</h1>");
private void deleteProduct(Connection conn, String name, PrintWriter out)
    throws SQLException {
  String sql = "DELETE FROM stock WHERE product_name = ?";
  try (PreparedStatement stmt = conn.prepareStatement(sql)) {
    stmt.setString(1, name);
    int rows = stmt.executeUpdate();
    if (rows > 0) {
      out.println("<h1>Product Deleted Successfully</h1>");
    } else {
      out.println("<h1>Product Not Found</h1>");
}}
```

Output

Manage Stock







• Lab Task 5: Display Data from Database on Another Web Page

```
Servlet Code (DisplayProductsServlet.java):
package com.example;
```

```
import java.io.*;
import java.sql.*;
import javax.servlet.*;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;
@WebServlet("/displayProducts")
public class DisplayProductsServlet extends HttpServlet {
  // Reuse your existing connection method
  private Connection getConnection() throws SQLException {
    String url = "jdbc:mysql://localhost:3306/stock management?useSSL=false&serverTimezone=UTC";
    String username = "root";
    String password = "316830059";
    return DriverManager.getConnection(url, username, password);
```

```
protected void doGet(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
  response.setContentType("text/html");
  PrintWriter out = response.getWriter();
  out.println("<!DOCTYPE html>");
  out.println("<html>");
  out.println("<head>");
  out.println("<title>Stock List</title>");
  out.println("<style>");
  out.println("table { border-collapse: collapse; width: 50%; margin: 20px auto; }");
  out.println("th, td { border: 1px solid #ddd; padding: 8px; text-align: left; }");
  out.println("th { background-color: #f2f2f2; }");
  out.println("</style>");
  out.println("</head>");
  out.println("<body>");
  out.println("<h1 style='text-align: center;'>Current Stock List</h1>");
```

```
try (Connection conn = getConnection();
      Statement stmt = conn.createStatement();
      ResultSet rs = stmt.executeQuery("SELECT * FROM stock")) {
     out.println("");
     out.println("IDProduct NameQuantity");
     while (rs.next()) {
       out.println("");
       out.println("" + rs.getInt("id") + "");
       out.println("" + rs.getString("product_name") + "");
       out.println("" + rs.getInt("quantity") + "");
       out.println("");
     out.println("");
   } catch (SQLException e) {
     out.println("<h2 style='color: red; text-align: center;'>Error retrieving stock: "
          + e.getMessage() + "</h2>");
     e.printStackTrace(); }
```

```
out.println("<div style='text-align: center; margin-top: 20px;'>");
out.println("<a href='stockForm.html'>Back to Stock Management</a>");
out.println("</div>");
out.println("</body>");
out.println("</html>");
}
```

Updated stockForm.html

```
<!DOCTYPE html>
<html>
<head> <title>Stock Management</title>
<style> body { font-family: Arial, sans-serif; margin: 20px; }
        form { max-width: 500px; margin: 0 auto; padding: 20px; border: 1px solid #ddd; border-radius: 5px; }
        input[type="text"], input[type="number"] { width: 100%; padding: 8px; margin: 5px 0 15px; }
         input[type="submit"] { padding: 8px 15px; margin-right: 10px; }
         .view-link { display: block; text-align: center; margin-top: 20px; }
</style>
</head>
<body> <h2 style="text-align: center;"> Manage Stock </h2>
<form action="stockAction" method="POST">
       Product Name: <input type="text" name="product name" required><br>
       Quantity: <input type="number" name="quantity" required><br>
       <input type="submit" name="action" value="Add Product">
      <input type="submit" name="action" value="Update Product">
      <input type="submit" name="action" value="Delete Product">
</form>
<div class="view-link"> <a href="displayProducts"> View All Products </a> </div> </body> </html>
```

Output

Current Stock List

ID	Product Name	Quantity
1	watch	12
2	Smart Watch	2

Back to Stock Management

Database

