

# Cucumber Report

Aug 21, 2024, 4:14:39 PM

**Start : Aug 21, 4:13:47.446 PM**

**End : Aug 21, 4:14:37.345 PM**

**Duration : 49.899 s**

Features







PASSED - 3  
FAILED - 8  
SKIPPED - 0

Scenarios

PASSED - 91  
FAILED - 39  
SKIPPED - 0

Steps

PASSED - 363  
FAILED - 39  
SKIPPED - 50



<b>Feature</b>		<b>Scenario</b>					<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	
<u>User Admin Post Request</u>	8.019 s	1	1	0	0	3	3	0	0	
<u>Dietitian Positive Flow</u>	4.845 s	6	3	3	0	18	15	3	0	
<u>Patient Module Positive</u>	12.282 s	17	14	3	0	68	65	3	0	
<u>Morbidity Module Positive with Admin Token</u>	0.426 s	2	2	0	0	6	6	0	0	
<u>Morbidity Module Dietician Token</u>	0.357 s	2	2	0	0	6	6	0	0	
<u>User Admin Post Request Negative</u>	1.077 s	4	3	1	0	12	9	1	2	
<u>Dietitian Negative Flow</u>	5.064 s	20	18	2	0	60	58	2	0	
<u>Patient Module Negative</u>	12.198 s	45	22	23	0	180	119	23	38	
<u>Morbidity Module Negative feature</u>	2.439 s	14	13	1	0	42	41	1	0	
<u>All Modules Delete and logout Modules Negative</u>	1.872 s	14	9	5	0	42	29	5	8	
<u>All Modules Delete and logout Modules Positive</u>	0.714 s	5	4	1	0	15	12	1	2	

#	<b>Feature Name</b>	<b>Scenario Name</b>
1	<u>Dietitian Positive Flow</u>	<u>Check admin able to create dietician with valid data</u>
2		<u>Check admin able to retrieve dietician by ID</u>
3		<u>Check admin able to update dietician with valid data , dietician id and token</u>
4	<u>Patient Module Positive</u>	<u>Check dietician able to add only new vitals without reports for existing patient without existing report</u>
5		<u>Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token</u>
6		<u>Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token</u>
7	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with valid credential and invalid content type</u>
8	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietician with invalid data</u>
9		<u>Check admin able to retrieve dietician by invalid id</u>

#	Feature Name	Scenario Name
10	<u>Patient Module Negative</u>	<u>Check dietician able to create patient with valid data and invalid content type</u>
11		<u>Check dietician able to update patient with mandatory fields empty and only with valid additional details</u>
12		<u>Check dietician able to update patient with invalid data</u>
13		<u>Check dietician able to update patient with valid data and invalid method</u>
14		<u>Check dietician able to update patient with valid data and invalid endpoint</u>
15		<u>Check dietician able to update patient with valid data, patient id and invalid content type</u>
16		<u>Check dietician able to update patient with valid data</u>
17		<u>Check admin able to update patient with valid data and admin token</u>
18		<u>Check patient able to update patient with valid data and patient token</u>
19		<u>Check dietician unable to add new reports with no authorization</u>
20		<u>Check admin unable to add new reports with admin bearer token</u>

#	Feature Name	Scenario Name
21	<u>Patient Module Negative</u>	<u>Check patient unable to add new reports with patient bearer token</u>
22		<u>Check dietician unable to add new reports with invalid data</u>
23		<u>Check dietician unable to add new reports with valid data and invalid patient ID as path parameter</u>
24		<u>Check dietician unable to add new reports using POST method instead of PUT</u>
25		<u>Check dietician unable to add new reports using an invalid endpoint</u>
26		<u>Check dietician unable to add new reports with invalid content type</u>
27		<u>Check dietician unable to retrieve all patients with invalid endpoint</u>
28		<u>Check dietician able to retrieve patients morbidity details by patient ID</u>
29		<u>Check admin is able to retrieve patients morbidity details by patient ID</u>
30		<u>Check dietician able to retrieve patients morbidity details by patient ID with invalid method</u>


#	Feature Name	Scenario Name
31	<u>Patient Module Negative</u>	<u>Check dietician able to retrieve patients morbidity details by invalid patient ID</u>
32		<u>Check dietician able to retrieve patients morbidity details by patient ID with invalid endpoint</u>
33	<u>Morbidity Module Negative feature</u>	<u>Check pateint is able to retrieve morbidity condition by test name</u>
34	<u>All Modules Delete and logout Modules Negative</u>	<u>Check dietician able to delete patient by id with invalid method</u>
35		<u>Check dietician able to delete patient by invalid id</u>
36		<u>Check dietician able to delete patient by id with invalid endpoint</u>
37		<u>Check dietician able to delete patient by ID</u>
38		<u>Check admin able to delete dietician by invalid id</u>
39	<u>All Modules Delete and logout Modules Positive</u>	<u>Check dietician able to delete patient by ID</u>

	<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
		<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	
	@tag02		1	1	0	0	1	1	0	0
	@Test01		10	8	2	0	8	3	5	0
	@Positive		6	3	3	0	1	0	1	0
	@Positive_01_Post		2	1	1	0	1	0	1	0
	@Positive_02_Post		1	1	0	0	1	0	1	0
	@Positive_03_Get		1	1	0	0	1	0	1	0
	@Positive_04_Get		1	0	1	0	1	0	1	0
	@Positive_05_Put		1	0	1	0	1	0	1	0
	@tag04		17	14	3	0	1	0	1	0
	@Test02		9	8	1	0	7	2	5	0
	@Test03		8	6	2	0	5	0	5	0
	@Test04		6	4	2	0	5	0	5	0
	@Test05		5	4	1	0	3	0	3	0
	@Test06		5	3	2	0	3	0	3	0
	@Test07		3	3	0	0	3	0	3	0
	@Test08		4	3	1	0	3	0	3	0
	@Test10		5	4	1	0	3	0	3	0


<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Test11		4	2	2	0	3	0	3	0
@Test12		4	2	2	0	3	0	3	0
@Test13		5	3	2	0	3	0	3	0
@Test14		5	1	4	0	3	0	3	0
@Test15		2	1	1	0	2	0	2	0
@Test16		2	0	2	0	2	0	2	0
@Test17		2	1	1	0	2	0	2	0
@tag01		4	3	1	0	1	0	1	0
@Negaive		20	18	2	0	1	0	1	0
@Negative_01_Post		6	5	1	0	1	0	1	0
@Negative_02_Post		1	1	0	0	1	0	1	0
@Negative_03_Post		1	1	0	0	1	0	1	0
@Negative_05_Post		1	1	0	0	1	0	1	0
@Negative_06_Post		1	1	0	0	1	0	1	0
@Negative_08_GET		1	1	0	0	1	0	1	0
@Negative_09_GET		1	1	0	0	1	0	1	0
@Negative_10_GET		1	0	1	0	1	0	1	0

	<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
	<b>Name</b>								
	@Negative_11_GET	1	1	0	0	1	0	1	0
	@Negative_12_GET	1	1	0	0	1	0	1	0
	@Negative_13_GET	1	1	0	0	1	0	1	0
	@Negative_14_PUT	1	1	0	0	1	0	1	0
	@Negative_15_PUT	1	1	0	0	1	0	1	0
	@Negative_16_PUT	1	1	0	0	1	0	1	0
	@Negative_17_PUT	1	1	0	0	1	0	1	0
	@tag03	45	22	23	0	1	0	1	0
	@Test09	3	3	0	0	2	0	2	0
	@Test18	1	0	1	0	1	0	1	0
	@Test19	1	0	1	0	1	0	1	0
	@Test20	1	1	0	0	1	0	1	0
	@Test21	1	1	0	0	1	0	1	0
	@Test22	1	1	0	0	1	0	1	0
	@Test23	1	1	0	0	1	0	1	0
	@tag12	14	9	5	0	1	0	1	0
	@Test60	1	0	1	0	1	0	1	0


	<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
	<b>Name</b>								
	@Test61	1	0	1	0	1	0	1	0
	@Test62	1	0	1	0	1	0	1	0
	@Test63	1	0	1	0	1	0	1	0
	@Test66	1	1	0	0	1	0	1	0
	@Test67	1	1	0	0	1	0	1	0
	@Negative_18_Delete	1	1	0	0	1	0	1	0
	@Negative_19_Delete	1	1	0	0	1	0	1	0
	@Negative_20_Delete	1	0	1	0	1	0	1	0
	@Negative_21_Delete	1	1	0	0	1	0	1	0
	@Test68	1	1	0	0	1	0	1	0
	@Test69	1	1	0	0	1	0	1	0
	@Test70	1	1	0	0	1	0	1	0
	@Test71	1	1	0	0	1	0	1	0
	@tag11	5	4	1	0	1	0	1	0
	@Positive_05_Delete	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>User Admin Post Request</u>	1	1	0	0	8.019 s
2	<u>Dietitian Positive Flow</u>	6	3	3	0	4.845 s
3	<u>Patient Module Positive</u>	17	14	3	0	12.282 s
4	<u>Morbidity Module Positive with Admin Token</u>	2	2	0	0	0.426 s
5	<u>Morbidity Module Dietician Token</u>	2	2	0	0	0.357 s
6	<u>User Admin Post Request Negative</u>	4	3	1	0	1.077 s
7	<u>Dietitian Negative Flow</u>	20	18	2	0	5.064 s
8	<u>Patient Module Negative</u>	45	22	23	0	12.198 s
9	<u>Morbidity Module Negative feature</u>	14	13	1	0	2.439 s
10	<u>All Modules Delete and logout Modules Negative</u>	14	9	5	0	1.872 s




#	Feature Name	T	P	F	S	Duration
11	<u>All Modules Delete and logout Modules Positive</u>	5	4	1	0	0.714 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Admin Post Request</u>	<u>Check user able to login as admin with valid data</u>	3	3	0	0	8.013 s
2	<u>Dietitian Positive Flow</u>	<u>Check admin able to create dietician with valid data</u>	3	3	0	0	1.409 s
3		<u>Check admin able to create dietician with valid data</u>	3	2	1	0	0.388 s
4		<u>Check admin able to create dietician with valid data and token</u>	3	3	0	0	0.319 s
5		<u>Check admin able to retrieve all dietician</u>	3	3	0	0	1.837 s
6		<u>Check admin able to retrieve dietician by ID</u>	3	2	1	0	0.220 s
7		<u>Check admin able to update dietician with valid data , dietician id and token</u>	3	2	1	0	0.335 s
8	<u>Patient Module Positive</u>	<u>Check dietician able to create patient with valid data and token</u>	4	4	0	0	1.714 s
9		<u>Check dietician able to create patient only with valid mandatory details</u>	4	4	0	0	0.877 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Patient Module Positive</u>	<u>Check user able to login as Patient with valid data(Patient token)</u>	4	4	0	0	0.292 s
11		<u>Check dietician able to update patient with existing file by not attaching new file</u>	4	4	0	0	1.080 s
12		<u>Check dietician able to update patient with valid data, patient id and token</u>	4	4	0	0	0.796 s
13		<u>Check dietician able to update patient only with valid mandatory details</u>	4	4	0	0	0.655 s
14		<u>Check dietician able to add new reports with vitals for existing patient with valid data</u>	4	4	0	0	1.101 s
15		<u>Check dietician able to add only new vitals without reports for existing patient without existing report</u>	4	3	1	0	0.753 s
16		<u>Check dietician able to add new reports with only valid mandatory details for existing patient</u>	4	4	0	0	0.965 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Patient Module Positive</u>	<u>Check dietician able to add new reports without vitals for existing patient with valid data</u>	4	4	0	0	0.631 s
18		<u>Check dietician able to add only new vitals without reports for existing patient with existing report</u>	4	4	0	0	0.920 s
19		<u>Check dietician able to add new reports with only valid additional details for existing patient</u>	4	4	0	0	0.746 s
20		<u>Check dietician able to retrieve all patients with valid dietician token</u>	4	4	0	0	0.177 s
21		<u>Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token</u>	4	3	1	0	0.415 s
22		<u>Check dietician able to retrieve patients by file Id with Dietician Token</u>	4	4	0	0	0.286 s
23		<u>Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token</u>	4	3	1	0	0.201 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>Patient Module Positive</u>	<u>Check Patient able to retrieve patients by field Id with Patient Token</u>	4	4	0	0	0.283 s
25	<u>Morbidity Module Positive with Admin Token</u>	<u>Check admin able to retrieve all morbidities details with admin token</u>	3	3	0	0	0.210 s
26		<u>Check admin able to retrieve morbidity condition by test name with admin token</u>	3	3	0	0	0.192 s
27	<u>Morbidity Module Dietician Token</u>	<u>Check dietician able to retrieve all morbidities details</u>	3	3	0	0	0.176 s
28		<u>Check dietician able to retrieve morbidity condition by test name</u>	3	3	0	0	0.158 s
29	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with invalid credential</u>	3	3	0	0	0.384 s
30		<u>Check user able to login as admin with valid credential and invalid method</u>	3	3	0	0	0.263 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
31		<u>Check user able to login as admin with valid credential and invalid endpoint</u>	3	3	0	0	0.267 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
32	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with valid credential and invalid content type</u>	3	0	1	2	0.125 s
33	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietician with invalid data</u>	3	2	1	0	0.338 s
34		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.324 s
35		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.304 s
36		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.338 s
37		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.288 s
38		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.339 s
39		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.222 s
40		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.263 s
41		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.220 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
42	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietician with valid data and dietician token</u>	3	3	0	0	0.213 s
43		<u>Check admin able to retrieve all dietician with invalid method</u>	3	3	0	0	0.153 s
44		<u>Check admin able to retrieve dietician by id with invalid method</u>	3	3	0	0	0.152 s
45		<u>Check admin able to retrieve dietician by invalid id</u>	3	2	1	0	0.151 s
46		<u>Check admin able to retrieve dietician by id with invalid endpoint</u>	3	3	0	0	0.174 s
47		<u>Check admin able to retrieve all dietician with no auth</u>	3	3	0	0	0.189 s
48		<u>Check admin able to retrieve dietician by ID with no auth</u>	3	3	0	0	0.204 s
49		<u>Check admin able to update dietician with invalid data and dietician id</u>	3	3	0	0	0.224 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
50		<u>Check admin able to update dietician with valid data and invalid dietician id</u>	3	3	0	0	0.199 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>Dietitian Negative Flow</u>	<u>Check admin able to update dietician with valid data, dietician id and invalid method</u>	3	3	0	0	0.200 s
52		<u>Check admin able to update dietician with valid data, dietician id and invalid method</u>	3	3	0	0	0.211 s
53	<u>Patient Module Negative</u>	<u>Check dietician able to create patient only with valid additional details</u>	4	4	0	0	0.279 s
54		<u>Check dietician able to create patient with invalid data (mandatory details)</u>	4	4	0	0	0.574 s
55		<u>Check dietician able to create patient with valid mandatory fields and invalid data (additional details)</u>	4	4	0	0	0.558 s
56		<u>Check dietician able to create patient with valid data and invalid method</u>	4	4	0	0	0.668 s
57		<u>Check dietician able to create patient with valid data and invalid endpoint</u>	4	4	0	0	0.677 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>Patient Module Negative</u>	<u>Check dietician able to create patient with valid data and invalid content type</u>	4	2	1	1	0.520 s
59		<u>Check dietician able to create patient with valid data</u>	4	4	0	0	0.912 s
60		<u>Check admin able to create patient with valid data and admin token</u>	4	4	0	0	0.800 s
61		<u>Check patient able to create patient with valid data and patient token</u>	4	4	0	0	0.764 s
62		<u>Check dietician able to update patient with mandatory fields empty and only with valid additional details</u>	4	1	1	2	0.014 s
63		<u>Check dietician able to update patient with invalid data</u>	4	1	1	2	0.011 s
64		<u>Check dietician able to update patient with valid data and invalid patient id in path parameter</u>	4	4	0	0	0.891 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
65		<u><i>Check dietician able to update patient with valid data and invalid method</i></u>	4	1	1	2	0.008 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
66	<u>Patient Module Negative</u>	<u>Check dietician able to update patient with valid data and invalid endpoint</u>	4	1	1	2	0.011 s
67		<u>Check dietician able to update patient with valid data, patient id and invalid content type</u>	4	1	1	2	0.014 s
68		<u>Check dietician able to update patient with valid data</u>	4	1	1	2	0.008 s
69		<u>Check admin able to update patient with valid data and admin token</u>	4	1	1	2	0.005 s
70		<u>Check patient able to update patient with valid data and patient token</u>	4	1	1	2	0.010 s
71		<u>Check Patient able to login as admin with invalid credential</u>	4	4	0	0	0.234 s
72		<u>Check Patient able to login as admin with valid credential and invalid method</u>	4	4	0	0	0.132 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
73		<u>Check Patient able to login as admin with valid credential and invalid endpoint</u>	4	4	0	0	0.167 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
74	<u>Patient Module Negative</u>	<u>Check Patient able to login as admin with valid credential and invalid content type</u>	4	4	0	0	0.360 s
75		<u>Check dietician unable to add new reports with no authorization</u>	4	2	1	1	0.433 s
76		<u>Check admin unable to add new reports with admin bearer token</u>	4	2	1	1	0.419 s
77		<u>Check patient unable to add new reports with patient bearer token</u>	4	2	1	1	0.385 s
78		<u>Check dietician unable to add new reports with invalid data</u>	4	1	1	2	0.008 s
79		<u>Check dietician unable to add new reports with valid data and invalid patient ID as path parameter</u>	4	3	1	0	0.647 s
80		<u>Check dietician unable to add new reports using POST method instead of PUT</u>	4	1	1	2	0.008 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
81		<i>Check dietician unable to add new reports using an invalid endpoint</i>	4	2	1	1	0.458 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
82	<u>Patient Module Negative</u>	<u>Check dietician unable to add new reports with invalid content type</u>	4	1	1	2	0.011 s
83		<u>Check dietician unable to retrieve all patients with no authorization</u>	4	4	0	0	0.156 s
84		<u>Check admin unable to retrieve patients with admin bearer token</u>	4	4	0	0	0.156 s
85		<u>Check patient unable to retrieve patients with patient bearer token</u>	4	4	0	0	0.159 s
86		<u>Check dietician unable to retrieve all patients with invalid HTTP method</u>	4	4	0	0	0.152 s
87		<u>Check dietician unable to retrieve all patients with invalid endpoint</u>	4	2	1	1	0.007 s
88		<u>Check dietician able to retrieve patients morbidity details by patient ID</u>	4	1	1	2	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
89	<u>Patient Module Negative</u>	<u>Check admin is able to retrieve patients morbidity details by patient ID</u>	4	1	1	2	0.005 s
90		<u>Check dietician able to retrieve patients morbidity details by patient ID with invalid method</u>	4	1	1	2	0.006 s
91		<u>Check dietician able to retrieve patients morbidity details by invalid patient ID</u>	4	1	1	2	0.005 s
92		<u>Check dietician able to retrieve patients morbidity details by patient ID with invalid endpoint</u>	4	1	1	2	0.010 s
93		<u>Check dietician able to retrieve patients by field</u>	4	4	0	0	0.143 s
94		<u>Check admin is able to retrieve patients by field</u>	4	4	0	0	0.143 s
95		<u>Check dietician able to retrieve patients by field with invalid method</u>	4	4	0	0	0.164 s
96		<u>Check dietician able to retrieve patients by invalid field</u>	4	4	0	0	0.153 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
97		<i>Check dietician able to retrieve patients by field with invalid endpoint</i>	4	4	0	0	0.149 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
98	<u>Morbidity Module Negative feature</u>	<u>Check dietician able to retrieve all morbidities details</u>	3	3	0	0	0.167 s
99		<u>Check patient is able to retrieve all morbidities details</u>	3	3	0	0	0.142 s
10-0		<u>Check admin able to retrieve all morbidities details with invalid method</u>	3	3	0	0	0.163 s
10-1		<u>Check admin able to retrieve all morbidities details with invalid endpoint</u>	3	3	0	0	0.140 s
10-2		<u>Check dietician able to retrieve all morbidities details with invalid method</u>	3	3	0	0	0.156 s
10-3		<u>Check dietician able to retrieve all morbidities details with invalid endpoint</u>	3	3	0	0	0.156 s
10-4		<u>Check dietician able to retrieve morbidity condition by test name</u>	3	3	0	0	0.157 s
10-5		<u>Check patient is able to retrieve morbidity condition by test name</u>	3	2	1	0	0.150 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
10-6		<u>Check admin able to retrieve morbidity condition by test name with invalid method</u>	3	3	0	0	0.146 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	<u>Morbidity Module Negative feature</u>	<u>Check admin able to retrieve morbidity condition by invalid test name</u>	3	3	0	0	0.221 s
10-8		<u>Check admin able to retrieve morbidity condition by test name with invalid endpoint</u>	3	3	0	0	0.154 s
10-9		<u>Check dietician able to retrieve morbidity condition by test name with invalid method</u>	3	3	0	0	0.160 s
11-0		<u>Check dietician able to retrieve morbidity condition by invalid test name</u>	3	3	0	0	0.175 s
11-1		<u>Check dietician able to retrieve morbidity condition by test name with invalid endpoint</u>	3	3	0	0	0.161 s
11-2	<u>All Modules Delete and logout Modules Negative</u>	<u>Check dietician able to delete patient by id with invalid method</u>	3	0	1	2	0.014 s
11-3		<u>Check dietician able to delete patient by invalid id</u>	3	0	1	2	0.005 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
11-4		<i>Check dietician able to delete patient by id with invalid endpoint</i>	3	0	1	2	0.020 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11-5	<u>All Modules Delete and logout Modules Negative</u>	<u>Check dietician able to delete patient by ID</u>	3	0	1	2	0.005 s
11-6		<u>Check patient able to logout with invalid method</u>	3	3	0	0	0.156 s
11-7		<u>Check patient able to logout</u>	3	3	0	0	0.164 s
11-8		<u>Check admin able to delete dietician by ID</u>	3	3	0	0	0.178 s
11-9		<u>Check admin able to delete dietician by id with invalid method</u>	3	3	0	0	0.182 s
12-0		<u>Check admin able to delete dietician by invalid id</u>	3	2	1	0	0.143 s
12-1		<u>Check admin able to delete dietician by id with invalid endpoint</u>	3	3	0	0	0.166 s
12-2		<u>Check dietician able to logout with invalid method</u>	3	3	0	0	0.164 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
12-3		<i>Check dietician able to logout</i>	3	3	0	0	0.151 s
12-4		<i>Check admin able to logout with invalid method</i>	3	3	0	0	0.160 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-5	<u>All Modules Delete and logout Modules Negative</u>	<u>Check admin able to logout</u>	3	3	0	0	0.164 s
12-6	<u>All Modules Delete and logout Modules Positive</u>	<u>Check dietician able to delete patient by ID</u>	3	0	1	2	0.013 s
12-7		<u>Check patient able to logout</u>	3	3	0	0	0.154 s
12-8		<u>Check admin able to delete dietician by ID</u>	3	3	0	0	0.184 s
12-9		<u>Check dietician able to logout</u>	3	3	0	0	0.151 s
13-0		<u>Check admin able to logout</u>	3	3	0	0	0.150 s

## User Admin Post Request



## Check user able to login as admin with valid data




#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body	PASSED	4.453 s
2	When User send POST HTTP request with endpoint	PASSED	3.392 s
3	Then User receives 200 created with response body	PASSED	0.005 s

## Dietitian Positive Flow




## Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 1	PASSED	0.247 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.298 s
3	Then Admin receives 201 created and with response body	PASSED	0.839 s

### Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 2	PASSED	0.173 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.197 s
3	Then Admin receives 201 created and with response body  java.lang.AssertionError: expected:<400> but was:<201> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_created_and_with_response_body(DietitianPost.java:177) at ?.Admin recieves 201 created and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/02_DietitianModulePositive.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.011 s

### Check admin able to create dietician with valid data and token




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request and get the token	PASSED	0.009 s
2	When Admin send POST "Post_UserDieticianLoginurl" request with endpoint	PASSED	0.257 s
3	Then Admin receives dietician token	PASSED	0.038 s

### Check admin able to retrieve all dietician




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.045 s
2	When Admin send GET "Get_AllDietitian" request with endpoint	PASSED	1.782 s
3	Then Admin receives 200 afterGet and with response body	PASSED	0.001 s

### Check admin able to retrieve dietician by ID



#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.003 s
2	When Admin send GET "Get_AllDietitianByID" request with endpoint	PASSED	0.209 s
3	Then Admin receives 200 afterGet and with response body  java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertequals(Assert.java:647) at org.junit.Assert.assertequals(Assert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_get_and_with_response_body(DietitianPost.java:359) at ?.Admin receives 200 afterGet and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/02_DietitianModulePositive.feature:31) * Not displayable characters are replaced by '?'.	FAILED	0.004 s

### Check admin able to update dietician with valid data , dietician id and token




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 1	PASSED	0.133 s
2	When Admin send valid PUT "Put_Dietitian" request with endpoint	PASSED	0.192 s
3	Then Admin receives 200 afterPost and with response body	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:&lt;400&gt; but was:&lt;200&gt;   at org.junit.Assert.fail(Assert.java:89)   at org.junit.Assert.failNotEquals(Assert.java:835)   at org.junit.Assert.assertEquals(Assert.java:647)   at org.junit.Assert.assertEquals(Assert.java:633)   at api.stepdefinitions.DietitianPost.admin_recieves_after_post_and_with_response_body(DietitianPost.java:426)   at ?.Admin recieves 200 afterPost and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/02_DietitianModulePositive.feature:38) * Not displayable characters are replaced by '?'.</pre>		

## Patient Module Positive




## Check dietician able to create patient with valid data and token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.017 s
2	Given Dietician creates POST request by entering valid data. ( Mandatory and additional details) into the form-data key and value fields.	PASSED	0.004 s
3	When Dietician send POST http request with endpoint	PASSED	1.671 s
4	Then Dietician recieves 201 created and with response body. (Auto created dietician ID and login password)	PASSED	0.001 s

### Check dietician able to create patient only with valid mandatory details

PASSED	DURATION - 0.877 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:02.385 PM // 4:14:03.262 PM /				
Patient Module Positive				
@Test02 @tag04				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.005 s
2	Given Dietician creates POST request only by valid mandatory details into the form-data key and value fields.	PASSED	0.000 s
3	When Dietician send POST http request with endpoint only with valid mandatory details	PASSED	0.861 s
4	Then Dietician receives 201 created and with response body. (Auto created dietician ID and login password)	PASSED	0.001 s

### Check user able to login as Patient with valid data(Patient token)

PASSED	DURATION - 0.292 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:03.297 PM // 4:14:03.589 PM /				
Patient Module Positive				
@Test03 @tag04				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given User creates Patient Post request with request body	PASSED	0.002 s
3	When User send Patient POST HTTP request with endpoint	PASSED	0.282 s
4	Then Patient receives 200 created with response body	PASSED	0.001 s

### Check dietician able to update patient with existing file by not attaching new file

PASSED	DURATION - 1.080 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:03.620 PM // 4:14:04.700 PM /				
Patient Module Positive				
@Test04 @tag04				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates PUT request by not attaching any file into the form-data key and value fields.	PASSED	0.014 s
3	When Dietician send PUT http request with endpoint with existing file by not attaching new file	PASSED	1.056 s
4	Then Dietician receives 200 ok and with updated response body	PASSED	0.000 s

### Check dietician able to update patient with valid data, patient id and token

PASSED	DURATION - 0.796 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:04.733 PM // 4:14:05.529 PM /				
Patient Module Positive				
@Test05 @tag04				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.005 s
2	Given Dietician creates PUT request by entering valid data. ( Mandatory and additional details) into the form-data key and value fields.	PASSED	0.010 s
3	When Dietician send PUT http request with endpoint with valid data	PASSED	0.771 s
4	Then Dietician receives 200 ok and with updated response body	PASSED	0.001 s

### Check dietician able to update patient only with valid mandatory details

PASSED	DURATION - 0.655 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:05.551 PM // 4:14:06.206 PM /				
Patient Module Positive				
@Test06 @tag04				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.010 s
2	Given Dietician creates PUT request by entering only valid mandatory details into the form-data key and value fields.	PASSED	0.003 s
3	When Dietician send PUT http request with endpoint only valid mandatory details	PASSED	0.630 s
4	Then Dietician receives 200 ok and with updated response body	PASSED	0.000 s

### Check dietician able to add new reports with vitals for existing patient with valid data

PASSED	DURATION - 1.101 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:06.227 PM // 4:14:07.328 PM /				
Patient Module Positive				
@tag04 @Test07				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data( Mandatory and additional details) into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint by add new reports with vitals for existing patient with valid data	PASSED	1.094 s
4	Then Dietician receives 200 ok and with updated response body	PASSED	0.000 s

### Check dietician able to add only new vitals without reports for existing patient without existing report




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except file and valid patient ID without reports for existing patient without existing report	PASSED	0.000 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID without reports for existing patient without existing report	PASSED	0.745 s
4	Then Dietician receives 200 OK and the response body contains updated details  java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.dietician_receives_ok_and_the_response_body_contains_updated_details(PatientModule.java:775) at ?.Dietician receives 200 OK and the response body contains updated details(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:59) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

### Check dietician able to add new reports with only valid mandatory details for existing patient




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates PUT request by entering valid data (Mandatory only) into the form-data key and value fields and valid patient ID	PASSED	0.006 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID add new reports with only valid mandatory details	PASSED	0.947 s
4	Then Dietician receives 200 OK and the response body contains updated details	PASSED	0.000 s

### Check dietician able to add new reports without vitals for existing patient with valid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except valid vitals data and valid patient ID	PASSED	0.000 s
3	When Dietician send PUT http request to the endpoint with valid patient ID	PASSED	0.625 s
4	Then Dietician recieves 200 ok and with updated response body contains updated details	PASSED	0.001 s

### Check dietician able to add only new vitals without reports for existing patient with existing report




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except file and valid patient ID	PASSED	0.002 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID	PASSED	0.910 s
4	Then Dietician receives 200 OK and the response body contains updated details	PASSED	0.002 s

### Check dietician able to add new reports with only valid additional details for existing patient



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data (Additional details only) into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID add new reports with only valid additional details	PASSED	0.739 s
4	Then Dietician receives 200 OK and the response body contains updated details	PASSED	0.000 s


### Check dietician able to retrieve all patients with valid dietician token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
2	Given Dietician creates GET request to the endpoint	PASSED	0.000 s
3	When Dietician sends GET HTTP request to the endpoint with dietician bearer token	PASSED	0.169 s
4	Then Dietician receives 200 OK with response body containing patient details	PASSED	0.001 s


## Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create GET request patients morbidity details by endpoint as patient	PASSED	0.002 s
3	When Dietician send GET http request with endpoint by endpoint as patient	PASSED	0.279 s
4	Then Dietician receives 200 ok with details morbidity details by endpoint as patient  java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["T3"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#","pointer":"/items/properties/morbidConditions"} instance: {"pointer":"/0/morbidConditions"} domain: "validation" keyword: "required" required: ["T3","T4","TSH"] missing: ["T3"] error: object has missing required properties (["vitals"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#","pointer":"/items"} instance: {"pointer":"/1"} domain: "validation" keyword: "required" required: ["fileId","fileName","morbidConditionStr","morbidConditions","uploadDate","vitals"] missing: ["vitals"] error: object has missing required properties (["vitals"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#","pointer":"/items"} instance: {"pointer":"/2"} domain: "validation" keyword: "required" required: ["fileId","fileName","morbidConditionStr","morbidConditions","uploadDate","vitals"] missing: ["vitals"] Actual: [{"fileId":"66c64a9347afba5783aa800","fileName":"HypoThyroid-Report.pdf","uploadDate":"2024-08-21T20:14:11.741+00:00","morbidConditions":{"T4":"1.22 µg/dl","TSH":"100.0 mIU/L"}, "vitals": {"Weight":70.19999694824219,"Height":165.5,"Temperature":98.30000305175781,"SP":34,"DP":56}, "morbidConditionStr":"Thyroid Hypothyroidism \nBlood Pressure: Hypotension \n"}, {"fileId":"66c64a9247afba5783aaaf7fa","fileName":"HypoThyroid-Report.pdf","uploadDate":"2024-08-21T20:14:10.029+00:00","morbidConditions":{"T4":"1.22 µg/dl","TSH":"100.0 mIU/L"}, "vitals": {"Weight":70.19999694824219,"Height":165.5,"Temperature":98.30000305175781,"SP":34,"DP":56}, "morbidConditionStr":"Thyroid: Hypothyroidism \n"}, {"fileId":"66c64a8c47afba5783aaaf7ee","fileName":"HyperThyroid_Report.pdf","uploadDate":"2024-08-21T20:14:04.986+00:00","morbidConditions":{"T3":"6.3 ng/mL","T4":"15.7 µg/dL","TSH":"0.016 µIU/mL"}, "vitals": {"Weight":70.19999694824219,"Height":165.5,"Temperature":98.30000305175781,"SP":34,"DP":56}, "morbidConditionStr":"Thyroid: Hyperthyroidism \n"}, {"fileId":"66c64a8a47afba5783aaaf7ea","fileName":"HyperThyroid_Report.pdf","uploadDate":"2024-08-21T20:14:02.538+00:00","morbidConditions":{"T3":"6.3 ng/mL","T4":"15.7 µg/dL","TSH":"0.016 µIU/L"}]	FAILED	0.122 s


#	Step / Hook Details	Status	Duration
	<pre>mL"},"vitals":{"Weight":0.0,"Height":0.0,"Temperature":0.0,"SP":0,"DP":0},"morbidConditionStr":"Thyroid: Hyperthyroidism \nBlood Pressure: Hypotension \n"}] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.PatientModule.dietician_recieves_ok_with_details_morbidity_details_by_endpoint_as_patient(PatientModule.java:1057) at ?.Dietician recieves 200 ok with details morbidity details by endpoint as patient(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:109) * Not displayable characters are replaced by '?'.</pre>		

## Check dietitian able to retrieve patients by file Id with Dietitian Token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create GET request by field Id with Dietician Token	PASSED	0.004 s
3	When Dietician create GET request patients morbidity details by endpoint as patient File id	PASSED	0.270 s
4	Then Dietician receives 200 ok with details of the patient id by field with Dietician Token	PASSED	0.002 s

### Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Patient create GET request retrieve patients morbidity details by patient Endpoint with Patient Token	PASSED	0.001 s
3	When Patient send GET http request with retrieve patients morbidity details by patient Endpoint with Patient Token	PASSED	0.164 s
4	Then Patient receives 200 ok with retrieve patients morbidity details by patient Endpoint with Patient Token	FAILED	0.028 s
	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties ("T3") level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#", "pointer":"/items/properties/morbidConditions"} instance: {"pointer":"/0/morbidConditions"} domain: "validation" keyword: "required" required: ["T3","T4","TSH"] missing: ["T3"] error: object has missing required properties ("vitals") level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#", "pointer":"/items"} instance: {"pointer":"/1"} domain: "validation" keyword: "required" required: ["fileId","fileName","morbidConditionStr","morbidConditions","uploadDate","vitals"]		

#	Step / Hook Details	Status	Duration
	<p>missing: ["vitals"] error: object has missing required properties (["vitals"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#", "pointer":"/items"} instance: {"pointer":"/2"} domain: "validation" keyword: "required" required: ["fileId","fileName","morbidConditionStr","morbidConditions","uploadDate","vitals"] missing: ["vitals"] Actual: [{"fileId":"66c64a9347afba5783aaf800","fileName":"HypoThyroid-Report.pdf","uploadDate":"2024-08-21T20:14:11.741+00:00","morbidConditions":{"T4": "1.22 µg/dl","TSH": "100.0 mIU/L"}, "vitals": {"Weight": 70.19999694824219, "Height": 165.5, "Temperature": 98.30000305175781, "SP": 34, "DP": 56}, "morbidConditionStr": "Thyroid: Hypothyroidism \nBlood Pressure: Hypotension \n"}, {"fileId": "66c64a9247afba5783aaaf7fa", "fileName": "HypoThyroid-Report.pdf", "uploadDate": "2024-08-21T20:14:10.029+00:00", "morbidConditions": {"T4": "1.22 µg/dl", "TSH": "100.0 mIU/L"}, "morbidConditionStr": "Thyroid: Hypothyroidism \n"}, {"fileId": "66c64a8c47afba5783aaaf7ee", "fileName": "HyperThyroid_Report.pdf", "uploadDate": "2024-08-21T20:14:04.986+00:00", "morbidConditions": {"T3": "6.3 ng/mL", "T4": "15.7 µg/dL", "TSH": "0.016 µIU/mL"}, "morbidConditionStr": "Thyroid: Hyperthyroidism \n"}, {"fileId": "66c64a8a47afba5783aaaf7ea", "fileName": "HyperThyroid_Report.pdf", "uploadDate": "2024-08-21T20:14:02.538+00:00", "morbidConditions": {"T3": "6.3 ng/mL", "T4": "15.7 µg/dL", "TSH": "0.016 µIU/mL"}, "vitals": {"Weight": 0.0, "Height": 0.0, "Temperature": 0.0, "SP": 0, "DP": 0}, "morbidConditionStr": "Thyroid: Hyperthyroidism \nBlood Pressure: Hypotension \n"}]</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)  at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)  at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)  at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)  at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)  at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)  at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107)  at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)  at api.stepdefinitions.PatientModule.  patient_recieves_ok_with_retrieve_patients_morbidity_details_by_patient_endpoint_with_patient_token(PatientModule.java:1092)  at ?.Patient recieves 200 ok with retrieve patients morbidity details by patient Endpoint with Patient Token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:123)</p>		


#	Step / Hook Details	Status	Duration
* Not displayable characters are replaced by '?':			

### Check Patient able to retrieve patients by field Id with Patient Token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Check patient is able to retrieve patients morbidity details by File ID with Patient Token	PASSED	0.003 s
3	When Patient create GET request patients morbidity details by endpoint as patient	PASSED	0.269 s
4	Then Patient receives 200 ok with details of the patient id by field with Patient Token	PASSED	0.000 s

### Morbidity Module Positive with Admin Token




### Check admin able to retrieve all morbidities details with admin token



#	Step / Hook Details	Status	Duration
1	Given admin create GET request with all morbidities details admin token	PASSED	0.003 s
2	When admin send GET http request with all morbidities details endpoint	PASSED	0.192 s
3	Then admin receives 200 ok with all morbidities details patient id	PASSED	0.013 s

### Check admin able to retrieve morbidity condition by test name with admin token




#	Step / Hook Details	Status	Duration
1	Given admin create GET request with morbidity condition by test name with admin token	PASSED	0.005 s
2	When admin send GET http request with morbidity condition by test name endpoint	PASSED	0.163 s
3	Then admin receives 200 ok with morbidity condition by test name endpoint details of the patient id	PASSED	0.016 s

### Morbidity Module Dietician Token




### Check dietician able to retrieve all morbidities details



#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with dietician token to retrieve all morbidities details	PASSED	0.001 s
2	When Dietician send GET http request with endpoint to retrieve all morbidities details	PASSED	0.169 s
3	Then admin receives 200 ok with details of the patient id to retrieve all morbidities details	PASSED	0.001 s

### Check dietician able to retrieve morbidity condition by test name




#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with dietician token to retrieve morbidity condition by test name	PASSED	0.001 s
2	When Dietician send GET http request with morbidity condition by test name to retrieve morbidity condition by test name	PASSED	0.142 s

#	Step / Hook Details	Status	Duration
3	Then Dietician receives 200 ok with morbidity condition by test name endpoint details of the patient id	PASSED	0.011 s

## User Admin Post Request Negative




## Check user able to login as admin with invalid credential




#	Step / Hook Details	Status	Duration
1	Given User creates Post request with invalid credential	PASSED	0.110 s
2	When User send POST HTTP request with invalid credential and endpoint	PASSED	0.267 s
3	Then User receives 401 unauthorized	PASSED	0.001 s

## Check user able to login as admin with valid credential and invalid method




#	Step / Hook Details	Status	Duration
1	Given User creates GET request with request body.	PASSED	0.079 s
2	When User send GET HTTP request with endpoint	PASSED	0.182 s
3	Then User receives 405 method not allowed	PASSED	0.001 s

### Check user able to login as admin with valid credential and invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body	PASSED	0.089 s
2	When User send POST HTTP request with invalid endpoint	PASSED	0.170 s
3	Then User receives 401 unauthorized	PASSED	0.001 s


### Check user able to login as admin with valid credential and invalid content type




#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body and invalid content type.  java.lang.IllegalArgumentException: Cannot serialize because cannot determine how to serialize content-type text/html at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.118 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.mapping.ObjectMapping.serialize(ObjectMapping.groovy:180) at io.restassured.internal.mapping.ObjectMapping\$serialize.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.body(RequestSpecificationImpl.groovy:770) at api.stepdefinitions.UserAdminLogin.userCreatesPostRequestWithRequestBodyAndInvalidContentType(UserAdminLogin.java:106) at ?.User creates Post request with request body and invalid content type.(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/06_UserAdminLoginNegative.feature:25) * Not displayable characters are replaced by '?'.		
2	When User send POST HTTP request with invalid content type endpoint	SKIPPED	0.002 s
3	Then User receives 415 unsupported media type	SKIPPED	0.001 s

## Dietitian Negative Flow




## Check admin able to create dietician with invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 3	PASSED	0.051 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.164 s
3	Then Admin receives 400 created and with response body  org.junit.ComparisonFailure: expected:<[Dietician's contact number is required!]> but was:<[Contact number should contain 10 digits]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at api.stepdefinitions.DietitianPost.admin_recieves_created_and_with_response_body(DietitianPost.java:222) at ?.Admin receives 400 created and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/07_DietitianModuleNegative.feature:9) * Not displayable characters are replaced by '?'. 	FAILED	0.114 s

### Check admin able to create dietician with invalid data



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 4	PASSED	0.056 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.174 s
3	Then Admin receives 400 created and with response body	PASSED	0.092 s

### Check admin able to create dietician with invalid data



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 5	PASSED	0.050 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.177 s
3	Then Admin receives 400 created and with response body	PASSED	0.066 s

### Check admin able to create dietician with invalid data

PASSED	DURATION - 0.338 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:14:15.972 PM // 4:14:16.310 PM /				
Dietitian Negative Flow				
@Negaive @Negative_01_Post				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 6	PASSED	0.036 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.148 s
3	Then Admin receives 400 created and with response body	PASSED	0.147 s

### Check admin able to create dietician with invalid data

PASSED	DURATION - 0.288 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:14:16.328 PM // 4:14:16.616 PM /				
Dietitian Negative Flow				
@Negaive @Negative_01_Post				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 7	PASSED	0.044 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.151 s
3	Then Admin receives 400 created and with response body	PASSED	0.089 s

### Check admin able to create dietician with invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 8	PASSED	0.034 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.141 s
3	Then Admin recieves 400 created and with response body	PASSED	0.158 s

### Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 9	PASSED	0.048 s
2	When Admin send PUT "Post_CreateDietitian" request with endpoint	PASSED	0.150 s
3	Then Admin recieves 405 created and with response body	PASSED	0.017 s

### Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 10	PASSED	0.046 s
2	When Admin send POST "Post_CreateDietitianInvalidEndpoint" request with endpoint	PASSED	0.198 s
3	Then Admin receives 404 created and with response body	PASSED	0.016 s

### Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Check admin able to create dietician with valid data with no auth "DietitianPost", 12	PASSED	0.051 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.139 s
3	Then Admin receives 401 created and with response body	PASSED	0.027 s

### Check admin able to create dietician with valid data and dietician token




#	Step / Hook Details	Status	Duration
1	Given Check admin able to create dietician with valid data with dietitian token "DietitianPost", 12	PASSED	0.046 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.138 s
3	Then Admin receives 403 created and with response body	PASSED	0.026 s

### Check admin able to retrieve all dietician with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send PUT "Get_AllDietitian" request with GetRequest endpoint	PASSED	0.135 s
3	Then Admin receives 405 afterGet and with response body	PASSED	0.014 s

### Check admin able to retrieve dietician by id with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send POST "Get_AllDietitianByID" request with GetRequest endpoint	PASSED	0.133 s
3	Then Admin recieves 405 afterGet and with response body	PASSED	0.013 s

### Check admin able to retrieve dietician by invalid id




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send GET "Get_AllDietitianByID" request with "r4567"	PASSED	0.145 s
3	Then Admin recieves 404 afterGet and with response body  java.lang.AssertionError: expected:<400> but was:<404> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_get_and_with_response_body(DietitianPost.java:363) at ?.Admin recieves 404 afterGet and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/07_DietitianModuleNegative.feature:99) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

### Check admin able to retrieve dietician by id with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.003 s
2	When Admin send GET "Get_ALLDietitianInvalidEndpoint" request with invalid endpoint	PASSED	0.148 s
3	Then Admin receives 404 afterGet and with response body	PASSED	0.018 s

### Check admin able to retrieve all dietician with no auth




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request with no auth	PASSED	0.002 s
2	When Admin send GET "Get_AllDietitian" request with endpoint	PASSED	0.152 s
3	Then Admin receives 401 afterGet and with response body	PASSED	0.031 s

### Check admin able to retrieve dietician by ID with no auth




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request with no auth	PASSED	0.003 s
2	When Admin send GET "Get_AllDietitianByID" request with endpoint	PASSED	0.173 s
3	Then Admin receives 401 afterGet and with response body	PASSED	0.026 s

### Check admin able to update dietician with invalid data and dietician id




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 2	PASSED	0.060 s
2	When Admin send valid PUT "Put_Dietitian" request with endpoint	PASSED	0.151 s
3	Then Admin receives 400 afterPost and with response body	PASSED	0.001 s

### Check admin able to update dietician with valid data and invalid dietician id




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 3	PASSED	0.050 s
2	When Admin send valid PUT "Put_Dietitian" request with "bhsgh4"	PASSED	0.143 s
3	Then Admin recieves 400 afterPost and with response body	PASSED	0.000 s

### Check admin able to update dietician with valid data, dietician id and invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 4	PASSED	0.041 s
2	When Admin send valid POST "Put_Dietitian" request with	PASSED	0.143 s
3	Then Admin recieves 405 afterPost and with response body	PASSED	0.011 s

### Check admin able to update dietician with valid data, dietician id and invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 5	PASSED	0.041 s
2	When Admin send valid PUT "Put_DietitianInvalidEndpoint" request with	PASSED	0.152 s
3	Then Admin receives 404 afterPost and with response body	PASSED	0.013 s

## Patient Module Negative




## Check dietician able to create patient only with valid additional details



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates POST request only by valid additional details into the form-data key and value fields.	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
3	When Dietician send POST http request with endpoint only for valid additional details	PASSED	0.261 s
4	Then Dietician receives 400 Bad request	PASSED	0.001 s

### Check dietician able to create patient with invalid data (mandatory details)

PASSED	DURATION - 0.574 s	 <p>A gauge chart with a scale from 0 to 1. A single black bar is positioned at the value 0.6, indicating the completion of step 3.</p>	<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	 <p>A green donut chart with the number '4' in the center, representing the total number of steps.</p>
/ 4:14:20.346 PM // 4:14:20.920 PM /				
Patient Module Negative				
@Test02 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates POST request only by invalid mandatory details into the form-data key and value fields.	PASSED	0.003 s
3	When Dietician send POST http request with endpoint only for invalid mandatory details	PASSED	0.564 s
4	Then Dietician receives 400 Bad request	PASSED	0.001 s

### Check dietician able to create patient with valid mandatory fields and invalid data (additional details)

PASSED	DURATION - 0.558 s	 <p>A gauge chart with a scale from 0 to 1. A single black bar is positioned at the value 0.6, indicating the completion of step 3.</p>	<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	 <p>A green donut chart with the number '4' in the center, representing the total number of steps.</p>
/ 4:14:20.934 PM // 4:14:21.492 PM /				
Patient Module Negative				
@Test03 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request only by invalid additional details into the form-data key and value fields.	PASSED	0.002 s
3	When Dietician send POST http request with endpoint for valid mandatory fields and invalid additional details	PASSED	0.550 s
4	Then Dietician receives 400 Bad request	PASSED	0.000 s

### Check dietician able to create patient with valid data and invalid method

PASSED	DURATION - 0.668 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:21.513 PM // 4:14:22.181 PM /				
Patient Module Negative				
@Test04 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint	PASSED	0.662 s
4	Then Dietician receives 405 method not allowed	PASSED	0.001 s

### Check dietician able to create patient with valid data and invalid endpoint

PASSED	DURATION - 0.677 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:22.202 PM // 4:14:22.879 PM /				
Patient Module Negative				
@Test05 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.002 s
3	When Dietician sent POST http request with invalid endpoint	PASSED	0.666 s
4	Then Dietician receives 404 not found	PASSED	0.001 s

### Check dietician able to create patient with valid data and invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.004 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and invalid content type	PASSED	0.003 s
3	<p>When Dietician send POST http request with endpoint and invalid content type</p> <pre>java.lang.IllegalArgumentException: Content-Type application/pdf is not valid when using multipart, it must start with "multipart/" or contain "multipart+". at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.registerRestAssuredEncoders(RequestSpecificationImpl.groovy:1412) at io.restassured.internal.RequestSpecificationImpl.this\$2\$registerRestAssuredEncoders(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor266.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)</pre>	FAILED	0.502 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1171) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor248.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		


#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor230.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor229.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_post_http_request_with_endpoint_and_invalid_content_type(PatientModule.java:350) at ?.Dietician send POST http request with endpoint and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:41) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 415 unsupported media type	SKIPPED	0.000 s

### Check dietician able to create patient with valid data

PASSED	DURATION - 0.912 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:23.456 PM // 4:14:24.368 PM /				
Patient Module Negative				
@tag03 @Test08				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and sets no auth	PASSED	0.002 s
3	When Dietician send POST http request with endpoint	PASSED	0.905 s
4	Then Dietician receives 401 unauthorized	PASSED	0.001 s

### Check admin able to create patient with valid data and admin token

PASSED	DURATION - 0.800 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:24.387 PM // 4:14:25.187 PM /				
Patient Module Negative				
@Test09 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Admin creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.003 s
3	When Admin send POST http request with endpoint	PASSED	0.788 s
4	Then Admin receives 403 forbidden	PASSED	0.000 s

### Check patient able to create patient with valid data and patient token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Patient creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.002 s
3	When Patient send POST http request with endpoint	PASSED	0.752 s
4	Then Patient receives 403 forbidden	PASSED	0.001 s


### Check dietician able to update patient with mandatory fields empty and only with valid additional details



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates PUT request by entering only valid additional details into the form-data key and value fields.  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByEnteringOnlyValidAdditionalDetailsIntoTheFormaDataKeyAndValueFields(PatientModule.java:424) at ?.Dietician creates PUT request by entering only valid additional details into the form-data key and value fields.(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:74) * Not displayable characters are replaced by '?'.		
3	When Dietician send PUT http request with endpoint by mandatory fields empty only valid additional details	SKIPPED	0.000 s
4	Then Dietician receives 400 Bad request	SKIPPED	0.000 s


### Check dietician able to update patient with invalid data



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering only invalid additional details into the form-data key and value fields.  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	<pre>at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByEnteringOnlyInvalidAdditionalDetailsIntoTheFormaDataKeyAndValueFields(PatientModule.java:441)     at ?.Dietician creates PUT request by entering only invalid additional details into the form-data key and value fields.(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:80) * Not displayable characters are replaced by '?'.</pre>		
3	When Dietician send PUT http request with endpoint by only invalid additional details	SKIPPED	0.000 s
4	Then Dietician receives 400 Bad request	SKIPPED	0.000 s

### Check dietician able to update patient with valid data and invalid patient id in path parameter




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates PUT request by entering only valid mandatory details into the form-data key and value fields with invalid patient id	PASSED	0.002 s
3	When Dietician send PUT http request with endpoint by valid data and invalid patient id	PASSED	0.882 s
4	Then Dietician receives 400 Bad request	PASSED	0.000 s

### Check dietician able to update patient with valid data and invalid method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create PUT request by entering valid data into the form-data key and value fields  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dietician_create_put_request_by_entering_valid_data_into_the_form_data_key_and_value_fields(PatientModule.java:477) at ?.Dietician create PUT request by entering valid data into the form-data key and value fields(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:92) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	When Dietician send POST http request with endpoint entering valid data invalid method	SKIPPED	0.000 s
4	Then Dietician receives 405 method not allowed	SKIPPED	0.001 s

**Check dietician able to update patient with valid data and invalid endpoint**




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create PUT request by entering valid data into the form-data key and value fields  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dietician_create_put_request_by_entering_valid_data_into_the_form_data_key_and_value_fields(PatientModule.java:477) at ?.Dietician create PUT request by entering valid data into the form-data key and value fields(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:98) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
3	When Dietician sent PUT http request with invalid endpoint	SKIPPED	0.000 s
4	Then Dietician receives 404 not found	SKIPPED	0.001 s

Check dietician able to update patient with valid data, patient id and invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and invalid content type  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByEnteringValidDataIntoTheFormDataKeyAndValueFieldsAndInvalidContentType(PatientModule.java:511) at ?.Dietician creates PUT request by entering valid data into the form-data key and value fields and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:104) * Not displayable characters are replaced by '?'.	FAILED	0.006 s
3	When Dietician send PUT http request with endpoint and invalid content type	SKIPPED	0.001 s
4	Then Dietician receives 415 unsupported media type	SKIPPED	0.000 s

Check dietician able to update patient with valid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and sets no auth  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByEnteringValidDataIntoTheFormDataKeyAndValueFieldsAndSetsNoAuth(PatientModule.java:531) at ?.Dietician creates PUT request by entering valid data into the form-data key and value fields and sets no auth(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:111) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	When Dietician send PUT http request with endpoint for sets no auth	SKIPPED	0.000 s
4	Then Dietician receives 401 unauthorized	SKIPPED	0.000 s

Check admin able to update patient with valid data and admin token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	<p>Given Admin creates PUT request by entering valid data into the form-data key and value fields.</p> <pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. adminCreatesPutRequestByEnteringValidDataIntoTheFormDataContractAndValueFields(PatientModule.java:548) at ?.Admin creates PUT request by entering valid data into the form-data key and value fields.(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:118) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s
3	When Admin send PUT http request with endpoint	SKIPPED	0.000 s
4	Then Admin receives 403 forbidden	SKIPPED	0.000 s

Check patient able to update patient with valid data and patient token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Patient creates PUT request by entering valid data into the form-data key and value fields.  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. patientCreatesPutRequestByEnteringValidDataIntoTheFormDataKeyAndValueFields(PatientModule.java:562) at ?.Patient creates PUT request by entering valid data into the form-data key and value fields.(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:125) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	When Patient send PUT http request with endpoint	SKIPPED	0.001 s
4	Then Patient receives 403 forbidden	SKIPPED	0.000 s

Check Patient able to login as admin with invalid credential




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates Post request with invalid credential	PASSED	0.001 s
3	When Patient send POST HTTP request with invalid credential and endpoint	PASSED	0.230 s
4	Then Patient receives 401 unauthorized	PASSED	0.000 s

### Check Patient able to login as admin with valid credential and invalid method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Patient creates GET request with request body.	PASSED	0.001 s
3	When Patient send GET HTTP request with endpoint	PASSED	0.125 s
4	Then Patient receives 405 method not allowed	PASSED	0.001 s

### Check Patient able to login as admin with valid credential and invalid endpoint

PASSED	DURATION - 0.167 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:27.562 PM // 4:14:27.729 PM /				
Patient Module Negative				
@Test22 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Patient creates Post request with request body.	PASSED	0.000 s
3	When Patient send POST HTTP request with invalid endpoint	PASSED	0.162 s
4	Then Patient receives 404 notfound	PASSED	0.000 s

### Check Patient able to login as admin with valid credential and invalid content type

PASSED	DURATION - 0.360 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:27.740 PM // 4:14:28.100 PM /				
Patient Module Negative				
@Test23 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates Post request with request body and invalid content type.	PASSED	0.002 s
3	When Patient send POST HTTP request with invalid content type endpoint	PASSED	0.354 s
4	Then Patient receives 415 unsupported media type	PASSED	0.000 s

### Check dietician unable to add new reports with no authorization




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.003 s
3	<p>When Dietician sends PUT HTTP request to the endpoint with no authorization</p> <pre>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 1, was 0. Undefined path parameters are: patientId. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor250.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176)</pre>	FAILED	0.424 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor248.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor230.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor229.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_sends_put_http_request_to_the_endpoint_with_no_authorization(PatientModule.java:932) at ?.Dietician sends PUT HTTP request to the endpoint with no authorization(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:159) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 401 Unauthorized	SKIPPED	0.000 s

### Check admin unable to add new reports with admin bearer token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Admin creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	<p>When Admin sends PUT HTTP request to the endpoint with admin bearer token</p> <pre>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 1, was 0. Undefined path parameters are: patientId. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor250.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy)</pre>	FAILED	0.411 s

#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedMethodAccessor248.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor230.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor229.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.admin_sends_put_http_request_to_the_endpoint_with_admin_bearer_token(PatientModule.java:945) at ?.Admin sends PUT HTTP request to the endpoint with admin bearer token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:166) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 403 Forbidden	SKIPPED	0.001 s

### Check patient unable to add new reports with patient bearer token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.002 s
3	<p>When Patient sends PUT HTTP request to the endpoint with patient bearer token</p> <pre>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 1, was 0. Undefined path parameters are: patientId. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor250.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy)</pre>	FAILED	0.374 s

#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedMethodAccessor248.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704)		


#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor230.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor229.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.patient_sends_put_http_request_to_the_endpoint_with_patient_bearer_token(PatientModule.java:958) at ?.Patient sends PUT HTTP request to the endpoint with patient bearer token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:173) * Not displayable characters are replaced by '?'.		
4	Then Patient receives 403 Forbidden	SKIPPED	0.001 s

### Check dietician unable to add new reports with invalid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering invalid data (Additional details only) into the form-data key and value fields and valid patient ID  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByEnteringInvalidDataAdditionalDetailsOnlyIntoTheFormDataKeyAndValueFieldsAndValidPatientId(PatientModule.java:966) at ?.Dietician creates PUT request by entering invalid data (Additional details only) into the form-data key and value fields and valid patient ID(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:179) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID and with invalid data	SKIPPED	0.000 s
4	Then Dietician receives 400 Bad Request	SKIPPED	0.000 s

Check dietician unable to add new reports with valid data and invalid patient ID as path parameter




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data (Additional details only) into the form-data key and value fields and invalid patient ID	PASSED	0.007 s
3	When Dietician sends PUT HTTP request to the endpoint with invalid patient ID as path parameter	PASSED	0.627 s
4	Then Dietician receives 404 Not Found  java.lang.AssertionError: expected:<400> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.dietician_receives_not_found(PatientModule.java:919) at ?.Dietician receives 404 Not Found(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:188) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

### Check dietician unable to add new reports using POST method instead of PUT



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and valid patient ID  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPostRequestByEnteringValidDataIntoTheFormDataKeyAndValueFieldsAndValidPatientId(PatientModule.java:999) at ?.Dietician creates POST request by entering valid data into the form-data key and value fields and valid patient ID(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:193) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
3	When Dietician sends POST HTTP request to the endpoint and add new reports using POST method	SKIPPED	0.000 s
4	Then Dietician receives 405 Method Not Allowed	SKIPPED	0.000 s

### Check dietician unable to add new reports using an invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.002 s
3	<p>When Dietician sends PUT HTTP request to an invalid endpoint and unable to add new reports</p> <pre>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 1, was 0. Undefined path parameters are: patientId. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor250.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor248.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)</pre>	FAILED	0.447 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor230.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		


#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor229.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. dietician_sends_put_http_request_to_an_invalid_endpoint_and_unable_to_add_new_reports(PatientModule.java:1016)     at ?.Dietician sends PUT HTTP request to an invalid endpoint and unable to add new reports(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:201) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 404 Not Found	SKIPPED	0.000 s

### Check dietician unable to add new reports with invalid content type



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID with invalid content type  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByEnteringValidDataIntoTheFormDataKeyAndValueFieldsAndValidPatientIDWithInvalidContent_ type(PatientModule.java:1022) at ?.Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID with invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:207) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
3	When Dietician sends PUT HTTP request to the endpoint and invalid content type	SKIPPED	0.001 s
4	Then Dietician receives 415 Unsupported Media Type	SKIPPED	0.002 s

### Check dietician unable to retrieve all patients with no authorization



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates GET request to the endpoint with no authorization	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
3	When Dietician sends GET HTTP request to the endpoint with no authorization	PASSED	0.152 s
4	Then Dietician receives 401 Unauthorized	PASSED	0.000 s

### Check admin unable to retrieve patients with admin bearer token

PASSED	DURATION - 0.156 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:30.783 PM // 4:14:30.939 PM /				
Patient Module Negative				
@Test02 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Admin creates GET request to the endpoint	PASSED	0.002 s
3	When Admin sends GET HTTP request to the endpoint with admin bearer token	PASSED	0.148 s
4	Then Admin receives 403 Forbidden	PASSED	0.000 s

### Check patient unable to retrieve patients with patient bearer token

PASSED	DURATION - 0.159 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:14:30.954 PM // 4:14:31.113 PM /				
Patient Module Negative				
@Test03 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.004 s
2	Given Patient creates GET request to the endpoint	PASSED	0.003 s
3	When Patient sends GET HTTP request to the endpoint with patient bearer token	PASSED	0.146 s
4	Then Patient receives 403 Forbidden	PASSED	0.000 s

## Check dietician unable to retrieve all patients with invalid HTTP method



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request to the endpoint	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to the endpoint with valid data	PASSED	0.143 s
4	Then Dietician receives 405 Method Not Allowed	PASSED	0.002 s


## Check dietician unable to retrieve all patients with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates GET request to an invalid endpoint	PASSED	0.001 s
3	When Dietician sends GET HTTP request to the invalid endpoint  java.util.MissingResourceException: Can't find resource for bundle java.util.PropertyResourceBundle, key Get_InvalidGetallPatients at java.base/java.util.ResourceBundle.getObject(ResourceBundle.java:564) at java.base/java.util.ResourceBundle.getString(ResourceBundle.java:521) at api.stepdefinitions.PatientModule.dietician_sends_get_http_request_to_the_invalid_endpoint(PatientModule.java:913) at ?.Dietician sends GET HTTP request to the invalid endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:245)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
* Not displayable characters are replaced by '?'.			
4	Then Dietician receives 404 Not Found	SKIPPED	0.000 s

### Check dietician able to retrieve patients morbidity details by patient ID




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request with no auth to retrieve patients morbidity details by patient ID  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dietician_create_get_request_with_no_auth_to_retrieve_patients_morbidity_details_by_patient_id(PatientModule.java:1115) at ?.Dietician create GET request with no auth to retrieve patients morbidity details by patient ID(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:252) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	When Dietician send GET http request with endpoint to retrieve patients morbidity details by patient ID	SKIPPED	0.001 s
4	Then Dietician receives 401 unauthorized to retrieve patients morbidity details by patient ID	SKIPPED	0.001 s

### Check admin is able to retrieve patients morbidity details by patient ID




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin create GET request with Admin token  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule.admin_create_get_request_with_admin_token(PatientModule.java:1133) at ?.Admin create GET request with Admin token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:258) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	When Admin send GET http request with endpoint to retrieve patients morbidity details by patient ID	SKIPPED	0.001 s
4	Then Admin receives 403 Forbidden to retrieve patients morbidity details by patient ID	SKIPPED	0.000 s

**Check dietician able to retrieve patients morbidity details by patient ID with invalid method**




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create POST request to retrieve patients morbidity details by patient ID with invalid method  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dietician_create_post_request_to_retrieve_patients_morbidity_details_by_patient_id_with_invalid_method(PatientModule.java:1150) at ?.Dietician create POST request to retrieve patients morbidity details by patient ID with invalid method(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:264) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
3	When Dietician send POST http request with endpoint to retrieve patients morbidity details by patient ID with invalid method	SKIPPED	0.000 s
4	Then Dietician receives 405 method not allowed to retrieve patients morbidity details by patient ID with invalid method	SKIPPED	0.001 s

### Check dietician able to retrieve patients morbidity details by invalid patient ID




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request to retrieve patients morbidity details by invalid patient ID  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dietician_create_get_request_to_retrieve_patients_morbidity_details_by_invalid_patient_id(PatientModule.java:1168) at ?.Dietician create GET request to retrieve patients morbidity details by invalid patient ID(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:270) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	When Dietician send GET http request with endpoint to retrieve patients morbidity details by invalid patient ID	SKIPPED	0.000 s
4	Then Dietician receives 404 not found to retrieve patients morbidity details by invalid patient ID	SKIPPED	0.000 s

**Check dietician able to retrieve patients morbidity details by patient ID with invalid endpoint**




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request to retrieve patients morbidity details by patient ID with invalid endpoint  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dietician_create_get_request_to_retrieve_patients_morbidity_details_by_patient_id_with_invalid_endpoint(PatientModule.java:1185) at ?.Dietician create GET request to retrieve patients morbidity details by patient ID with invalid endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:276) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
3	When Dietician send GET http request with invalid endpoint to retrieve patients morbidity details by patient ID with invalid endpoint	SKIPPED	0.000 s
4	Then Dietician receives 404 not found to retrieve patients morbidity details by patient ID with invalid endpoint	SKIPPED	0.000 s

Check dietician able to retrieve patients by field




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request with no auth to retrieve patients by field	PASSED	0.001 s
3	When Dietician send GET http request with endpoint to retrieve patients by field	PASSED	0.135 s
4	Then Dietician receives 401 unauthorized to retrieve patients by field	PASSED	0.001 s

### Check admin is able to retrieve patients by field




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Admin create GET request to retrieve patients by field	PASSED	0.001 s
3	When Admin send GET http request with endpoint to retrieve patients by field	PASSED	0.139 s
4	Then Admin receives 403 Forbidden to retrieve patients by field	PASSED	0.001 s

### Check dietician able to retrieve patients by field with invalid method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create POST request to retrieve patients by field with invalid method	PASSED	0.002 s
3	When Dietician send POST http request with endpoint to retrieve patients by field with invalid method	PASSED	0.157 s
4	Then Dietician receives 405 method not allowed to retrieve patients by field with invalid method	PASSED	0.000 s

### Check dietician able to retrieve patients by invalid fileId



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create GET request to retrieve patients by invalid fileId	PASSED	0.002 s
3	When Dietician send GET http request with endpoint to retrieve patients by invalid fileId	PASSED	0.141 s
4	Then Dietician receives 404 not found to retrieve patients by invalid fileId	PASSED	0.000 s

### Check dietician able to retrieve patients by field with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request to retrieve patients by field with invalid endpoint	PASSED	0.002 s
3	When Dietician send GET http request to retrieve patients by field with invalid endpoint	PASSED	0.142 s
4	Then Dietician receives 404 not found to retrieve patients by field with invalid endpoint	PASSED	0.000 s

## Morbidity Module Negative feature





## Check dietician able to retrieve all morbidities details



#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with no auth to retrieve all morbidities details	PASSED	0.002 s



#	Step / Hook Details	Status	Duration
2	When Dietician send GET http request with no auth to retrieve all morbidities details	PASSED	0.156 s
3	Then Dietician receives 401 unauthorized with no auth all morbidities details	PASSED	0.000 s

### Check patient is able to retrieve all morbidities details

PASSED	DURATION - 0.142 s	 <p>A timeline chart with three vertical dashed grid lines labeled 1, 2, and 3. A single black bar is positioned at index 2, representing the duration of the test step.</p>	<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	 <p>A green donut chart with the number '3' in the center, indicating 100% completion.</p>
/ 4:14:32.452 PM // 4:14:32.594 PM /				
Morbidity Module Negative feature				
@Test02				



#	Step / Hook Details	Status	Duration
1	Given Patient create GET request with patient token to retrieve all morbidities details	PASSED	0.001 s
2	When Patient send GET http request with to retrieve all morbidities details endpoint	PASSED	0.138 s
3	Then Patient receives 403 Forbidden to retrieve all morbidities details	PASSED	0.000 s

### Check admin able to retrieve all morbidities details with invalid method

PASSED	DURATION - 0.163 s	 <p>A timeline chart with three vertical dashed grid lines labeled 1, 2, and 3. A single black bar is positioned at index 2, representing the duration of the test step.</p>	<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	 <p>A green donut chart with the number '3' in the center, indicating 100% completion.</p>
/ 4:14:32.617 PM // 4:14:32.780 PM /				
Morbidity Module Negative feature				
@Test03				



#	Step / Hook Details	Status	Duration
1	Given admin create POST request to retrieve all morbidities details with invalid method	PASSED	0.001 s
2	When admin send POST http request with endpoint to retrieve all morbidities details with invalid method	PASSED	0.157 s
3	Then admin receives 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.002 s

### Check admin able to retrieve all morbidities details with invalid endpoint

PASSED	DURATION - 0.140 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:14:32.796 PM // 4:14:32.936 PM /				
Morbidity Module Negative feature				
@Test04				



#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.005 s
2	When admin send GET http request to retrieve all morbidities details with invalid endpoint	PASSED	0.131 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

### Check dietician able to retrieve all morbidities details with invalid method

PASSED	DURATION - 0.156 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:14:32.946 PM // 4:14:33.102 PM /				
Morbidity Module Negative feature				
@Test05				



#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request to retrieve all morbidities details with invalid method	PASSED	0.001 s
2	When Dietician send POST http request to retrieve all morbidities details with invalid method	PASSED	0.152 s
3	Then Dietician receives 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.002 s

### Check dietician able to retrieve all morbidities details with invalid endpoint

PASSED	DURATION - 0.156 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:14:33.116 PM // 4:14:33.272 PM /				
Morbidity Module Negative feature				
@Test06				


#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.002 s
2	When Dietician send GET http request to retrieve all morbidities details with invalid endpoint	PASSED	0.152 s
3	Then Dietician receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

### Check dietician able to morbidity condition by test name

PASSED	DURATION - 0.157 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:14:33.297 PM // 4:14:33.454 PM /				
Morbidity Module Negative feature				
@Test07				

#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with no auth to morbidity condition by test name	PASSED	0.000 s
2	When Dietician send GET http request with morbidity condition by test name endpoint endpoint	PASSED	0.154 s
3	Then Dietician receives 401 unauthorized with morbidity condition by test name	PASSED	0.000 s


### Check patient is able to retrieve morbidity condition by test name



#	Step / Hook Details	Status	Duration
1	Given Patient create GET request to retrieve morbidity condition by test name	PASSED	0.001 s
2	When Patient send GET http request with morbidity condition by test name endpoint	PASSED	0.145 s
3	<p>Then Patient receives 403 Forbidden to retrieve morbidity condition by test name</p> <p>io.cucumber.core.exception.CucumberException: Step [Patient receives 403 Forbidden to retrieve morbidity condition by test name] is defined with 1 parameters at 'api.stepdefinitions.MorbidityGet.patient_recieives_403_forbidden_to_retrieve_morbidity_condition_by_test_name(java.lang.Integer)'. However, the gherkin step has 0 arguments. Step text: Patient receives 403 Forbidden to retrieve morbidity condition by test name</p> <pre>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</pre>	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre>		

### Check admin able to retrieve morbidity condition by test name with invalid method




#	Step / Hook Details	Status	Duration
1	Given admin create POST request to retrieve morbidity condition by test name with invalid method	PASSED	0.001 s
2	When admin send POST http request morbidity condition by test name endpoint	PASSED	0.141 s
3	Then admin receives 405 method not allowed to retrieve morbidity condition by test name with invalid method	PASSED	0.001 s

### Check admin able to retrieve morbidity condition by invalid test name





#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.002 s
2	When admin send GET http request with invalid test name endpoint	PASSED	0.215 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.002 s

### Check admin able to retrieve morbidity condition by test name with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When admin send GET http request morbidity condition by test name with invalid endpoint	PASSED	0.151 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

### Check dietician able to retrieve morbidity condition by test name with invalid method

PASSED	DURATION - 0.160 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:14:34.183 PM // 4:14:34.343 PM /				
Morbidity Module Negative feature				
@Test12				


#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request to retrieve all morbidities details with invalid method	PASSED	0.002 s
2	When Dietician send POST http request morbidity condition by test name with invalid method endpoint	PASSED	0.156 s
3	Then Dietician receives 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.000 s

### Check dietician able to retrieve morbidity condition by invalid test name

PASSED	DURATION - 0.175 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:14:34.354 PM // 4:14:34.529 PM /				
Morbidity Module Negative feature				
@Test13				


#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.012 s
2	When Dietician send GET http request with morbidity condition by invalid test name endpoint	PASSED	0.155 s
3	Then Dietician receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

### Check dietician able to retrieve morbidity condition by test name with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When Dietician send GET http request morbidity condition by test name with invalid endpoint	PASSED	0.157 s
3	Then Dietician receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

### All Modules Delete and logout Modules Negative




### Check dietician able to delete patient by id with invalid method



#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request  java.lang.IllegalArgumentException: parameterValue cannot be null	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.DeleteandLogoutModules.dietician_create_post_request(DeleteandLogoutModules.java:109) at ?.Dietician create POST request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/ 10_DeleteandLogoutNegative.feature:7) * Not displayable characters are replaced by '?'. </pre>		
2	When Dietician send POST http to delete patient by id request with endpoint	SKIPPED	0.001 s
3	Then Dietici recieves 405 method not allowed	SKIPPED	0.000 s


### Check dietician able to delete patient by invalid id



#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request by invalid id <pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.DeleteandLogoutModules.dietician_create_delete_request_by_invalid_id(DeleteandLogoutModules.java:126) at ?.Dietician create DELETE request by invalid id(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/10_DeleteandLogoutNegative.feature:13) * Not displayable characters are replaced by '?'.		
2	When Dietician send DELETE http request with endpoint by invalid id	SKIPPED	0.000 s
3	Then Dietici recieves 401 unauthorized	SKIPPED	0.000 s


### Check dietician able to delete patient by id with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.DeleteandLogoutModules.dietician_create_delete_request(DeleteandLogoutModules.java:54) at ?.Dietician create DELETE request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/	FAILED	0.008 s


#	Step / Hook Details	Status	Duration
	10_DeleteandLogoutNegative.feature:19) * Not displayable characters are replaced by '?'.		
2	When Dietician send DELETE http request with invalid endpoint	SKIPPED	0.000 s
3	Then Dietici recieves 404 not found	SKIPPED	0.001 s

### Check dietician able to delete patient by ID




#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request with no auth  java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.DeleteandLogoutModules.dietician_create_delete_request_with_no_auth(DeleteandLogoutModules.java:150) at ?.Dietician create DELETE request with no auth(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/10_DeleteandLogoutNegative.feature:26) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
2	When Dietician send DELETE http request with endpoint	SKIPPED	0.000 s
3	Then Dietici recieves 401 unauthorized	SKIPPED	0.000 s

### Check patient able to logout with invalid method




#	Step / Hook Details	Status	Duration
1	Given patient creates POST request	PASSED	0.003 s
2	When patient send POST HTTP request with endpoint	PASSED	0.138 s
3	Then patient receives 405 method not allowed	PASSED	0.001 s

### Check patient able to logout




#	Step / Hook Details	Status	Duration
1	Given patient creates GET request with noauth	PASSED	0.002 s
2	When patient send GET HTTP request with endpoint	PASSED	0.157 s
3	Then patient receives 401 unauthorized	PASSED	0.001 s

### Check admin able to delete dietician by ID




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request with no auth	PASSED	0.001 s
2	When Admin send Delete "Delete_Dietitian" request with endpoint	PASSED	0.146 s
3	Then Admin receives 401 afterDelete and with response body	PASSED	0.029 s

### Check admin able to delete dietician by id with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.003 s
2	When Admin send POST "Delete_Dietitian" request with endpoint with DeleteRequest endpoint	PASSED	0.147 s
3	Then Admin receives 405 afterDelete and with response body	PASSED	0.025 s

### Check admin able to delete dietician by invalid id




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.001 s
2	When Admin send Delete "Delete_Dietitian" request with "bjbj8"	PASSED	0.134 s
3	Then Admin receives 404 afterDelete and with response body  java.lang.AssertionError: expected:<400> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertequals(Assert.java:647) at org.junit.Assert.assertequals(Assert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_delete_and_with_response_body(DietitianPost.java:504) at ?.Admin receives 404 afterDelete and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/10_DeleteandLogoutNegative.feature:61) * Not displayable characters are replaced by '?'.	FAILED	0.003 s

### Check admin able to delete dietician by id with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.001 s
2	When Admin send POST "Delete_DietitianInvalidEndpoint" request with Invalidendpoint	PASSED	0.149 s
3	Then Admin receives 404 afterDelete and with response body	PASSED	0.012 s

### Check dietician able to logout with invalid method




#	Step / Hook Details	Status	Duration
1	Given dietician creates POST request	PASSED	0.001 s
2	When dietician send POST HTTP request with endpoint	PASSED	0.158 s
3	Then dietician receives 405 method not allowed	PASSED	0.001 s

### Check dietician able to logout




#	Step / Hook Details	Status	Duration
1	Given dietician creates GET request with no auth	PASSED	0.002 s
2	When dietician send GET HTTP request with endpoint	PASSED	0.147 s
3	Then dietician receives 401 unauthorized	PASSED	0.000 s

### Check admin able to logout with invalid method



#	Step / Hook Details	Status	Duration
1	Given admin creates POST request	PASSED	0.003 s
2	When admin send POST HTTP request with endpoint	PASSED	0.153 s
3	Then admin receives 405 method not allowed	PASSED	0.000 s

### Check admin able to logout




#	Step / Hook Details	Status	Duration
1	Given admin creates GET request with noauth	PASSED	0.003 s
2	When admin send GET HTTP request with noauth endpoint	PASSED	0.152 s
3	Then admin receives 401 unauthorized	PASSED	0.001 s

### All Modules Delete and logout Modules Positive





## Check dietician able to delete patient by ID





#	Step / Hook Details	Status	Duration
1	<p>Given Dietician create DELETE request</p> <pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.GeneratedConstructorAccessor147.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.DeleteandLogoutModules.dietician_create_delete_request(DeleteandLogoutModules.java:54) at ?.Dietician create DELETE request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/11_DeleteandLogoutPositive.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
2	When Dietician send DELETE http request with endpoint	SKIPPED	0.001 s
3	Then Dietician receives 200 ok with details of the patient id	SKIPPED	0.000 s

### Check patient able to logout

PASSED	DURATION - 0.154 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:14:36.662 PM // 4:14:36.816 PM /				
All Modules Delete and logout Modules Positive				
@tag11 @Test02				


#	Step / Hook Details	Status	Duration
1	Given patient creates GET request	PASSED	0.001 s
2	When patient send GET HTTP request with endpoint	PASSED	0.149 s
3	Then patient receives 200 created with Logout successful message	PASSED	0.001 s

### Check admin able to delete dietician by ID

PASSED	DURATION - 0.184 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:14:36.832 PM // 4:14:37.016 PM /				
All Modules Delete and logout Modules Positive				
@tag11 @Positive_05_Delete				


#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.001 s
2	When Admin send Delete "Delete_Dietitian" request with endpoint	PASSED	0.177 s
3	Then Admin receives 200 afterDelete and with response body	PASSED	0.001 s

### Check dietician able to logout



#	Step / Hook Details	Status	Duration
1	Given dietician creates GET request	PASSED	0.002 s
2	When dietician send GET HTTP request with endpoint	PASSED	0.146 s
3	Then dietician receives 200 created with Logout successful message	PASSED	0.001 s

### Check admin able to logout



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET request	PASSED	0.001 s
2	When Admin send GET HTTP request with endpoint	PASSED	0.146 s
3	Then Admin receives 200 created with Logout successful message	PASSED	0.001 s