

Cucumber Report

Aug 21, 2024, 4:55:18 PM

Start : Aug 21, 4:54:26.084 PM

End : Aug 21, 4:55:17.247 PM

Duration : 51.163 s

Features







PASSED - 4
FAILED - 7
SKIPPED - 0

Scenarios

PASSED - 105
FAILED - 25
SKIPPED - 0

Steps

PASSED - 418
FAILED - 25
SKIPPED - 9



Feature		Duration	Scenario				Step			
			T	P	F	S	T	P	F	S
<u>User Admin Post Request</u>		4.950 s	1	1	0	0	3	3	0	0
<u>Dietitian Positive Flow</u>		4.188 s	6	3	3	0	18	15	3	0
<u>Patient Module Positive</u>		10.892 s	17	14	3	0	68	65	3	0
<u>Morbidity Module Positive with Admin Token</u>		0.386 s	2	2	0	0	6	6	0	0
<u>Morbidity Module Dietician Token</u>		0.355 s	2	2	0	0	6	6	0	0
<u>User Admin Post Request Negative</u>		0.936 s	4	3	1	0	12	9	1	2
<u>Dietitian Negative Flow</u>		4.549 s	20	18	2	0	60	58	2	0
<u>Patient Module Negative</u>		17.604 s	45	31	14	0	180	159	14	7
<u>Morbidity Module Negative feature</u>		3.208 s	14	13	1	0	42	41	1	0
<u>All Modules Delete and logout Modules Negative</u>		2.389 s	14	13	1	0	42	41	1	0
<u>All Modules Delete and logout Modules Positive</u>		1.238 s	5	5	0	0	15	15	0	0

#	Feature Name	Scenario Name
1	<u>Dietitian Positive Flow</u>	<u>Check admin able to create dietician with valid data</u>
2		<u>Check admin able to retrieve dietician by ID</u>
3		<u>Check admin able to update dietician with valid data , dietician id and token</u>
4	<u>Patient Module Positive</u>	<u>Check dietician able to add only new vitals without reports for existing patient without existing report</u>
5		<u>Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token</u>
6		<u>Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token</u>
7	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with valid credential and invalid content type</u>
8	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietician with invalid data</u>
9		<u>Check admin able to retrieve dietician by invalid id</u>

#	Feature Name	Scenario Name
10	<u>Patient Module Negative</u>	<u>Check dietician able to create patient with valid data and invalid content type</u>
11		<u>Check dietician able to update patient with mandatory fields empty and only with valid additional details</u>
12		<u>Check dietician able to update patient with invalid data</u>
13		<u>Check dietician able to update patient with valid data and invalid endpoint</u>
14		<u>Check dietician able to update patient with valid data, patient id and invalid content type</u>
15		<u>Check admin able to update patient with valid data and admin token</u>
16		<u>Check patient able to update patient with valid data and patient token</u>
17		<u>Check dietician unable to add new reports with invalid data</u>
18		<u>Check dietician unable to add new reports with valid data and invalid patient ID as path parameter</u>
19		<u>Check dietician unable to add new reports using an invalid endpoint</u>


#	Feature Name	Scenario Name
20	<u>Patient Module Negative</u>	<u>Check dietician unable to add new reports with invalid content type</u>
21		<u>Check dietician unable to retrieve all patients with invalid endpoint</u>
22		<u>Check admin is able to retrieve patients morbidity details by patient ID</u>
23		<u>Check dietician able to retrieve patients morbidity details by invalid patient ID</u>
24	<u>Morbidity Module Negative feature</u>	<u>Check pateint is able to retrieve morbidity condition by test name</u>
25	<u>All Modules Delete and logout Modules Negative</u>	<u>Check admin able to delete dietician by invalid id</u>

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@tag02		1	1	0	0	1	1	0	0
@Test01		10	10	0	0	8	4	4	0
@Positive		6	3	3	0	1	0	1	0
@Positive_01_Post		2	1	1	0	1	0	1	0
@Positive_02_Post		1	1	0	0	1	0	1	0
@Positive_03_Get		1	1	0	0	1	0	1	0
@Positive_04_Get		1	0	1	0	1	0	1	0
@Positive_05_Put		1	0	1	0	1	0	1	0
@tag04		17	14	3	0	1	0	1	0
@Test02		9	8	1	0	7	3	4	0
@Test03		8	8	0	0	5	1	4	0
@Test04		6	4	2	0	5	1	4	0
@Test05		5	5	0	0	3	0	3	0
@Test06		5	3	2	0	3	0	3	0
@Test07		3	3	0	0	3	0	3	0
@Test08		4	3	1	0	3	0	3	0
@Test10		5	4	1	0	3	0	3	0


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Test11		4	2	2	0	3	0	3	0
@Test12		4	3	1	0	3	0	3	0
@Test13		5	4	1	0	3	0	3	0
@Test14		5	3	2	0	3	0	3	0
@Test15		2	1	1	0	2	0	2	0
@Test16		2	0	2	0	2	0	2	0
@Test17		2	2	0	0	2	0	2	0
@tag01		4	3	1	0	1	0	1	0
@Negaive		20	18	2	0	1	0	1	0
@Negative_01_Post		6	5	1	0	1	0	1	0
@Negative_02_Post		1	1	0	0	1	0	1	0
@Negative_03_Post		1	1	0	0	1	0	1	0
@Negative_05_Post		1	1	0	0	1	0	1	0
@Negative_06_Post		1	1	0	0	1	0	1	0
@Negative_08_GET		1	1	0	0	1	0	1	0
@Negative_09_GET		1	1	0	0	1	0	1	0
@Negative_10_GET		1	0	1	0	1	0	1	0

	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Negative_11_GET	1	1	0	0	1	0	1	0
	@Negative_12_GET	1	1	0	0	1	0	1	0
	@Negative_13_GET	1	1	0	0	1	0	1	0
	@Negative_14_PUT	1	1	0	0	1	0	1	0
	@Negative_15_PUT	1	1	0	0	1	0	1	0
	@Negative_16_PUT	1	1	0	0	1	0	1	0
	@Negative_17_PUT	1	1	0	0	1	0	1	0
	@tag03	45	31	14	0	1	0	1	0
	@Test09	3	3	0	0	2	0	2	0
	@Test18	1	0	1	0	1	0	1	0
	@Test19	1	0	1	0	1	0	1	0
	@Test20	1	1	0	0	1	0	1	0
	@Test21	1	1	0	0	1	0	1	0
	@Test22	1	1	0	0	1	0	1	0
	@Test23	1	1	0	0	1	0	1	0
	@tag12	14	13	1	0	1	0	1	0
	@Test60	1	1	0	0	1	0	1	0


	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Test61	1	1	0	0	1	0	1	0
	@Test62	1	1	0	0	1	0	1	0
	@Test63	1	1	0	0	1	0	1	0
	@Test66	1	1	0	0	1	0	1	0
	@Test67	1	1	0	0	1	0	1	0
	@Negative_18_Delete	1	1	0	0	1	0	1	0
	@Negative_19_Delete	1	1	0	0	1	0	1	0
	@Negative_20_Delete	1	0	1	0	1	0	1	0
	@Negative_21_Delete	1	1	0	0	1	0	1	0
	@Test68	1	1	0	0	1	0	1	0
	@Test69	1	1	0	0	1	0	1	0
	@Test70	1	1	0	0	1	0	1	0
	@Test71	1	1	0	0	1	0	1	0
	@tag11	5	5	0	0	1	1	0	0
	@Positive_05_Delete	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>User Admin Post Request</u>	1	1	0	0	4.950 s
2	<u>Dietitian Positive Flow</u>	6	3	3	0	4.188 s
3	<u>Patient Module Positive</u>	17	14	3	0	10.892 s
4	<u>Morbidity Module Positive with Admin Token</u>	2	2	0	0	0.386 s
5	<u>Morbidity Module Dietician Token</u>	2	2	0	0	0.355 s
6	<u>User Admin Post Request Negative</u>	4	3	1	0	0.936 s
7	<u>Dietitian Negative Flow</u>	20	18	2	0	4.549 s
8	<u>Patient Module Negative</u>	45	31	14	0	17.604 s
9	<u>Morbidity Module Negative feature</u>	14	13	1	0	3.208 s
10	<u>All Modules Delete and logout Modules Negative</u>	14	13	1	0	2.389 s




#	Feature Name	T	P	F	S	Duration
11	All Modules Delete and logout Modules Positive	5	5	0	0	1.238 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Admin Post Request</u>	<u>Check user able to login as admin with valid data</u>	3	3	0	0	4.943 s
2	<u>Dietitian Positive Flow</u>	<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.965 s
3		<u>Check admin able to create dietician with valid data</u>	3	2	1	0	0.353 s
4		<u>Check admin able to create dietician with valid data and token</u>	3	3	0	0	0.290 s
5		<u>Check admin able to retrieve all dietician</u>	3	3	0	0	1.810 s
6		<u>Check admin able to retrieve dietician by ID</u>	3	2	1	0	0.205 s
7		<u>Check admin able to update dietician with valid data , dietician id and token</u>	3	2	1	0	0.362 s
8	<u>Patient Module Positive</u>	<u>Check dietician able to create patient with valid data and token</u>	4	4	0	0	2.059 s
9		<u>Check dietician able to create patient only with valid mandatory details</u>	4	4	0	0	0.648 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Patient Module Positive</u>	<u>Check user able to login as Patient with valid data(Patient token)</u>	4	4	0	0	0.245 s
11		<u>Check dietician able to update patient with existing file by not attaching new file</u>	4	4	0	0	0.814 s
12		<u>Check dietician able to update patient with valid data, patient id and token</u>	4	4	0	0	0.560 s
13		<u>Check dietician able to update patient only with valid mandatory details</u>	4	4	0	0	0.417 s
14		<u>Check dietician able to add new reports with vitals for existing patient with valid data</u>	4	4	0	0	0.908 s
15		<u>Check dietician able to add only new vitals without reports for existing patient without existing report</u>	4	3	1	0	0.583 s
16		<u>Check dietician able to add new reports with only valid mandatory details for existing patient</u>	4	4	0	0	0.766 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Patient Module Positive</u>	<u>Check dietician able to add new reports without vitals for existing patient with valid data</u>	4	4	0	0	0.547 s
18		<u>Check dietician able to add only new vitals without reports for existing patient with existing report</u>	4	4	0	0	0.941 s
19		<u>Check dietician able to add new reports with only valid additional details for existing patient</u>	4	4	0	0	0.693 s
20		<u>Check dietician able to retrieve all patients with valid dietician token</u>	4	4	0	0	0.167 s
21		<u>Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token</u>	4	3	1	0	0.486 s
22		<u>Check dietician able to retrieve patients by file Id with Dietician Token</u>	4	4	0	0	0.281 s
23		<u>Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token</u>	4	3	1	0	0.183 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>Patient Module Positive</u>	<u>Check Patient able to retrieve patients by field Id with Patient Token</u>	4	4	0	0	0.232 s
25	<u>Morbidity Module Positive with Admin Token</u>	<u>Check admin able to retrieve all morbidities details with admin token</u>	3	3	0	0	0.205 s
26		<u>Check admin able to retrieve morbidity condition by test name with admin token</u>	3	3	0	0	0.155 s
27	<u>Morbidity Module Dietician Token</u>	<u>Check dietician able to retrieve all morbidities details</u>	3	3	0	0	0.182 s
28		<u>Check dietician able to retrieve morbidity condition by test name</u>	3	3	0	0	0.155 s
29	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with invalid credential</u>	3	3	0	0	0.336 s
30		<u>Check user able to login as admin with valid credential and invalid method</u>	3	3	0	0	0.240 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
31		<u>Check user able to login as admin with valid credential and invalid endpoint</u>	3	3	0	0	0.220 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
32	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with valid credential and invalid content type</u>	3	0	1	2	0.079 s
33	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietician with invalid data</u>	3	2	1	0	0.265 s
34		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.378 s
35		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.275 s
36		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.350 s
37		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.286 s
38		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.295 s
39		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.196 s
40		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.214 s
41		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.233 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
42	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietitian with valid data and dietitian token</u>	3	3	0	0	0.173 s
43		<u>Check admin able to retrieve all dietitian with invalid method</u>	3	3	0	0	0.153 s
44		<u>Check admin able to retrieve dietitian by id with invalid method</u>	3	3	0	0	0.157 s
45		<u>Check admin able to retrieve dietitian by invalid id</u>	3	2	1	0	0.136 s
46		<u>Check admin able to retrieve dietitian by id with invalid endpoint</u>	3	3	0	0	0.160 s
47		<u>Check admin able to retrieve all dietitian with no auth</u>	3	3	0	0	0.148 s
48		<u>Check admin able to retrieve dietitian by ID with no auth</u>	3	3	0	0	0.148 s
49		<u>Check admin able to update dietitian with invalid data and dietitian id</u>	3	3	0	0	0.167 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
50		<u>Check admin able to update dietician with valid data and invalid dietician id</u>	3	3	0	0	0.158 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>Dietitian Negative Flow</u>	<u>Check admin able to update dietician with valid data, dietician id and invalid method</u>	3	3	0	0	0.163 s
52		<u>Check admin able to update dietician with valid data, dietician id and invalid method</u>	3	3	0	0	0.175 s
53	<u>Patient Module Negative</u>	<u>Check dietician able to create patient only with valid additional details</u>	4	4	0	0	0.218 s
54		<u>Check dietician able to create patient with invalid data (mandatory details)</u>	4	4	0	0	0.602 s
55		<u>Check dietician able to create patient with valid mandatory fields and invalid data (additional details)</u>	4	4	0	0	0.612 s
56		<u>Check dietician able to create patient with valid data and invalid method</u>	4	4	0	0	0.569 s
57		<u>Check dietician able to create patient with valid data and invalid endpoint</u>	4	4	0	0	0.590 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>Patient Module Negative</u>	<u>Check dietician able to create patient with valid data and invalid content type</u>	4	2	1	1	0.222 s
59		<u>Check dietician able to create patient with valid data</u>	4	4	0	0	0.624 s
60		<u>Check admin able to create patient with valid data and admin token</u>	4	4	0	0	0.581 s
61		<u>Check patient able to create patient with valid data and patient token</u>	4	4	0	0	0.583 s
62		<u>Check dietician able to update patient with mandatory fields empty and only with valid additional details</u>	4	3	1	0	0.572 s
63		<u>Check dietician able to update patient with invalid data</u>	4	3	1	0	0.571 s
64		<u>Check dietician able to update patient with valid data and invalid patient id in path parameter</u>	4	4	0	0	0.602 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
65		<u>Check dietician able to update patient with valid data and invalid method</u>	4	4	0	0	0.717 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
66	<u>Patient Module Negative</u>	<u>Check dietician able to update patient with valid data and invalid endpoint</u>	4	3	1	0	0.671 s
67		<u>Check dietician able to update patient with valid data, patient id and invalid content type</u>	4	2	1	1	0.442 s
68		<u>Check dietician able to update patient with valid data</u>	4	4	0	0	0.612 s
69		<u>Check admin able to update patient with valid data and admin token</u>	4	3	1	0	0.583 s
70		<u>Check patient able to update patient with valid data and patient token</u>	4	3	1	0	0.591 s
71		<u>Check Patient able to login as admin with invalid credential</u>	4	4	0	0	0.219 s
72		<u>Check Patient able to login as admin with valid credential and invalid method</u>	4	4	0	0	0.142 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
73		<u>Check Patient able to login as admin with valid credential and invalid endpoint</u>	4	4	0	0	0.146 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
74	<u>Patient Module Negative</u>	<u>Check Patient able to login as admin with valid credential and invalid content type</u>	4	4	0	0	0.427 s
75		<u>Check dietician unable to add new reports with no authorization</u>	4	4	0	0	0.573 s
76		<u>Check admin unable to add new reports with admin bearer token</u>	4	4	0	0	0.475 s
77		<u>Check patient unable to add new reports with patient bearer token</u>	4	4	0	0	0.530 s
78		<u>Check dietician unable to add new reports with invalid data</u>	4	3	1	0	0.657 s
79		<u>Check dietician unable to add new reports with valid data and invalid patient ID as path parameter</u>	4	3	1	0	0.499 s
80		<u>Check dietician unable to add new reports using POST method instead of PUT</u>	4	4	0	0	0.503 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
81		<i>Check dietician unable to add new reports using an invalid endpoint</i>	4	3	1	0	0.512 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
82	<u>Patient Module Negative</u>	<u>Check dietician unable to add new reports with invalid content type</u>	4	2	1	1	0.325 s
83		<u>Check dietician unable to retrieve all patients with no authorization</u>	4	4	0	0	0.153 s
84		<u>Check admin unable to retrieve patients with admin bearer token</u>	4	4	0	0	0.133 s
85		<u>Check patient unable to retrieve patients with patient bearer token</u>	4	4	0	0	0.132 s
86		<u>Check dietician unable to retrieve all patients with invalid HTTP method</u>	4	4	0	0	0.140 s
87		<u>Check dietician unable to retrieve all patients with invalid endpoint</u>	4	2	1	1	0.006 s
88		<u>Check dietician able to retrieve patients morbidity details by patient ID</u>	4	4	0	0	0.156 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
89	<u>Patient Module Negative</u>	<u>Check admin is able to retrieve patients morbidity details by patient ID</u>	4	1	1	2	0.004 s
90		<u>Check dietician able to retrieve patients morbidity details by patient ID with invalid method</u>	4	4	0	0	0.137 s
91		<u>Check dietician able to retrieve patients morbidity details by invalid patient ID</u>	4	2	1	1	0.022 s
92		<u>Check dietician able to retrieve patients morbidity details by patient ID with invalid endpoint</u>	4	4	0	0	0.182 s
93		<u>Check dietician able to retrieve patients by field</u>	4	4	0	0	0.138 s
94		<u>Check admin is able to retrieve patients by field</u>	4	4	0	0	0.362 s
95		<u>Check dietician able to retrieve patients by field with invalid method</u>	4	4	0	0	0.154 s
96		<u>Check dietician able to retrieve patients by invalid field</u>	4	4	0	0	0.143 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
97		<i>Check dietician able to retrieve patients by field with invalid endpoint</i>	4	4	0	0	0.136 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
98	<u>Morbidity Module Negative feature</u>	<u>Check dietician able to retrieve all morbidities details</u>	3	3	0	0	0.132 s
99		<u>Check patient is able to retrieve all morbidities details</u>	3	3	0	0	0.143 s
10-0		<u>Check admin able to retrieve all morbidities details with invalid method</u>	3	3	0	0	0.169 s
10-1		<u>Check admin able to retrieve all morbidities details with invalid endpoint</u>	3	3	0	0	0.152 s
10-2		<u>Check dietician able to retrieve all morbidities details with invalid method</u>	3	3	0	0	0.144 s
10-3		<u>Check dietician able to retrieve all morbidities details with invalid endpoint</u>	3	3	0	0	0.136 s
10-4		<u>Check dietician able to retrieve morbidity condition by test name</u>	3	3	0	0	0.143 s
10-5		<u>Check patient is able to retrieve morbidity condition by test name</u>	3	2	1	0	1.126 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-6		<u>Check admin able to retrieve morbidity condition by test name with invalid method</u>	3	3	0	0	0.127 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	<u>Morbidity Module Negative feature</u>	<u>Check admin able to retrieve morbidity condition by invalid test name</u>	3	3	0	0	0.131 s
10-8		<u>Check admin able to retrieve morbidity condition by test name with invalid endpoint</u>	3	3	0	0	0.143 s
10-9		<u>Check dietician able to retrieve morbidity condition by test name with invalid method</u>	3	3	0	0	0.216 s
11-0		<u>Check dietician able to retrieve morbidity condition by invalid test name</u>	3	3	0	0	0.134 s
11-1		<u>Check dietician able to retrieve morbidity condition by test name with invalid endpoint</u>	3	3	0	0	0.149 s
11-2	<u>All Modules Delete and logout Modules Negative</u>	<u>Check dietician able to delete patient by id with invalid method</u>	3	3	0	0	0.133 s
11-3		<u>Check dietician able to delete patient by invalid id</u>	3	3	0	0	0.134 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-4		<i>Check dietician able to delete patient by id with invalid endpoint</i>	3	3	0	0	0.209 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-5	<u>All Modules Delete and logout Modules Negative</u>	<u>Check dietician able to delete patient by ID</u>	3	3	0	0	0.140 s
11-6		<u>Check patient able to logout with invalid method</u>	3	3	0	0	0.349 s
11-7		<u>Check patient able to logout</u>	3	3	0	0	0.134 s
11-8		<u>Check admin able to delete dietician by ID</u>	3	3	0	0	0.142 s
11-9		<u>Check admin able to delete dietician by id with invalid method</u>	3	3	0	0	0.151 s
12-0		<u>Check admin able to delete dietician by invalid id</u>	3	2	1	0	0.133 s
12-1		<u>Check admin able to delete dietician by id with invalid endpoint</u>	3	3	0	0	0.145 s
12-2		<u>Check dietician able to logout with invalid method</u>	3	3	0	0	0.128 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12-3		<i>Check dietician able to logout</i>	3	3	0	0	0.135 s
12-4		<i>Check admin able to logout with invalid method</i>	3	3	0	0	0.137 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-5	<u>All Modules Delete and logout Modules Negative</u>	<u>Check admin able to logout</u>	3	3	0	0	0.135 s
12-6	<u>All Modules Delete and logout Modules Positive</u>	<u>Check dietician able to delete patient by ID</u>	3	3	0	0	0.213 s
12-7		<u>Check patient able to logout</u>	3	3	0	0	0.273 s
12-8		<u>Check admin able to delete dietician by ID</u>	3	3	0	0	0.256 s
12-9		<u>Check dietician able to logout</u>	3	3	0	0	0.247 s
13-0		<u>Check admin able to logout</u>	3	3	0	0	0.202 s

User Admin Post Request




Check user able to login as admin with valid data




#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body	PASSED	2.691 s
2	When User send POST HTTP request with endpoint	PASSED	2.146 s
3	Then User receives 200 created with response body	PASSED	0.005 s

Dietitian Positive Flow




Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 1	PASSED	0.133 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.265 s
3	Then Admin receives 201 created and with response body	PASSED	0.550 s

Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 2	PASSED	0.146 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.180 s
3	Then Admin receives 201 created and with response body java.lang.AssertionError: expected:<400> but was:<201> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_created_and_with_response_body(DietitianPost.java:177) at ?.Admin recieves 201 created and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/02_DietitianModulePositive.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.016 s

Check admin able to create dietician with valid data and token




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request and get the token	PASSED	0.008 s
2	When Admin send POST "Post_UserDieticianLoginurl" request with endpoint	PASSED	0.241 s
3	Then Admin receives dietician token	PASSED	0.034 s

Check admin able to retrieve all dietician




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.029 s
2	When Admin send GET "Get_AllDietitian" request with endpoint	PASSED	1.774 s
3	Then Admin receives 200 afterGet and with response body	PASSED	0.001 s

Check admin able to retrieve dietician by ID



#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.005 s
2	When Admin send GET "Get_AllDietitianByID" request with endpoint	PASSED	0.188 s
3	Then Admin receives 200 afterGet and with response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertequals(Assert.java:647) at org.junit.Assert.assertequals(Assert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_get_and_with_response_body(DietitianPost.java:359) at ?.Admin receives 200 afterGet and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/02_DietitianModulePositive.feature:31) * Not displayable characters are replaced by '?'.	FAILED	0.005 s

Check admin able to update dietician with valid data , dietician id and token




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 1	PASSED	0.189 s
2	When Admin send valid PUT "Put_Dietitian" request with endpoint	PASSED	0.162 s
3	Then Admin receives 200 afterPost and with response body	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_post_and_with_response_body(DietitianPost.java:426) at ?.Admin recieves 200 afterPost and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/02_DietitianModulePositive.feature:38) * Not displayable characters are replaced by '?'.</pre>		

Patient Module Positive




Check dietician able to create patient with valid data and token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.005 s
2	Given Dietician creates POST request by entering valid data. (Mandatory and additional details) into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send POST http request with endpoint	PASSED	2.036 s
4	Then Dietician recieves 201 created and with response body. (Auto created dietician ID and login password)	PASSED	0.001 s

Check dietician able to create patient only with valid mandatory details

PASSED	DURATION - 0.648 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:37.578 PM // 4:54:38.226 PM /				
Patient Module Positive				
@Test02 @tag04				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates POST request only by valid mandatory details into the form-data key and value fields.	PASSED	0.002 s
3	When Dietician send POST http request with endpoint only with valid mandatory details	PASSED	0.638 s
4	Then Dietician receives 201 created and with response body. (Auto created dietician ID and login password)	PASSED	0.001 s

Check user able to login as Patient with valid data(Patient token)

PASSED	DURATION - 0.245 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:38.250 PM // 4:54:38.495 PM /				
Patient Module Positive				
@Test03 @tag04				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given User creates Patient Post request with request body	PASSED	0.002 s
3	When User send Patient POST HTTP request with endpoint	PASSED	0.238 s
4	Then Patient receives 200 created with response body	PASSED	0.001 s

Check dietician able to update patient with existing file by not attaching new file

PASSED	DURATION - 0.814 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:38.513 PM // 4:54:39.327 PM /				
Patient Module Positive				
@Test04 @tag04				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by not attaching any file into the form-data key and value fields.	PASSED	0.007 s
3	When Dietician send PUT http request with endpoint with existing file by not attaching new file	PASSED	0.799 s
4	Then Dietician recieves 200 ok and with updated response body	PASSED	0.001 s

Check dietician able to update patient with valid data, patient id and token

PASSED	DURATION - 0.560 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:39.347 PM // 4:54:39.907 PM /				
Patient Module Positive				
@Test05 @tag04				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.004 s
2	Given Dietician creates PUT request by entering valid data. (Mandatory and additional details) into the form-data key and value fields.	PASSED	0.005 s
3	When Dietician send PUT http request with endpoint with valid data	PASSED	0.546 s
4	Then Dietician recieves 200 ok and with updated response body	PASSED	0.001 s

Check dietician able to update patient only with valid mandatory details

PASSED	DURATION - 0.417 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:39.937 PM // 4:54:40.354 PM /				
Patient Module Positive				
@Test06 @tag04				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering only valid mandatory details into the form-data key and value fields.	PASSED	0.002 s
3	When Dietician send PUT http request with endpoint only valid mandatory details	PASSED	0.407 s
4	Then Dietician receives 200 ok and with updated response body	PASSED	0.001 s

Check dietician able to add new reports with vitals for existing patient with valid data

PASSED	DURATION - 0.908 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:40.381 PM // 4:54:41.289 PM /				
Patient Module Positive				
@tag04 @Test07				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data(Mandatory and additional details) into the form-data key and value fields and valid patient ID	PASSED	0.002 s
3	When Dietician send PUT http request with endpoint by add new reports with vitals for existing patient with valid data	PASSED	0.898 s
4	Then Dietician receives 200 ok and with updated response body	PASSED	0.001 s

Check dietician able to add only new vitals without reports for existing patient without existing report




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except file and valid patient ID without reports for existing patient without existing report	PASSED	0.002 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID without reports for existing patient without existing report	PASSED	0.567 s
4	Then Dietician receives 200 OK and the response body contains updated details <i>java.lang.AssertionError: expected:<400> but was:<200></i> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.dietician_receives_ok_and_the_response_body_contains_updated_details(PatientModule.java:775) at ?.Dietician receives 200 OK and the response body contains updated details(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:59) * Not displayable characters are replaced by '?'.	FAILED	0.005 s

Check dietician able to add new reports with only valid mandatory details for existing patient




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates PUT request by entering valid data (Mandatory only) into the form-data key and value fields and valid patient ID	PASSED	0.002 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID add new reports with only valid mandatory details	PASSED	0.753 s
4	Then Dietician receives 200 OK and the response body contains updated details	PASSED	0.001 s

Check dietician able to add new reports without vitals for existing patient with valid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except valid vitals data and valid patient ID	PASSED	0.002 s
3	When Dietician send PUT http request to the endpoint with valid patient ID	PASSED	0.537 s
4	Then Dietician recieves 200 ok and with updated response body contains updated details	PASSED	0.000 s

Check dietician able to add only new vitals without reports for existing patient with existing report




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except file and valid patient ID	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID	PASSED	0.931 s
4	Then Dietician receives 200 OK and the response body contains updated details	PASSED	0.001 s

Check dietician able to add new reports with only valid additional details for existing patient



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data (Additional details only) into the form-data key and value fields and valid patient ID	PASSED	0.002 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID add new reports with only valid additional details	PASSED	0.683 s
4	Then Dietician receives 200 OK and the response body contains updated details	PASSED	0.000 s


Check dietician able to retrieve all patients with valid dietician token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.005 s

#	Step / Hook Details	Status	Duration
2	Given Dietician creates GET request to the endpoint	PASSED	0.003 s
3	When Dietician sends GET HTTP request to the endpoint with dietician bearer token	PASSED	0.154 s
4	Then Dietician receives 200 OK with response body containing patient details	PASSED	0.000 s


Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create GET request patients morbidity details by endpoint as patient	PASSED	0.002 s
3	When Dietician send GET http request with endpoint by endpoint as patient	PASSED	0.305 s
4	Then Dietician receives 200 ok with details morbidity details by endpoint as patient java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["T3"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#","pointer":"/items/properties/morbidConditions"} instance: {"pointer":"/0/morbidConditions"} domain: "validation" keyword: "required" required: ["T3","T4","TSH"] missing: ["T3"] error: object has missing required properties (["vitals"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#","pointer":"/items"} instance: {"pointer":"/1"} domain: "validation" keyword: "required" required: ["fileId","fileName","morbidConditionStr","morbidConditions","uploadDate","vitals"] missing: ["vitals"] error: object has missing required properties (["vitals"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#","pointer":"/items"} instance: {"pointer":"/2"} domain: "validation" keyword: "required" required: ["fileId","fileName","morbidConditionStr","morbidConditions","uploadDate","vitals"] missing: ["vitals"] Actual: [{"fileId":"66c6541547afba5783aa908","fileName":"HypoThyroid-Report.pdf","uploadDate":"2024-08-21T20:54:45.263+00:00","morbidConditions":{"T4":1.22 "µg/dl","TSH":100.0 mIU/L},"vitals":{"Weight":70.19999694824219,"Height":165.5,"Temperature":98.30000305175781,"SP":34,"DP":56,"morbidConditionStr":"Thyroid Hypothyroidism \nBlood Pressure: Hypotension \n"}, {"fileId":"66c6541347afba5783aa902","fileName":"HypoThyroid-Report.pdf","uploadDate":"2024-08-21T20:54:43.589+00:00","morbidConditions":{"T4":1.22 "µg/dl","TSH":100.0 mIU/L,"morbidConditionStr":"Thyroid: Hypothyroidism \n"}, {"fileId":"66c6540f47afba5783aa9f86","fileName":"HyperThyroid_Report.pdf","uploadDate":"2024-08-21T20:54:39.643+00:00","morbidConditions":{"T3":6.3 ng/mL,"T4":15.7 "µg/dL","TSH":0.016 µIU/mL,"morbidConditionStr":"Thyroid: Hyperthyroidism \n"}, {"fileId":"66c6540d47afba5783aa9f82","fileName":"HyperThyroid_Report.pdf","uploadDate":"2024-08-21T20:54:37.742+00:00","morbidConditions":{"T3":6.3 ng/mL,"T4":15.7 "µg/dL","TSH":0.016 µIU/L}]	FAILED	0.172 s


#	Step / Hook Details	Status	Duration
	<pre>mL"},"vitals":{"Weight":0.0,"Height":0.0,"Temperature":0.0,"SP":0,"DP":0},"morbidConditionStr":"Thyroid: Hyperthyroidism \nBlood Pressure: Hypotension \n"}] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.PatientModule.dietician_recieves_ok_with_details_morbidity_details_by_endpoint_as_patient(PatientModule.java:1057) at ?.Dietician recieves 200 ok with details morbidity details by endpoint as patient(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:109) * Not displayable characters are replaced by '?'.</pre>		

Check dietitian able to retrieve patients by file Id with Dietitian Token

PASSED	DURATION - 0.281 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:45.658 PM // 4:54:45.939 PM /				
Patient Module Positive				
@Test15 @tag04				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create GET request by field Id with Dietician Token	PASSED	0.001 s
3	When Dietician create GET request patients morbidity details by endpoint as patient File id	PASSED	0.271 s
4	Then Dietician receives 200 ok with details of the patient id by field with Dietician Token	PASSED	0.002 s


Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token

FAILED	DURATION - 0.183 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 4:54:45.955 PM // 4:54:46.138 PM /				
Patient Module Positive				
@Test16 @tag04				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Patient create GET request retrieve patients morbidity details by patient Endpoint with Patient Token	PASSED	0.001 s
3	When Patient send GET http request with retrieve patients morbidity details by patient Endpoint with Patient Token	PASSED	0.154 s
4	Then Patient receives 200 ok with retrieve patients morbidity details by patient Endpoint with Patient Token	FAILED	0.018 s
	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties ("T3") level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#", "pointer":"/items/properties/morbidConditions"} instance: {"pointer":"/0/morbidConditions"} domain: "validation" keyword: "required" required: ["T3","T4","TSH"] missing: ["T3"] error: object has missing required properties ("vitals") level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#", "pointer":"/items"} instance: {"pointer":"/1"} domain: "validation" keyword: "required" required: ["fileId","fileName","morbidConditionStr","morbidConditions","uploadDate","vitals"]		

#	Step / Hook Details	Status	Duration
	<p>missing: ["vitals"] error: object has missing required properties (["vitals"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/MorbidityModule/PatientGetMorbidity.json#", "pointer":"/items"} instance: {"pointer":"/2"} domain: "validation" keyword: "required" required: ["fileId","fileName","morbidConditionStr","morbidConditions","uploadDate","vitals"] missing: ["vitals"] Actual: [{"fileId":"66c6541547afba5783aaf908","fileName":"HypoThyroid-Report.pdf","uploadDate":"2024-08-21T20:54:45.263+00:00","morbidConditions":{"T4": "1.22 µg/dl","TSH": "100.0 mIU/L"}, "vitals": {"Weight": 70.19999694824219, "Height": 165.5, "Temperature": 98.30000305175781, "SP": 34, "DP": 56}, "morbidConditionStr": "Thyroid: Hypothyroidism \nBlood Pressure: Hypotension \n"}, {"fileId": "66c6541347afba5783aaf902", "fileName": "HypoThyroid-Report.pdf", "uploadDate": "2024-08-21T20:54:43.589+00:00", "morbidConditions": {"T4": "1.22 µg/dl", "TSH": "100.0 mIU/L"}, "morbidConditionStr": "Thyroid: Hypothyroidism \n"}, {"fileId": "66c6540f47afba5783aaf8f6", "fileName": "HyperThyroid_Report.pdf", "uploadDate": "2024-08-21T20:54:39.643+00:00", "morbidConditions": {"T3": "6.3 ng/mL", "T4": "15.7 µg/dL", "TSH": "0.016 µIU/mL"}, "morbidConditionStr": "Thyroid: Hyperthyroidism \n"}, {"fileId": "66c6540d47afba5783aaf8f2", "fileName": "HyperThyroid_Report.pdf", "uploadDate": "2024-08-21T20:54:37.742+00:00", "morbidConditions": {"T3": "6.3 ng/mL", "T4": "15.7 µg/dL", "TSH": "0.016 µIU/mL"}, "vitals": {"Weight": 0.0, "Height": 0.0, "Temperature": 0.0, "SP": 0, "DP": 0}, "morbidConditionStr": "Thyroid: Hyperthyroidism \nBlood Pressure: Hypotension \n"}]</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.PatientModule. patient_recieves_ok_with_retrieve_patients_morbidity_details_by_patient_endpoint_with_patient_token(PatientModule.java:1092) at ?.Patient recieves 200 ok with retrieve patients morbidity details by patient Endpoint with Patient Token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:123)</p>		

#	Step / Hook Details	Status	Duration
* Not displayable characters are replaced by '?'. Check Patient able to retrieve patients by field Id with Patient Token			




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Check patient is able to retrieve patients morbidity details by File ID with Patient Token	PASSED	0.002 s
3	When Patient create GET request patients morbidity details by endpoint as patient	PASSED	0.222 s
4	Then Patient receives 200 ok with details of the patient id by field with Patient Token	PASSED	0.001 s

Morbidity Module Positive with Admin Token




Check admin able to retrieve all morbidities details with admin token




#	Step / Hook Details	Status	Duration
1	Given admin create GET request with all morbidities details admin token	PASSED	0.003 s
2	When admin send GET http request with all morbidities details endpoint	PASSED	0.181 s
3	Then admin receives 200 ok with all morbidities details patient id	PASSED	0.017 s

Check admin able to retrieve morbidity condition by test name with admin token




#	Step / Hook Details	Status	Duration
1	Given admin create GET request with morbidity condition by test name with admin token	PASSED	0.001 s
2	When admin send GET http request with morbidity condition by test name endpoint	PASSED	0.137 s
3	Then admin receives 200 ok with morbidity condition by test name endpoint details of the patient id	PASSED	0.012 s

Morbidity Module Dietician Token




Check dietician able to retrieve all morbidities details



#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with dietician token to retrieve all morbidities details	PASSED	0.002 s
2	When Dietician send GET http request with endpoint to retrieve all morbidities details	PASSED	0.173 s
3	Then admin receives 200 ok with details of the patient id to retrieve all morbidities details	PASSED	0.001 s

Check dietician able to retrieve morbidity condition by test name




#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with dietician token to retrieve morbidity condition by test name	PASSED	0.003 s
2	When Dietician send GET http request with morbidity condition by test name to retrieve morbidity condition by test name	PASSED	0.137 s

#	Step / Hook Details	Status	Duration
3	Then Dietician receives 200 ok with morbidity condition by test name endpoint details of the patient id	PASSED	0.011 s

User Admin Post Request Negative




Check user able to login as admin with invalid credential





#	Step / Hook Details	Status	Duration
1	Given User creates Post request with invalid credential	PASSED	0.081 s
2	When User send POST HTTP request with invalid credential and endpoint	PASSED	0.249 s
3	Then User receives 401 unauthorized	PASSED	0.001 s

Check user able to login as admin with valid credential and invalid method





#	Step / Hook Details	Status	Duration
1	Given User creates GET request with request body.	PASSED	0.075 s
2	When User send GET HTTP request with endpoint	PASSED	0.161 s
3	Then User receives 405 method not allowed	PASSED	0.001 s

Check user able to login as admin with valid credential and invalid endpoint

PASSED	DURATION - 0.220 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:54:47.819 PM // 4:54:48.039 PM /				
User Admin Post Request Negative				
@tag01 @Test03				

#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body	PASSED	0.073 s
2	When User send POST HTTP request with invalid endpoint	PASSED	0.141 s
3	Then User receives 401 unauthorized	PASSED	0.001 s


Check user able to login as admin with valid credential and invalid content type

FAILED	DURATION - 0.079 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 4:54:48.059 PM // 4:54:48.138 PM /				
User Admin Post Request Negative				
@tag01 @Test04				


#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body and invalid content type. java.lang.IllegalArgumentException: Cannot serialize because cannot determine how to serialize content-type text/html at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.071 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.mapping.ObjectMapping.serialize(ObjectMapping.groovy:180) at io.restassured.internal.mapping.ObjectMapping\$serialize.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.body(RequestSpecificationImpl.groovy:770) at api.stepdefinitions.UserAdminLogin.userCreatesPostRequestWithRequestBodyAndInvalidContentType(UserAdminLogin.java:106) at ?.User creates Post request with request body and invalid content type.(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/06_UserAdminLoginNegative.feature:25) * Not displayable characters are replaced by '?'.		
2	When User send POST HTTP request with invalid content type endpoint	SKIPPED	0.002 s
3	Then User receives 415 unsupported media type	SKIPPED	0.000 s

Dietitian Negative Flow




Check admin able to create dietician with invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 3	PASSED	0.039 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.140 s
3	Then Admin receives 400 created and with response body org.junit.ComparisonFailure: expected:<[Dietician's contact number is required!]> but was:<[Contact number should contain 10 digits]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at api.stepdefinitions.DietitianPost.admin_recieves_created_and_with_response_body(DietitianPost.java:222) at ?.Admin receives 400 created and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/07_DietitianModuleNegative.feature:9) * Not displayable characters are replaced by '?'. 	FAILED	0.076 s

Check admin able to create dietician with invalid data



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 4	PASSED	0.039 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.188 s
3	Then Admin receives 400 created and with response body	PASSED	0.148 s

Check admin able to create dietician with invalid data



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 5	PASSED	0.047 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.139 s
3	Then Admin receives 400 created and with response body	PASSED	0.086 s

Check admin able to create dietician with invalid data

PASSED	DURATION - 0.350 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:54:49.157 PM // 4:54:49.507 PM /				
Dietitian Negative Flow				
@Negaive @Negative_01_Post				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 6	PASSED	0.055 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.148 s
3	Then Admin receives 400 created and with response body	PASSED	0.143 s

Check admin able to create dietician with invalid data

PASSED	DURATION - 0.286 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:54:49.527 PM // 4:54:49.813 PM /				
Dietitian Negative Flow				
@Negaive @Negative_01_Post				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 7	PASSED	0.043 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.135 s
3	Then Admin receives 400 created and with response body	PASSED	0.103 s

Check admin able to create dietician with invalid data





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 8	PASSED	0.044 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.142 s
3	Then Admin recieves 400 created and with response body	PASSED	0.104 s

Check admin able to create dietician with valid data





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 9	PASSED	0.042 s
2	When Admin send PUT "Post_CreateDietitian" request with endpoint	PASSED	0.138 s
3	Then Admin recieves 405 created and with response body	PASSED	0.012 s

Check admin able to create dietician with valid data

PASSED	DURATION - 0.214 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:54:50.352 PM // 4:54:50.566 PM /				
Dietitian Negative Flow				
@Negaive @Negative_03_Post				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 10	PASSED	0.039 s
2	When Admin send POST "Post_CreateDietitianInvalidEndpoint" request with endpoint	PASSED	0.142 s
3	Then Admin receives 404 created and with response body	PASSED	0.030 s

Check admin able to create dietician with valid data

PASSED	DURATION - 0.233 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:54:50.586 PM // 4:54:50.819 PM /				
Dietitian Negative Flow				
@Negaive @Negative_05_Post				



#	Step / Hook Details	Status	Duration
1	Given Check admin able to create dietician with valid data with no auth "DietitianPost", 12	PASSED	0.062 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.143 s
3	Then Admin receives 401 created and with response body	PASSED	0.016 s

Check admin able to create dietician with valid data and dietician token

PASSED	DURATION - 0.173 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:54:50.831 PM // 4:54:51.004 PM /				
Dietitian Negative Flow				
@Negaive @Negative_06_Post				


#	Step / Hook Details	Status	Duration
1	Given Check admin able to create dietician with valid data with dietitian token "DietitianPost", 12	PASSED	0.028 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.132 s
3	Then Admin receives 403 created and with response body	PASSED	0.010 s

Check admin able to retrieve all dietician with invalid method

PASSED	DURATION - 0.153 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:54:51.021 PM // 4:54:51.174 PM /				
Dietitian Negative Flow				
@Negaive @Negative_08_GET				


#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send PUT "Get_AllDietitian" request with GetRequest endpoint	PASSED	0.140 s
3	Then Admin receives 405 afterGet and with response body	PASSED	0.010 s

Check admin able to retrieve dietician by id with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.002 s
2	When Admin send POST "Get_AllDietitianByID" request with GetRequest endpoint	PASSED	0.136 s
3	Then Admin recieves 405 afterGet and with response body	PASSED	0.015 s

Check admin able to retrieve dietician by invalid id




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send GET "Get_AllDietitianByID" request with "r4567"	PASSED	0.131 s
3	Then Admin recieves 404 afterGet and with response body java.lang.AssertionError: expected:<400> but was:<404> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_get_and_with_response_body(DietitianPost.java:363) at ?.Admin recieves 404 afterGet and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/07_DietitianModuleNegative.feature:99) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check admin able to retrieve dietician by id with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send GET "Get_ALLDietitianInvalidEndpoint" request with invalid endpoint	PASSED	0.139 s
3	Then Admin receives 404 afterGet and with response body	PASSED	0.018 s

Check admin able to retrieve all dietician with no auth





#	Step / Hook Details	Status	Duration
1	Given Admin create GET request with no auth	PASSED	0.001 s
2	When Admin send GET "Get_AllDietitian" request with endpoint	PASSED	0.132 s
3	Then Admin receives 401 afterGet and with response body	PASSED	0.011 s

Check admin able to retrieve dietician by ID with no auth

PASSED	DURATION - 0.148 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:54:51.859 PM // 4:54:52.007 PM /				
Dietitian Negative Flow				
@Negaive @Negative_13_GET				


#	Step / Hook Details	Status	Duration
1	Given Admin create GET request with no auth	PASSED	0.001 s
2	When Admin send GET "Get_AllDietitianByID" request with endpoint	PASSED	0.127 s
3	Then Admin receives 401 afterGet and with response body	PASSED	0.017 s

Check admin able to update dietician with invalid data and dietician id

PASSED	DURATION - 0.167 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:54:52.020 PM // 4:54:52.187 PM /				
Dietitian Negative Flow				
@Negaive @Negative_14_PUT				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 2	PASSED	0.024 s
2	When Admin send valid PUT "Put_Dietitian" request with endpoint	PASSED	0.141 s
3	Then Admin receives 400 afterPost and with response body	PASSED	0.001 s

Check admin able to update dietician with valid data and invalid dietician id




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 3	PASSED	0.021 s
2	When Admin send valid PUT "Put_Dietitian" request with "bhsgh4"	PASSED	0.133 s
3	Then Admin recieves 400 afterPost and with response body	PASSED	0.000 s

Check admin able to update dietician with valid data, dietician id and invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 4	PASSED	0.024 s
2	When Admin send valid POST "Put_Dietitian" request with	PASSED	0.128 s
3	Then Admin recieves 405 afterPost and with response body	PASSED	0.009 s

Check admin able to update dietician with valid data, dietician id and invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 5	PASSED	0.021 s
2	When Admin send valid PUT "Put_DietitianInvalidEndpoint" request with	PASSED	0.138 s
3	Then Admin receives 404 afterPost and with response body	PASSED	0.013 s

Patient Module Negative




Check dietician able to create patient only with valid additional details



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request only by valid additional details into the form-data key and value fields.	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
3	When Dietician send POST http request with endpoint only for valid additional details	PASSED	0.207 s
4	Then Dietician receives 400 Bad request	PASSED	0.001 s

Check dietician able to create patient with invalid data (mandatory details)

PASSED	DURATION - 0.602 s	 <p>A bar chart with four horizontal bars labeled 1, 2, 3, and 4 from left to right. Only the bar at position 3 is filled black, indicating it is the current step being executed.</p>	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	 <p>A green donut chart with the number '4' in the center, representing the total number of steps.</p>
/ 4:54:52.981 PM // 4:54:53.583 PM /				
Patient Module Negative				
@Test02 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request only by invalid mandatory details into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send POST http request with endpoint only for invalid mandatory details	PASSED	0.597 s
4	Then Dietician receives 400 Bad request	PASSED	0.001 s

Check dietician able to create patient with valid mandatory fields and invalid data (additional details)

PASSED	DURATION - 0.612 s	 <p>A bar chart with four horizontal bars labeled 1, 2, 3, and 4 from left to right. Only the bar at position 3 is filled black, indicating it is the current step being executed.</p>	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	 <p>A green donut chart with the number '4' in the center, representing the total number of steps.</p>
/ 4:54:53.597 PM // 4:54:54.209 PM /				
Patient Module Negative				
@Test03 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request only by invalid additional details into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send POST http request with endpoint for valid mandatory fields and invalid additional details	PASSED	0.605 s
4	Then Dietician receives 400 Bad request	PASSED	0.000 s

Check dietician able to create patient with valid data and invalid method

PASSED	DURATION - 0.569 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:54.224 PM // 4:54:54.793 PM /				
Patient Module Negative				
@Test04 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint	PASSED	0.563 s
4	Then Dietician receives 405 method not allowed	PASSED	0.000 s

Check dietician able to create patient with valid data and invalid endpoint

PASSED	DURATION - 0.590 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:54.809 PM // 4:54:55.399 PM /				
Patient Module Negative				
@Test05 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician sent POST http request with invalid endpoint	PASSED	0.584 s
4	Then Dietician receives 404 not found	PASSED	0.000 s

Check dietician able to create patient with valid data and invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and invalid content type	PASSED	0.002 s
3	<p>When Dietician send POST http request with endpoint and invalid content type</p> <pre>java.lang.IllegalArgumentException: Content-Type application/pdf is not valid when using multipart, it must start with "multipart/" or contain "multipart+". at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.registerRestAssuredEncoders(RequestSpecificationImpl.groovy:1412) at io.restassured.internal.RequestSpecificationImpl.this\$2\$registerRestAssuredEncoders(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor266.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)</pre>	FAILED	0.215 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1171) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor248.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		


#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor230.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor229.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_post_http_request_with_endpoint_and_invalid_content_type(PatientModule.java:350) at ?.Dietician send POST http request with endpoint and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:41) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 415 unsupported media type	SKIPPED	0.001 s

Check dietician able to create patient with valid data

PASSED	DURATION - 0.624 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:55.654 PM // 4:54:56.278 PM /				
Patient Module Negative				
@tag03 @Test08				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and sets no auth	PASSED	0.002 s
3	When Dietician send POST http request with endpoint	PASSED	0.616 s
4	Then Dietician receives 401 unauthorized	PASSED	0.001 s

Check admin able to create patient with valid data and admin token

PASSED	DURATION - 0.581 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:56.291 PM // 4:54:56.872 PM /				
Patient Module Negative				
@Test09 @tag03				



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Admin creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Admin send POST http request with endpoint	PASSED	0.576 s
4	Then Admin receives 403 forbidden	PASSED	0.000 s

Check patient able to create patient with valid data and patient token

PASSED	DURATION - 0.583 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:56.884 PM // 4:54:57.467 PM /				
Patient Module Negative				
@Test10 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.002 s
3	When Patient send POST http request with endpoint	PASSED	0.577 s
4	Then Patient receives 403 forbidden	PASSED	0.000 s


Check dietician able to update patient with mandatory fields empty and only with valid additional details

FAILED	DURATION - 0.572 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 4:54:57.482 PM // 4:54:58.054 PM /				
Patient Module Negative				
@Test11 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering only valid additional details into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint by mandatory fields empty only valid additional details	PASSED	0.565 s
4	Then Dietician receives 400 Bad request java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.PatientModule.dietician_recieves_bad_request(PatientModule.java:261)	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	at ?.Dietician recieves 400 Bad request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:76) * Not displayable characters are replaced by '?'.		

Check dietician able to update patient with invalid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering only invalid additional details into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint by only invalid additional details	PASSED	0.562 s
4	Then Dietician recieves 400 Bad request java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.PatientModule.dietician_recieves_bad_request(PatientModule.java:261) at ?.Dietician recieves 400 Bad request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:82) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check dietician able to update patient with valid data and invalid patient id in path parameter

PASSED	DURATION - 0.602 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:58.661 PM // 4:54:59.263 PM /				
Patient Module Negative				
@Test13 @tag03				



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering only valid mandatory details into the form-data key and value fields with invalid patient id	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint by valid data and invalid patient id	PASSED	0.598 s
4	Then Dietician receives 400 Bad request	PASSED	0.000 s

Check dietician able to update patient with valid data and invalid method

PASSED	DURATION - 0.717 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:54:59.282 PM // 4:54:59.999 PM /				
Patient Module Negative				
@Test14 @tag03				



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create PUT request by entering valid data into the form-data key and value fields	PASSED	0.001 s
3	When Dietician send POST http request with endpoint entering valid data invalid method	PASSED	0.709 s
4	Then Dietician receives 405 method not allowed	PASSED	0.001 s

Check dietician able to update patient with valid data and invalid endpoint

FAILED	DURATION - 0.671 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 4:55:00.008 PM // 4:55:00.679 PM /				
Patient Module Negative				
@Test15 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create PUT request by entering valid data into the form-data key and value fields	PASSED	0.001 s
3	When Dietician sent PUT http request with invalid endpoint	PASSED	0.663 s
4	Then Dietician receives 404 not found java.lang.AssertionError: expected:<200> but was:<404> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.PatientModule.dietician_recieves_not_found(PatientModule.java:339) at ?.Dietician receives 404 not found(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:100) * Not displayable characters are replaced by '?'.	FAILED	0.003 s

Check dietician able to update patient with valid data, patient id and invalid content type

FAILED	DURATION - 0.442 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 4:55:00.693 PM // 4:55:01.135 PM /				
Patient Module Negative				
@Test16 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and invalid content type	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
3	<p>When Dietician send PUT http request with endpoint and invalid content type</p> <pre>java.lang.IllegalArgumentException: Content-Type application/pdf is not valid when using multipart, it must start with "multipart/" or contain "multipart+". at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.registerRestAssuredEncoders(RequestSpecificationImpl.groovy:1412) at io.restassured.internal.RequestSpecificationImpl.this\$2\$registerRestAssuredEncoders(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor266.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1171) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor248.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)</pre>	FAILED	0.434 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor230.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor229.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_put_http_request_with_endpoint_and_invalid_content_type(PatientModule.java:520) at ?.Dietician send PUT http request with endpoint and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:105) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 415 unsupported media type	SKIPPED	0.001 s


Check dietician able to update patient with valid data



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s


#	Step / Hook Details	Status	Duration
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and sets no auth	PASSED	0.002 s
3	When Dietician send PUT http request with endpoint for sets no auth	PASSED	0.604 s
4	Then Dietician receives 401 unauthorized	PASSED	0.000 s

Check admin able to update patient with valid data and admin token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Admin creates PUT request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Admin send PUT http request with endpoint	PASSED	0.575 s
4	Then Admin receives 403 forbidden java.lang.AssertionError: expected:<403> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.admin_recieves_forbidden(PatientModule.java:396) at ?.Admin receives 403 forbidden(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:120) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check patient able to update patient with valid data and patient token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates PUT request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Patient send PUT http request with endpoint	PASSED	0.584 s
4	Then Patient receives 403 forbidden <code>java.lang.AssertionError: expected:<404> but was:<403></code> <code>at org.junit.Assert.failAssert.java:89)</code> <code>at org.junit.Assert.failNotEqualsAssert.java:835)</code> <code>at org.junit.Assert.assertEqualsAssert.java:647)</code> <code>at org.junit.Assert.assertEqualsAssert.java:633)</code> <code>at api.stepdefinitions.PatientModule.patient_recieves_forbidden(PatientModule.java:416)</code> <code>at ?.Patient receives 403 forbidden(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:127)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s


Check Patient able to login as admin with invalid credential



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates Post request with invalid credential	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
3	When Patient send POST HTTP request with invalid credential and endpoint	PASSED	0.214 s
4	Then Patient receives 401 unauthorized	PASSED	0.001 s

Check Patient able to login as admin with valid credential and invalid method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates GET request with request body.	PASSED	0.001 s
3	When Patient send GET HTTP request with endpoint	PASSED	0.137 s
4	Then Patient receives 405 method not allowed	PASSED	0.000 s

Check Patient able to login as admin with valid credential and invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates Post request with request body.	PASSED	0.000 s
3	When Patient send POST HTTP request with invalid endpoint	PASSED	0.139 s
4	Then Patient receives 404 notfound	PASSED	0.000 s

Check Patient able to login as admin with valid credential and invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Patient creates Post request with request body and invalid content type.	PASSED	0.002 s
3	When Patient send POST HTTP request with invalid content type endpoint	PASSED	0.418 s
4	Then Patient receives 415 unsupported media type	PASSED	0.001 s

Check dietician unable to add new reports with no authorization




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to the endpoint with no authorization	PASSED	0.565 s
4	Then Dietician receives 401 Unauthorized	PASSED	0.001 s

Check admin unable to add new reports with admin bearer token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.000 s
3	When Admin sends PUT HTTP request to the endpoint with admin bearer token	PASSED	0.472 s
4	Then Admin receives 403 Forbidden	PASSED	0.000 s

Check patient unable to add new reports with patient bearer token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Patient sends PUT HTTP request to the endpoint with patient bearer token	PASSED	0.522 s
4	Then Patient receives 403 Forbidden	PASSED	0.001 s

Check dietician unable to add new reports with invalid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering invalid data (Additional details only) into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID and with invalid data	PASSED	0.651 s
4	Then Dietician receives 400 Bad Request <code>java.lang.AssertionError: expected:<200> but was:<404></code> <code>at org.junit.Assert.fail(Assert.java:89)</code> <code>at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code>at org.junit.Assert.assertEquals(Assert.java:647)</code> <code>at org.junit.Assert.assertEquals(Assert.java:633)</code> <code>at api.stepdefinitions.PatientModule.dietician_receives_bad_request(PatientModule.java:978)</code> <code>at ?.Dietician receives 400 Bad Request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:181)</code> * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check dietician unable to add new reports with valid data and invalid patient ID as path parameter




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data (Additional details only) into the form-data key and value fields and invalid patient ID	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to the endpoint with invalid patient ID as path parameter	PASSED	0.493 s
4	Then Dietician receives 400 Bad Request java.lang.AssertionError: expected:<400> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.dietician_receives_bad_request(PatientModule.java:978) at ?.Dietician receives 400 Bad Request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:188) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Check dietician unable to add new reports using POST method instead of PUT




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician sends POST HTTP request to the endpoint and add new reports using POST method	PASSED	0.496 s
4	Then Dietician receives 405 Method Not Allowed	PASSED	0.001 s

Check dietician unable to add new reports using an invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to an invalid endpoint and unable to add new reports	PASSED	0.505 s
4	Then Dietician receives 404 Not Found <code>java.lang.AssertionError: expected:<401> but was:<404></code> <code>at org.junit.Assert.failAssert.java:89)</code> <code>at org.junit.Assert.failNotEqualsAssert.java:835)</code> <code>at org.junit.Assert.assertEqualsAssert.java:647)</code> <code>at org.junit.Assert.assertEqualsAssert.java:633)</code> <code>at api.stepdefinitions.PatientModule.dietician_receives_not_found(PatientModule.java:919)</code> <code>at ?.Dietician receives 404 Not Found(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:202)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check dietician unable to add new reports with invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID with	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	invalid content type		
3	<p>When Dietician sends PUT HTTP request to the endpoint and invalid content type</p> <pre>java.lang.IllegalArgumentException: Content-Type application/pdf is not valid when using multipart, it must start with "multipart/" or contain "multipart+". at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.registerRestAssuredEncoders(RequestSpecificationImpl.groovy:1412) at io.restassured.internal.RequestSpecificationImpl.this\$2\$registerRestAssuredEncoders(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor266.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1171) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor248.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)</pre>	FAILED	0.319 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor230.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		


#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor229.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_sends_put_http_request_to_the_endpoint_and_invalid_content_type(PatientModule.java:1030) at ?.Dietician sends PUT HTTP request to the endpoint and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:208) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 415 Unsupported Media Type	SKIPPED	0.000 s

Check dietician unable to retrieve all patients with no authorization




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates GET request to the endpoint with no authorization	PASSED	0.001 s
3	When Dietician sends GET HTTP request to the endpoint with no authorization	PASSED	0.145 s
4	Then Dietician receives 401 Unauthorized	PASSED	0.000 s

Check admin unable to retrieve patients with admin bearer token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Admin creates GET request to the endpoint	PASSED	0.001 s
3	When Admin sends GET HTTP request to the endpoint with admin bearer token	PASSED	0.126 s
4	Then Admin receives 403 Forbidden	PASSED	0.000 s


Check patient unable to retrieve patients with patient bearer token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates GET request to the endpoint	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
3	When Patient sends GET HTTP request to the endpoint with patient bearer token	PASSED	0.130 s
4	Then Patient receives 403 Forbidden	PASSED	0.000 s

Check dietician unable to retrieve all patients with invalid HTTP method



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician creates PUT request to the endpoint	PASSED	0.000 s
3	When Dietician sends PUT HTTP request to the endpoint with valid data	PASSED	0.136 s
4	Then Dietician receives 405 Method Not Allowed	PASSED	0.000 s

Check dietician unable to retrieve all patients with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates GET request to an invalid endpoint	PASSED	0.001 s
3	When Dietician sends GET HTTP request to the invalid endpoint	FAILED	0.002 s

java.util.MissingResourceException: Can't find resource for bundle java.util.PropertyResourceBundle, key Get_InvalidGetallPatients


#	Step / Hook Details	Status	Duration
	at java.base/java.util.ResourceBundle.getObject(ResourceBundle.java:564) at java.base/java.util.ResourceBundle.getString(ResourceBundle.java:521) at api.stepdefinitions.PatientModule.dietician_sends_get_http_request_to_the_invalid_endpoint(PatientModule.java:913) at ?.Dietician sends GET HTTP request to the invalid endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:245) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 404 Not Found	SKIPPED	0.000 s

Check dietician able to retrieve patients morbidity details by patient ID




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request with no auth to retrieve patients morbidity details by patient ID	PASSED	0.001 s
3	When Dietician send GET http request with endpoint to retrieve patients morbidity details by patient ID	PASSED	0.151 s
4	Then Dietician receives 401 unauthorized to retrieve patients morbidity details by patient ID	PASSED	0.000 s

Check admin is able to retrieve patients morbidity details by patient ID




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin create GET request with Admin token java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule.admin_create_get_request_with_admin_token(PatientModule.java:1133) at ?.Admin create GET request with Admin token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:258) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	When Admin send GET http request with endpoint to retrieve patients morbidity details by patient ID	SKIPPED	0.000 s
4	Then Admin receives 403 Forbidden to retrieve patients morbidity details by patient ID	SKIPPED	0.000 s

Check dietician able to retrieve patients morbidity details by patient ID with invalid method



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create POST request to retrieve patients morbidity details by patient ID with invalid method	PASSED	0.001 s
3	When Dietician send POST http request with endpoint to retrieve patients morbidity details by patient ID with invalid method	PASSED	0.133 s
4	Then Dietician receives 405 method not allowed to retrieve patients morbidity details by patient ID with invalid method	PASSED	0.000 s

Check dietician able to retrieve patients morbidity details by invalid patient ID




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request to retrieve patients morbidity details by invalid patient ID	PASSED	0.001 s
3	When Dietician send GET http request with endpoint to retrieve patients morbidity details by invalid patient ID java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: patientId=1184. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor250.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor248.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) </pre>		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor230.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor229.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:172) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy)		


#	Step / Hook Details	Status	Duration
	at api.stepdefinitions.PatientModule. dietician_send_get_http_request_with_endpoint_to_retrieve_patients_morbidity_details_by_invalid_patient_id(PatientModule.java:1175) at ?.Dietician send GET http request with endpoint to retrieve patients morbidity details by invalid patient ID(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:271) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 404 not found to retrieve patients morbidity details by invalid patient ID	SKIPPED	0.000 s

Check dietician able to retrieve patients morbidity details by patient ID with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request to retrieve patients morbidity details by patient ID with invalid endpoint	PASSED	0.001 s
3	When Dietician send GET http request with invalid endpoint to retrieve patients morbidity details by patient ID with invalid endpoint	PASSED	0.178 s
4	Then Dietician receives 404 not found to retrieve patients morbidity details by patient ID with invalid endpoint	PASSED	0.001 s

Check dietician able to retrieve patients by field




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create GET request with no auth to retrieve patients by field	PASSED	0.001 s
3	When Dietician send GET http request with endpoint to retrieve patients by field	PASSED	0.131 s
4	Then Dietician receives 401 unauthorized to retrieve patients by field	PASSED	0.000 s

Check admin is able to retrieve patients by field



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Admin create GET request to retrieve patients by field	PASSED	0.001 s
3	When Admin send GET http request with endpoint to retrieve patients by field	PASSED	0.355 s
4	Then Admin receives 403 Forbidden to retrieve patients by field	PASSED	0.000 s



Check dietician able to retrieve patients by field with invalid method



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create POST request to retrieve patients by field with invalid method	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
3	When Dietician send POST http request with endpoint to retrieve patients by field with invalid method	PASSED	0.147 s
4	Then Dietician receives 405 method not allowed to retrieve patients by field with invalid method	PASSED	0.000 s

Check dietician able to retrieve patients by invalid fileld

PASSED	DURATION - 0.143 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:55:10.055 PM // 4:55:10.198 PM /				
Patient Module Negative				
@Test09 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create GET request to retrieve patients by invalid fileld	PASSED	0.001 s
3	When Dietician send GET http request with endpoint to retrieve patients by invalid fileld	PASSED	0.135 s
4	Then Dietician receives 404 not found to retrieve patients by invalid fileld	PASSED	0.001 s

Check dietician able to retrieve patients by field with invalid endpoint


PASSED	DURATION - 0.136 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:55:10.221 PM // 4:55:10.357 PM /				
Patient Module Negative				
@Test10 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request to retrieve patients by field with invalid endpoint	PASSED	0.001 s
3	When Dietician send GET http request to retrieve patients by field with invalid endpoint	PASSED	0.131 s
4	Then Dietician receives 404 not found to retrieve patients by field with invalid endpoint	PASSED	0.001 s

Morbidity Module Negative feature




Check dietician able to retrieve all morbidities details





#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with no auth to retrieve all morbidities details	PASSED	0.001 s
2	When Dietician send GET http request with no auth to retrieve all morbidities details	PASSED	0.126 s
3	Then Dietician receives 401 unauthorized with no auth all morbidities details	PASSED	0.000 s

Check patient is able to retrieve all morbidities details





#	Step / Hook Details	Status	Duration
1	Given Patient create GET request with patient token to retrieve all morbidities details	PASSED	0.001 s
2	When Patient send GET http request with to retrieve all morbidities details endpoint	PASSED	0.139 s
3	Then Patient receives 403 Forbidden to retrieve all morbidities details	PASSED	0.001 s

Check admin able to retrieve all morbidities details with invalid method

PASSED	DURATION - 0.169 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:10.680 PM // 4:55:10.849 PM /				
Morbidity Module Negative feature				
@Test03				



#	Step / Hook Details	Status	Duration
1	Given admin create POST request to retrieve all morbidities details with invalid method	PASSED	0.002 s
2	When admin send POST http request with endpoint to retrieve all morbidities details with invalid method	PASSED	0.164 s
3	Then admin receives 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.000 s

Check admin able to retrieve all morbidities details with invalid endpoint

PASSED	DURATION - 0.152 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:10.862 PM // 4:55:11.014 PM /				
Morbidity Module Negative feature				
@Test04				



#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When admin send GET http request to retrieve all morbidities details with invalid endpoint	PASSED	0.149 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

Check dietician able to retrieve all morbidities details with invalid method

PASSED	DURATION - 0.144 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:11.027 PM // 4:55:11.171 PM /				
Morbidity Module Negative feature				
@Test05				



#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request to retrieve all morbidities details with invalid method	PASSED	0.001 s
2	When Dietician send POST http requestto retrieve all morbidities details with invalid method	PASSED	0.140 s
3	Then Dietician recieves 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.000 s

Check dietician able to retrieve all morbidities details with invalid endpoint

PASSED	DURATION - 0.136 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:11.186 PM // 4:55:11.322 PM /				
Morbidity Module Negative feature				
@Test06				



#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.002 s
2	When Dietician send GET http request to retrieve all morbidities details with invalid endpoint	PASSED	0.131 s
3	Then Dietician recieves 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

Check dietician able to morbidity condition by test name

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:11.336 PM // 4:55:11.479 PM /				
Morbidity Module Negative feature				
@Test07				

#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with no auth to morbidity condition by test name	PASSED	0.001 s
2	When Dietician send GET http request with morbidity condition by test name endpoint endpoint	PASSED	0.138 s
3	Then Dietician receives 401 unauthorized with morbidity condition by test name	PASSED	0.001 s



Check patient is able to retrieve morbidity condition by test name

FAILED	DURATION - 1.126 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:55:11.499 PM // 4:55:12.625 PM /				
Morbidity Module Negative feature				
@Test08				

#	Step / Hook Details	Status	Duration
1	Given Patient create GET request to retrieve morbidity condition by test name	PASSED	0.001 s
2	When Patient send GET http request with morbidity condition by test name endpoint	PASSED	1.122 s
3	Then Patient receives 403 Forbidden to retrieve morbidity condition by test name io.cucumber.core.exception.CucumberException: Step [Patient receives 403 Forbidden to retrieve morbidity condition by test name] is defined with 1 parameters at 'api.stepdefinitions.MorbidityGet.patient_recieves_403_forbidden_to_retrieve_morbidity_condition_by_test_name(java.lang.Integer)'. However, the gherkin step has 0 arguments. Step text: Patient receives 403 Forbidden to retrieve morbidity condition by test name at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56)	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre>		

Check admin able to retrieve morbidity condition by test name with invalid method

PASSED	DURATION - 0.127 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:12.636 PM // 4:55:12.763 PM /				
Morbidity Module Negative feature				
@Test09				



#	Step / Hook Details	Status	Duration
1	Given admin create POST request to retrieve morbidity condition by test name with invalid method	PASSED	0.001 s
2	When admin send POST http request morbidity condition by test name endpoint	PASSED	0.125 s
3	Then admin receives 405 method not allowed to retrieve morbidity condition by test name with invalid method	PASSED	0.000 s

Check admin able to retrieve morbidity condition by invalid test name

PASSED	DURATION - 0.131 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:12.774 PM // 4:55:12.905 PM /				
Morbidity Module Negative feature				
@Test10				



#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When admin send GET http request with invalid test name endpoint	PASSED	0.127 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

Check admin able to retrieve morbidity condition by test name with invalid endpoint

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:12.917 PM // 4:55:13.060 PM /				
Morbidity Module Negative feature				
@Test11				



#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When admin send GET http request morbidity condition by test name with invalid endpoint	PASSED	0.139 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

Check dietician able to retrieve morbidity condition by test name with invalid method

PASSED	DURATION - 0.216 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:13.071 PM // 4:55:13.287 PM /				
Morbidity Module Negative feature				
@Test12				



#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request to retrieve all morbidities details with invalid method	PASSED	0.002 s
2	When Dietician send POST http request morbidity condition by test name with invalid method endpoint	PASSED	0.211 s
3	Then Dietician receives 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.000 s

Check dietician able to retrieve morbidity condition by invalid test name

PASSED	DURATION - 0.134 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:13.295 PM // 4:55:13.429 PM /				
Morbidity Module Negative feature				
@Test13				

#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When Dietician send GET http request with morbidity condition by invalid test name endpoint	PASSED	0.130 s
3	Then Dietician receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

Check dietician able to retrieve morbidity condition by test name with invalid endpoint


PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:55:13.437 PM // 4:55:13.586 PM /				
Morbidity Module Negative feature				
@Test14				

#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When Dietician send GET http request morbidity condition by test name with invalid endpoint	PASSED	0.143 s
3	Then Dietician receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

All Modules Delete and logout Modules Negative




Check dietician able to delete patient by id with invalid method



#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request	PASSED	0.002 s
2	When Dietician send POST http to delete patient by id request with endpoint	PASSED	0.125 s
3	Then Dietici recieves 405 method not allowed	PASSED	0.000 s



Check dietician able to delete patient by invalid id



#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request by invalid id	PASSED	0.001 s
2	When Dietician send DELETE http request with endpoint by invalid id	PASSED	0.130 s



#	Step / Hook Details	Status	Duration
3	Then Dietici recieves 401 unauthorized	PASSED	0.000 s

Check dietician able to delete patient by id with invalid endpoint

PASSED	DURATION - 0.209 s	 / 4:55:13.894 PM // 4:55:14.103 PM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
All Modules Delete and logout Modules Negative				
@tag12 @Test62				


#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request	PASSED	0.001 s
2	When Dietician send DELETE http request with invalid endpoint	PASSED	0.205 s
3	Then Dietici recieves 404 not found	PASSED	0.001 s

Check dietician able to delete patient by ID

PASSED	DURATION - 0.140 s	 / 4:55:14.116 PM // 4:55:14.256 PM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
All Modules Delete and logout Modules Negative				
@tag12 @Test63				


#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request with no auth	PASSED	0.001 s
2	When Dietician send DELETE http request with endpoint	PASSED	0.136 s
3	Then Dietici recieves 401 unauthorized	PASSED	0.000 s

Check patient able to logout with invalid method




#	Step / Hook Details	Status	Duration
1	Given patient creates POST request	PASSED	0.002 s
2	When patient send POST HTTP request with endpoint	PASSED	0.344 s
3	Then patient receives 405 method not allowed	PASSED	0.001 s

Check patient able to logout




#	Step / Hook Details	Status	Duration
1	Given patient creates GET request with noauth	PASSED	0.002 s
2	When patient send GET HTTP request with endpoint	PASSED	0.130 s
3	Then patient receives 401 unauthorized	PASSED	0.001 s

Check admin able to delete dietician by ID




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request with no auth	PASSED	0.001 s
2	When Admin send Delete "Delete_Dietitian" request with endpoint	PASSED	0.125 s
3	Then Admin receives 401 afterDelete and with response body	PASSED	0.015 s

Check admin able to delete dietician by id with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.002 s
2	When Admin send POST "Delete_Dietitian" request with endpoint with DeleteRequest endpoint	PASSED	0.128 s
3	Then Admin receives 405 afterDelete and with response body	PASSED	0.018 s

Check admin able to delete dietician by invalid id




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.001 s
2	When Admin send Delete "Delete_Dietitian" request with "bjbj8"	PASSED	0.127 s
3	Then Admin receives 404 afterDelete and with response body java.lang.AssertionError: expected:<400> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertequals(Assert.java:647) at org.junit.Assert.assertequals(Assert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_delete_and_with_response_body(DietitianPost.java:504) at ?.Admin receives 404 afterDelete and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/10_DeleteandLogoutNegative.feature:61) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check admin able to delete dietician by id with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.002 s
2	When Admin send POST "Delete_DietitianInvalidEndpoint" request with Invalidendpoint	PASSED	0.130 s
3	Then Admin receives 404 afterDelete and with response body	PASSED	0.011 s

Check dietician able to logout with invalid method




#	Step / Hook Details	Status	Duration
1	Given dietician creates POST request	PASSED	0.000 s
2	When dietician send POST HTTP request with endpoint	PASSED	0.126 s
3	Then dietician receives 405 method not allowed	PASSED	0.000 s

Check dietician able to logout




#	Step / Hook Details	Status	Duration
1	Given dietician creates GET request with no auth	PASSED	0.001 s
2	When dietician send GET HTTP request with endpoint	PASSED	0.131 s
3	Then dietician receives 401 unauthorized	PASSED	0.001 s

Check admin able to logout with invalid method



#	Step / Hook Details	Status	Duration
1	Given admin creates POST request	PASSED	0.001 s
2	When admin send POST HTTP request with endpoint	PASSED	0.133 s
3	Then admin receives 405 method not allowed	PASSED	0.001 s

Check admin able to logout




#	Step / Hook Details	Status	Duration
1	Given admin creates GET request with noauth	PASSED	0.001 s
2	When admin send GET HTTP request with noauth endpoint	PASSED	0.131 s
3	Then admin receives 401 unauthorized	PASSED	0.000 s

All Modules Delete and logout Modules Positive




Check dietician able to delete patient by ID



#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request	PASSED	0.001 s
2	When Dietician send DELETE http request with endpoint	PASSED	0.208 s
3	Then Dietician receives 200 ok with details of the patient id	PASSED	0.000 s


Check patient able to logout



#	Step / Hook Details	Status	Duration
1	Given patient creates GET request	PASSED	0.001 s
2	When patient send GET HTTP request with endpoint	PASSED	0.269 s


#	Step / Hook Details	Status	Duration
3	Then patient receives 200 created with Logout successful message	PASSED	0.000 s

Check admin able to delete dietician by ID




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.002 s
2	When Admin send Delete "Delete_Dietitian" request with endpoint	PASSED	0.251 s
3	Then Admin receives 200 afterDelete and with response body	PASSED	0.001 s

Check dietician able to logout



#	Step / Hook Details	Status	Duration
1	Given dietician creates GET request	PASSED	0.002 s
2	When dietician send GET HTTP request with endpoint	PASSED	0.241 s
3	Then dietician receives 200 created with Logout successful message	PASSED	0.000 s

Check admin able to logout



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET request	PASSED	0.000 s
2	When Admin send GET HTTP request with endpoint	PASSED	0.199 s
3	Then Admin receives 200 created with Logout successful message	PASSED	0.000 s