Χ



msushilkumar27\_ec@mepcoeng.ac.in ~

NPTEL (https://swayam.gov.in/explorer?ncCode=NPTEL) » Problem Solving Through Programming In C (course)



Click to register for Certification exam

(https://examform.nptel

If already registered, click to check your payment status

# Course outline

How does an NPTEL online course work? ()

Week 0: ()

Week 1 ()

Week 2 ()

Lecture 6:
Types of
Software and
Compilers
(unit?
unit=27&lesso
n=28)

# Week 2 : Assignment 2

The due date for submitting this assignment has passed.

Due on 2023-08-09, 23:59 IST.

### Assignment submitted on 2023-08-05, 21:59 IST

1) Which of the following is not a C variable?

1 point

1 point

- a) Count123
- b) Count 123
- c) Count@123
- (a) X 123 Count

No, the answer is incorrect.

Score: 0

Accepted Answers:

c) Count@123

2) A function

- a) is a block of statements to perform some specific task
- b) is a fundamental modular unit to perform some task
- c) has a name and can be used multiple times
- d) All the above options are true

Yes, the answer is correct.

Score: 1

Accepted Answers:

d) All the above options are true

3) The execution of any C program is

1 point

Lecture 7: Introduction to C Programming Language (unit? unit=27&lesso n=29)  Lecture 8: Variables and Variable Types in C (unit? unit=27&lesso n=30)	<ul> <li>a) Sequential</li> <li>b) Parallel</li> <li>c) Multi-threading</li> <li>d) None of these</li> <li>Yes, the answer is correct.</li> <li>Score: 1</li> <li>Accepted Answers:</li> <li>a) Sequential</li> <li>4) Syntax error occurs when</li> <li>a) The rules of grammar of the programming language is violated</li> <li>b) The statements in the program have no meaning</li> </ul>
C) The program gives wrong Introducing Functions (unit? Unit=27&lesso  C) The program gives wrong  d) Some illegal operation (e)  No, the answer is incorrect. Score: 0  Accepted Answers:	c) The program gives wrong or undesired output d) Some illegal operation (e.g. divide by zero) is performed  No, the answer is incorrect.  Score: 0
Address and Content of Variables and Types (unit? unit=27&lesso n=32)	5) If integer needs two bytes of storage, then the minimum value of a signed integer in <b>1 point</b> C would be  a) -65535 b) 0 c) -32,767
Quiz: Week 2 : Assignment 2 (assessment? name=220)	d) -32,768  No, the answer is incorrect. Score: 0  Accepted Answers: d) -32,768
Feedback Form of Week 2 (unit? unit=27&lesso n=222)	What will be the output of the program given below?  #include <stdio.h>  1 point</stdio.h>
Assignment 2 Solution (unit? unit=27&lesso n=35)	int main() {
Week 3 ()	}
Week 4 ()	O a) 9
Week 5 ()	○ b) 0 ○ c) 1001
Week 6 ()	d) Compilation Error
	Yes, the answer is correct.

### DOWNLOAD VIDEOS ()

#### Books ()

Text Transcripts ()

Problem Solving Session -July 2023 ()

```
Score: 1
Accepted Answers:
d) Compilation Error
7)
                                                                              1 point
    What is the output?
      #include<stdio.h>
      #define fun(x) (x*x)
      int main()
       {
           float i:
           i = 64.0/\text{fun}(2);
          printf("%.2f", i);
          return 0;
      }
  a) 8.00
  b) 4.00
  c) 0.00
  d) 16.00
Yes, the answer is correct.
Score: 1
Accepted Answers:
d) 16.00
8)
                                                                              1 point
The following C program swaps the value of two numbers without using any third
variable. What will be the correct option to fill up the blank?
#include <stdio.h>
int main()
{
  int a=2, b=3;
  printf("The values before swapping a = %d, b=%d", a, b);
  printf("The values after swapping a = %d, b=%d", a, b);
  return 0;
}
  a) a=a-b; b=a-b; a=a+b;
  b) a=a%b; b=a+b; a=a/b;
  c) a=a+b; b=a-b; a=a-b;
  d) None of the above
Yes, the answer is correct.
```

```
Score: 1
 Accepted Answers:
 c) a=a+b; b=a-b; a=a-b;
9)
                                                                           1 point
     What will be the output?
     #include <stdio.h>
     int main() {
     int x = 1, y = 3;
     int t = x;
     x = y;
     y = t;
     printf("%d %d", x, y);
     return 0;
     }
  a) 13
  b) 3 1
  0 c) 1 1
  (d) 3 3
 Yes, the answer is correct.
 Score: 1
 Accepted Answers:
 b) 3 1
10)
     When executed the following code will print .
     #include <stdio.h>
     int main() {
     int sum = 3 + 6 / 2 + 6 * 2;
     printf("%d", sum);
     return 0;
 18
Hint
 Yes, the answer is correct.
 Score: 1
 Accepted Answers:
 (Type: Numeric) 18
                                                                           1 point
```