Χ



200801168@rajalakshmi.edu.in >

NPTEL (https://swayam.gov.in/explorer?ncCode=NPTEL) » Problem Solving Through Programming In C (course)



Click to register for Certification exam

(https://examform.npte

If already registered, click to check your payment status

## Course outline

How does an NPTEL online course work? ()

Week 0: ()

Week 1 ()

Week 2 ()

Week 3 ()

Lecture 11 :
 Assignment
 Statement
 and
 Operators in

## Week 3: Assignment 3

The due date for submitting this assignment has passed.

Due on 2023-08-16, 23:59 IST.

## Assignment submitted on 2023-08-16, 21:14 IST

1) Which of the following statement is correct?

1 point

- a) Operator precedence determines which operator is performed first in an expression with more than one operator with different precedence. Associativity is used when two operators of same precedence appear in an expression
- b) Operator associativity determines which operator is performed first in an expression with more than one operator with different associativity. Precedence is used when two operators of same precedence appear in an expression
- c) Operator precedence and associativity are same.
- d) None of the above

Yes, the answer is correct.

Score: 1

Accepted Answers:

a) Operator precedence determines which operator is performed first in an expression with more than one operator with different precedence. Associativity is used when two operators of same precedence appear in an expression

```
C (unit?
unit=36&lesso
n=37)
```

- Lecture 12:
  Arithmetic
  Expressions
  and Relational
  Expressions
  (unit?
  unit=36&lesso
  n=38)
- Lecture 13:
  Logical
  Operators
  and Change in
  Control Flow
  (unit?
  unit=36&lesso
  n=39)
- Use of Logical
  Operators in
  Branching
  (unit?
  unit=36&lesso
  n=40)
- Lecture 15:

   Branching: IF
   ELSE
   Statement
   (unit?
   unit=36&lesso
   n=41)
- Quiz: Week 3: Assignment 3(assessment? name=224)
- Week 3:

   Programming
   Assignment 1
   (/noc23\_cs121
   /progassignment?
   name=225)
- Week 3:

   Programming
   Assignment 2
   (/noc23\_cs121
   /progassignment?
   name=226)

```
2)
                                                                             1 point
    Find the output of the following C code
    #include<stdio.h>
    int main()
      int a=50, b=20, c=6, d=3, result;
      result=a+a*-b/c%d+c*d:
      printf("%d", result);
      return 0;
    }
  a) 67
  (b) -36
  c) 66
  (d) -37
Yes, the answer is correct.
Score: 1
Accepted Answers:
a) 67
3)
                                                                             1 point
    What is the output of the following C code?
    #include <stdio.h>
    int main()
    int h = 8:
    int b = 4 * 6 + 3 * 4 < h*5 ?4 : 3:
    printf("%d\n", b);
    return 0;
    }
  a) 0
  (b) 3
  © c) 4
  d) Compilation error
Yes, the answer is correct.
Score: 1
Accepted Answers:
```

c) 4

```
• Week 3:
Programming
Assignment 3
(/noc23_cs121
/progassignment?
name=227)
```

- Week 3:
  Programming
  Assignment 4
  (/noc23\_cs121
  /progassignm
  ent?
  name=228)
- Feedback
  Form of Week
  3 (unit?
  unit=36&lesso
  n=229)
- Assignment 3Solution (unit? unit=36&lesso n=43)

Week 4 ()

Week 5 ()

Week 6 ()

Week 7 ()

Week 8 ()

Week 9 ()

Week 10 ()

DOWNLOAD VIDEOS ()

Books ()

Text
Transcripts ()

Problem Solving Session -July 2023 ()

```
4)
                                                                               1 point
    Find the output of the following C code
    #include <stdio.h>
    int main()
    {
    int x=1;
       if ((3>5) || (2!=3))
            printf("IITKGP\n");
       else if (x\&=0)
            printf("IITD\n");
       else
            printf("IITM\n");
    return 0;
    }
  a) IITKGP
  b) IITD and IITM
  c) IITKGP and IITM
  Od) IITM
Yes, the answer is correct.
Score: 1
Accepted Answers:
a) IITKGP
5)
                                                                               1 point
     What will be the output?
     #include <stdio.h>
     int main()
     if ((-10 && 10) || (20 && -20))
            printf("Condition is true.");
     else
            printf("Condition is false.");
     return 0;
     }
  a) Condition is true
  b) Condition is false
  c) Error
  Od) No output possible
Yes, the answer is correct.
Score: 1
Accepted Answers:
a) Condition is true
```

```
6)
                                                                            1 point
    What is the output of the following program?
    #include<stdio.h>
    int main()
    int i;
       if(i=0,2,3)
           printf("NPTEL");
       else
           printf("Programming on C ");
    printf("%d\n", i);
    return 0;
    }
  a) Programming on C 0
  b) NPTEL 0
  o) NPTEL 3
  d) Compilation error
Yes, the answer is correct.
Score: 1
Accepted Answers:
b) NPTEL 0
7)
                                                                            1 point
    What is the output of the C program given below
     #include <stdio.h>
     int main()
    int x = 0;
          if(x++)
    printf("true\n");
       else if (x == 1)
    printf("false\n");
    return 0;
     }
  a) true
  b) false
  c) Compiler dependent
  d) Compiler error
Yes, the answer is correct.
Score: 1
Accepted Answers:
b) false
```

```
8)
                                                                           1 point
     What will be the output?
     #include<stdio.h>
     int main()
      int x;
      x=10==20!=30;
      printf("%d", x);
      return 0;
     }
  a) 0
  b) 1
  c) 10
  Od) 30
Yes, the answer is correct.
Score: 1
Accepted Answers:
b) 1
9)
                                                                           1 point
      What will be the output?
      #include <stdio.h>
      int main()
      int a = 100, b = 200, c = 300;
         if (c > b > a)
      printf("TRUE");
         else
      printf("FALSE");
      return 0;
      }
  a) TRUE
  b) FALSE
  c) Syntax Error
  d) Compilation Error
Yes, the answer is correct.
Score: 1
Accepted Answers:
b) FALSE
```

```
10)
                                                                             1 point
     What is the output of the following C code?
     #include <stdio.h>
     int main()
       int y = 10;
       int z = y + (y == 10);
       printf("%d\n", z);
       return 0;
  a) 10
  b) 11
  0 c) 20
  d) Compiler error
Yes, the answer is correct.
Score: 1
Accepted Answers:
b) 11
```