

NPTEL ASSIGNMENT -

Problem Solving Through Programming In C

WEEK 9– PROGRAMMING ASSIGNMENT

Week 9 : Programming Assignment 1

Due on 2023-09-28, 23:59 IST

Write a program to print all the locations at which a particular element (taken as input) is found in a list and also print the total number of times it occurs in the list. The location starts from 1.

For example if there are 4 elements in the array

5
6
5
7

If the element to search is 5 then the output will be

5 is present at location 1

5 is present at location 3

5 is present 2 times in the array.

Private Test cases used for evaluation	Input	Expected Output	Actual Output	Status
Test Case 1	7			Passed
	30 50 90 30 70 30 30 30	30 is present at location 1.\n30 is present at location 4.\n30 is present at location 6.\n30 is present at location 7.\n30 is present 4 times in the array.	30 is present at location 1.\n30 is present at location 4.\n30 is present at location 6.\n30 is present at location 7.\n30 is present 4 times in the array.	
Test Case 2	4			Passed
	50 60 20 10 80	80 is not present in the array.	80 is not present in the array.	

The due date for submitting this assignment has passed.

2 out of 2 tests passed.

You scored 100.0/100.

Assignment submitted on 2023-09-28, 22:53 IST

Your last recorded submission was :

```

1 #include <stdio.h>
2 int main()
3 {
4     int array[100], search, n, count = 0;
5     // "search" is the key element to search and 'n' is the total number of element of the array
6     // "count" is to store total number of elements
7
8     scanf("%d", &n); //Number of elements is taken from test case
9
10    int c;
11    for (c = 0; c < n; c++)
12        scanf("%d", &array[c]);
13
14    scanf("%d", &search); // The element to search is taken from test case
15
16    /* Use the printf statements as below:
17    "%d is present at location %d.\n" for each locations
18    "%d is not present in the array.\n" if the element is not found in the list
19    "%d is present %d times in the array.\n"
20    */
21    for (c = 0; c < n; c++)
22    {
23        if (array[c] == search)
24        {
25            printf("%d is present at location %d.\n", search, c+1);
26            count++;
27        }
28    }
29    if (count == 0)
30        printf("%d is not present in the array.", search);
31    else
32        printf("%d is present %d times in the array.", search, count);
33
34    return 0;
35 }
```

Week 9 : Programming Assignment 2

Due on 2023-09-28, 23:59 IST

Write a C program to search a given element from a 1D array and display the position at which it is found by using linear search function. The index location starts from 1.

Private Test cases used for evaluation	Input	Expected Output	Actual Output	Status
Test Case 1	4	95 is not present in the array.	95 is not present in the array.	Passed
	45			
	65			
	85			
	25			
	95			
Test Case 2	5	6 is present at location 1.	6 is present at location 1.	Passed
	6			
	9			
	5			
	4			
	7			
	6			

The due date for submitting this assignment has passed.

2 out of 2 tests passed.

You scored 100.0/100.

Assignment submitted on 2023-09-28, 22:47 IST

Your last recorded submission was :

```

1 #include <stdio.h>
2 int linear_search(int[], int, int);
3 int main()
4 {
5     int array[100], search, c, n, position;
6     /* search - element to search, c - counter, n - number of elements in array,
7     position - The position in which the element is first found in the list. */
8
9     scanf("%d", &n); // Number of elements in the array is read from the test case data
10
11     for (c = 0; c < n; c++)
12         scanf("%d", &array[c]); //Elements of array is read from the test data
13
14     scanf("%d", &search); //Element to search is read from the test case data
15
16     /* Use the following in the printf statement to print the output
17     printf("%d is not present in the array.", search);
18     printf("%d is present at location %d.", search, position+1); //As array[0] has the position 1
19     */
20     position = linear_search(array, n, search);
21
22     if(position == -1)
23         printf("%d is not present in the array.", search);
24     else
25         printf("%d is present at location %d.", search, position+1);
26     return 0;
27 }
28
29 int linear_search(int a[], int n, int find)
30 {
31     int c;
32     for(c = 0; c < n; c++)
33     {
34         if(a[c] == find)
35             return c;
36     }
37     return -1;
38 }

```

Week 9 : Programming Assignment 3

Due on 2023-09-28, 23:59 IST

Write a C program to search a given number from a sorted 1D array and display the position at which it is found using binary search algorithm. The index location starts from 1.

Private Test cases used for evaluation	Input	Expected Output	Actual Output	Status
Test Case 1	6 1 2 3 4 5 6 2	2 found at location 2.	2 found at location 2.	Passed
Test Case 2	7 40 50 60 70 80 90 100 100	100 found at location 7.	100 found at location 7.	Passed

The due date for submitting this assignment has passed.

2 out of 2 tests passed.

You scored 100.0/100.

Assignment submitted on 2023-09-28, 22:48 IST

Your last recorded submission was :

```

1 #include <stdio.h>
2 int main()
3 {
4     int c, n, search,
5     array[100];
6     scanf("%d",&n); //number of elements in the array
7
8     for (c = 0; c < n; c++)
9         scanf("%d",&array[c]);
10
11     scanf("%d", &search); //The element to search is read from test case.
12
13     /* Use the printf statements as below:
14     printf("%d found at location %d.", search, variable_name);
15     printf("Not found! %d isn't present in the list.", search);
16     */

```

```

17     int first, last, middle;
18     first = 0;
19     last = n - 1;
20     middle = (first+last)/2;
21
22     while(first <= last)
23     {
24         if(array[middle] < search)
25             first = middle + 1;
26         else if(array[middle] == search)
27         {
28             printf("%d found at location %d.", search, middle+1);
29             break;
30         }
31         else
32             last = middle - 1;
33         middle = (first + last)/2;
34     }
35     if(first > last)
36         printf("Not found! %d isn't present in the list.", search);
37     return 0;
38 }

```

Week 9 : Programming Assignment 4

Due on 2023-09-28, 23:59 IST

Write a C program to reverse an array by swapping the elements and without using any new array.

Private Test cases used for evaluation	Input	Expected Output	Actual Output	Status
Test Case 1	7 8 9 10 6 4 7 11	Reversed array elements are:\n 11\n 7\n 4\n 6\n 10\n 9\n 8	Reversed array elements are:\n 11\n 7\n 4\n 6\n 10\n 9\n 8	Passed

The due date for submitting this assignment has passed.

1 out of 1 tests passed.

You scored 100.0/100.

Assignment submitted on 2023-09-28, 23:01 IST

Your last recorded submission was :

```

1 #include <stdio.h>
2 int main() {
3     int array[100], n, c;
4     scanf("%d", &n); // n is number of elements in the array.
5     for (c = 0; c < n; c++) {
6         scanf("%d", &array[c]);
7     }
8     for (c = 0; c < n / 2; c++) {
9         int temp = array[c];
10        array[c] = array[n - c - 1];
11        array[n - c - 1] = temp;
12    }
13    printf("Reversed array elements are:\n");
14
15    for (c = 0; c < n; c++) {
16        printf("%d\n", array[c]);
17    }
18    return 0;
19 }
```