

CSS Grid

- CSS grid is a two-dimensional layout model with rows and columns to design web pages.
- CSS grid avoids using bloat and positioning.
- The grid layout must have a parent element(container) with the display property "grid" or "inline-grid". So that the child elements of the container automatically become grid items.

· Fast & Clean Cade · No need of CSS Frameworks

> Important Terminologies

Grid Container properties

Grid Item properties

Difference between Flex and Grid

Important Terminologies


Terminologies	Description
grid columns	The vertical lines of the grid items
grid rows	The horizontal lines of the grid items
grid gaps	The space between each row or column. <pre>grid-gap: 50px 100px;</pre> The space between each row is called the row gap. <pre>grid-row-gap: 50px;</pre> The space between each column is called a column gap. <pre>grid-column-gap: 50px;</pre>
grid lines	The line between each row or column. The line between each line is called the row line. The line between each line is called the column line. The lines are used to place the items in the container by using the following properties: • grid-column-start • grid-row-start • grid-row-start • grid-row-end

Important Terminologies Grid Container properties

Grid Item properties

Difference between Flex and Grid

Important Terminologies



CSS Grid Important Grid Container properties Grid Item properties Difference between Flex and Grid

Property: grid-template-columns

Value: Width of each column or auto.

Description: Defines the number of columns and their width in the grid.

Code:

grid-template-columns: auto auto auto auto;

Output:

1 2 3 4 5

CSS Grid Important Terminologies

Grid Container properties

Grid Item properties

Difference between Flex and Grid

Property: grid-template-rows

Value: Height of each row or auto.

Description: Defines the number of rows and their height in the grid. -> value -> 55% 20 px auto s width Code: 00 1F8 1F8 2F8 grid-template-columns: auto auto auto; grid-template-rows: 80px auto; 5 Hegght **Output:** 2 5 Difference **Important Grid Container** Grid Item CSS Grid between Flex Example **Terminologies** properties properties and Grid

Property: justify-container

Value: space-evenly, space-around, space-between, center, start, end.

Description: Used to align the whole grid inside the container. The total width of the grid must be less than the container's width to add this property.

Code:

```
.grid-container {
 display: grid;
 width: 300px;
 /*Make the grid smaller than the container*/
 grid-template-columns: 50px 50px 50px;
```


properties

Property: justify-container

Value: space-evenly

Description: Gives an equal amount of space between and around the columns.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties

Difference between Flex and Grid


Property: justify-container

Value: space-around

(2x b/w)

Description: Gives an equal amount of space around the columns.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties


Difference between Flex and Grid

Property: justify-container

Value: space-between.

Description: Gives an equal amount of space between the columns.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties


Difference between Flex and Grid

Property: justify-container

Value: center.

Description: Aligns the grid in the middle of the container.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties


Difference between Flex and Grid

Property: justify-container

Value: start.

Description: Aligns the grid at the beginning of the container.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties


Difference between Flex and Grid

Property: justify-container

Value: end.

Description: Aligns the grid at the end of the container.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties

Difference between Flex and Grid

Property: align-content

Value: space-evenly, space-around, space-between, center, start, end.

Description: Used to align the grid items vertically inside the container. The total height of the grid items must be less than the container's height to add this property.

Code:

```
width: 250px;
grid-template-columns: 50px 50px 50px;
height: 200px;
grid-template-rows: 70px 70px;
```


properties

Property: align-content.

Value: center.

Description: Aligns the rows in the center of the container.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties


Difference between Flex and Grid

Property: align-content.

Value: space-evenly.

Description: Gives an equal amount of space between and around the rows.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties


Difference between Flex and Grid

Property: align-content.

Value: space-around.

Description: Gives an equal amount of space around the rows.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties


Difference between Flex and Grid

Property: align-content.

Value: space-between.

Description: Gives an equal amount of space between the rows.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties

Difference between Flex and Grid

Property: align-content.

Value: start.

Description: Aligns the row at the beginning of the container.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties


Difference between Flex and Grid

Property: align-content.

Value: end.

Description: Aligns the row at the end of the container.

Example:



Important Terminologies **Grid Container** properties

Grid Item properties

Difference between Flex and Grid

Property: grid-column. **Value:** column line numbers.

Description: Define where the item will start and end vertically. Shorthand property of grid-column-start and grid-column-end.

Code:


```
grid-template-columns: auto auto auto auto auto;
```

```
start End
.item1 {
   grid-column: 1 / 7;
}
```

Important Terminologies Grid Container properties

Grid Item properties

Difference between Flex and Grid



CSS Grid Important Terminologies

Grid Container properties

Grid Item properties


Difference between Flex and Grid

Property: grid-row. **Value:** rowline numbers.

Description: Define where the item will start and end horizontally. Shorthand property of grid-row-start and grid-row-end.

Code:

Output:



Span can be used instead of line numbers. Which gives same output

```
.item1 {
   grid-row: 1 / span 2;
}
```

voring > Used for a grid Cell Positioning

Property: grid-area.

Description: Shorthand property of grid-column-start, grid-column-end, grid-row-start, and grid-row-end.

properties

Difference


and Grid

between Flex

Example

Code:

CSS Grid



properties

Terminologies

Difference between Flex and Grid


CSS Flex	CSS Grid
One-dimensional layout can work on either row or column at a time.	Two-dimensional layout can work on rows and columns at a time.
Best suitable for application components and small-scale layouts.	Designed for large-scale layouts that are non-linear in design.
Helps to align contents.	Helps to design the outer layout of the web page.
Content first.	Layout first.

Important Terminologies Grid Container properties

Grid Item properties

Difference between Flex and Grid

Outline:



CSS Grid Important Terminologies

Grid Container properties

Grid Item properties

Difference between Flex and Grid

HTML code:

```
<!DOCTYPE html>
<html>
  <head>
    <title>CSS Grid</title>
    <link href="style.css" rel="stylesheet"</pre>
type="text/css" />
 </head>
  <body>
    <div class="grid-container">
      <div class="item1">Header</div>
      <div class="item2">Side bar</div>
      <div class="item3">Main content</div>
      <div class="item4">Footer</div>
    </div>
   <script src="script.js"></script>
  </body>
</html>
```


CSS Grid

CSS:

```
.grid-container{
 display: grid;
 grid-template-columns: 100px 100px 100px;
 grid-template-rows: 100px 100px 100px 100px;
 grid-gap: 10px;
.grid-container > div{
 background: lightpink;
 border-radius: 1rem;
 text-align: center;
```

```
.item1{
 grid-column: 1 / 5;
.item2{
 grid-row: 2 / 5;
.item3{
 grid-row: 2 / 5;
 grid-column: 2 / 5;
.item4{
 grid-column: 1 / 5;
```

Output:



CSS Grid Important Terminologies

Grid Container properties

Grid Item properties

Difference between Flex and Grid

Grid properties used in our LinkedIn page project

```
.sidebar{
                                                  display:grid;
                                                  grid-template-rows: 1fr;
                                                  grid-row-gap: 5px ;
.mainbody{
   margin:25px 140px;
   display: grid;
   grid-template-columns: 20% 50% 25%;
   grid-gap:16px;
```