HTML and XHTML

Previous

Next >

XHTML is HTML written as XML.

What Is XHTML?

- XHTML stands for EXtensible HyperText Markup Language
- XHTML is almost identical to HTML
- XHTML is stricter than HTML
- XHTML is HTML defined as an XML application
- XHTML is supported by all major browsers

Why XHTML?

Many pages on the internet contain "bad" HTML.

This HTML code works fine in most browsers (even if it does not follow the HTML rules):

```
<html>
<head>
  <title>This is bad HTML</title>

<body>
  <h1>Bad HTML
  This is a paragraph
</body>
```

Today's market consists of different browser technologies. Some browsers run on computers, and some browsers run on mobile phones or other small devices. Smaller devices often lack the resources or power to interpret "bad" markup.

XML is a markup language where documents must be marked up correctly (be "well-formed").

If you want to study XML, please read our XML tutorial.

XHTML was developed by combining the strengths of HTML and XML.

XHTML is HTML redesigned as XML.

The Most Important Differences from HTML:

Document Structure

- XHTML DOCTYPE is mandatory
- The xmlns attribute in <html> is mandatory
- <html>, <head>, <title>, and <body> are mandatory

XHTML Elements

- XHTML elements must be properly nested
- XHTML elements must always be **closed**
- XHTML elements must be in lowercase
- XHTML documents must have one root element

XHTML Attributes

- Attribute names must be in lower case
- Attribute values must be quoted
- Attribute minimization is forbidden

<!DOCTYPE> Is Mandatory

An XHTML document must have an XHTML DOCTYPE declaration.

A complete list of all the XHTML Doctypes is found in our HTML Tags Reference.

The <html>, <head>, <title>, and <body> elements must also be present, and the xmlns attribute in <html> must specify the xml namespace for the document.

This example shows an XHTML document with a minimum of required tags:

XHTML Elements Must Be Properly Nested

In HTML, some elements can be improperly nested within each other, like this:

```
<br/>this text is bold and italic</b></i>
```

In XHTML, all elements must be properly nested within each other, like this:

```
<b><i>This text is bold and italic</i>
```

XHTML Elements Must Always Be Closed

This is wrong:

```
This is a paragraph
This is another paragraph
```

This is correct:

```
This is a paragraph
This is another paragraph
```

Empty Elements Must Also Be Closed

This is wrong:

```
A break: <br/>
A horizontal rule: <hr>
An image: <img src="happy.gif" alt="Happy face">
```

This is correct:

```
A break: <br />
A horizontal rule: <hr />
An image: <img src="happy.gif" alt="Happy face" />
```

XHTML Elements Must Be In Lower Case

This is wrong:

```
<BODY>
<P>This is a paragraph</P>
</BODY>
```

This is correct:

```
<body>
This is a paragraph
</body>
```

XHTML Attribute Names Must Be In Lower Case

This is wrong:

This is correct:

Attribute Values Must Be Quoted

This is wrong:

This is correct:

Attribute Minimization Is Forbidden

Wrong:

```
<input type="checkbox" name="vehicle" value="car" checked />
```

Correct:

```
<input type="checkbox" name="vehicle" value="car"
checked="checked" />
```

Wrong:

```
<input type="text" name="lastname" disabled />
```

Correct:

```
<input type="text" name="lastname" disabled="disabled" />
```

How to Convert from HTML to XHTML

- 1. Add an XHTML <!DOCTYPE> to the first line of every page
- 2. Add an xmlns attribute to the html element of every page
- 3. Change all element names to lowercase
- 4. Close all empty elements
- 5. Change all attribute names to lowercase
- 6. Quote all attribute values

Validate HTML With The W3C Validator

Put your web address in the box below:

https://www.w3schools.com/html/html_validate.html

Validate the page

Previous

Next >

Copyright 1999-2019 by Refsnes Data. All Rights Reserved.