



Machine Learning

Linear Algebra
review (optional)

Matrices
and vectors

Matrix: Rectangular array of numbers:

Dimension of matrix: number of rows x number of columns

Matrix Elements (entries of matrix)

$$A = \begin{bmatrix} 1402 & 191 \\ 1371 & 821 \\ 949 & 1437 \\ 147 & 1448 \end{bmatrix}$$

A_{ij} = “ i j entry” in the i^{th} row,
column.

Vector: An $n \times 1$ matrix.


$$y = \begin{bmatrix} 460 \\ 232 \\ 315 \\ 178 \end{bmatrix}$$

$y_i = i^{th}$ element

1-indexed vs 0-indexed:

$$y = \begin{bmatrix} y_1 \\ y_2 \\ y_3 \\ y_4 \end{bmatrix}$$

$$y = \begin{bmatrix} y_0 \\ y_1 \\ y_2 \\ y_3 \end{bmatrix}$$



Machine Learning

Linear Algebra review (optional) --- Addition and scalar multiplication

Matrix Addition

$$\begin{bmatrix} 1 & 0 \\ 2 & 5 \\ 3 & 1 \end{bmatrix} + \begin{bmatrix} 4 & 0.5 \\ 2 & 5 \\ 0 & 1 \end{bmatrix} =$$

$$\begin{bmatrix} 1 & 0 \\ 2 & 5 \\ 3 & 1 \end{bmatrix} + \begin{bmatrix} 4 & 0.5 \\ 2 & 5 \end{bmatrix} =$$

Scalar Multiplication

$$3 \times \begin{bmatrix} 1 & 0 \\ 2 & 5 \\ 3 & 1 \end{bmatrix} =$$

$$\begin{bmatrix} 4 & 0 \\ 6 & 3 \end{bmatrix} / 4 =$$

Combination of Operands

$$3 \times \begin{bmatrix} 1 \\ 4 \\ 2 \end{bmatrix} + \begin{bmatrix} 0 \\ 0 \\ 5 \end{bmatrix} - \begin{bmatrix} 3 \\ 0 \\ 2 \end{bmatrix} / 3$$



Machine Learning

Linear Algebra
review (optional)

Matrix-vector
multiplication

Example

$$\begin{bmatrix} 1 & 3 \\ 4 & 0 \\ 2 & 1 \end{bmatrix} \begin{bmatrix} 1 \\ 5 \end{bmatrix} =$$

Details:

$$\begin{array}{ccc}
 A & \times & x \\
 \left[\begin{array}{c} \\ \\ \end{array} \right] & \times & \left[\begin{array}{c} \\ \\ \end{array} \right] \\
 \text{m x n matrix} & \text{n x 1 matrix} & \text{m-dimensional vector} \\
 \text{(m rows, n columns)} & \text{(n-dimensional vector)} &
 \end{array}$$

To get y_i , multiply A 's i^{th} row with elements of vector x , and add them up

Example

$$\begin{bmatrix} 1 & 2 & 1 & 5 \\ 0 & 3 & 0 & 4 \\ -1 & -2 & 0 & 0 \end{bmatrix} \begin{bmatrix} 1 \\ 3 \\ 2 \\ 1 \end{bmatrix} =$$

House sizes:


2104

1416

1534

852

$$h_{\theta}(x) = -40 + 0.25x$$



Machine Learning

Linear Algebra
review (optional)

Matrix-matrix
multiplication

Example

$$\begin{bmatrix} 1 & 3 & 2 \\ 4 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 3 \\ 0 & 1 \\ 5 & 2 \end{bmatrix} =$$

$$\begin{bmatrix} 1 & 3 & 2 \\ 4 & 0 & 1 \end{bmatrix} \times \begin{bmatrix} 1 \\ 0 \\ 5 \end{bmatrix} =$$

$$\begin{bmatrix} 1 & 3 & 2 \\ 4 & 0 & 1 \end{bmatrix} \times \begin{bmatrix} 3 \\ 1 \\ 2 \end{bmatrix} =$$

Details:

$$\begin{array}{ccccc}
 A & \times & B & = & C \\
 \left[\begin{array}{c} \\ \\ \end{array} \right] & \times & \left[\begin{array}{c} \\ \\ \end{array} \right] & = & \left[\begin{array}{c} \\ \\ \end{array} \right] \\
 \text{m x n matrix} & & \text{n x o matrix} & & \text{m x o} \\
 \text{(m rows,} & & \text{(n rows,} & & \text{matrix} \\
 \text{n columns)} & & \text{o columns)} & &
 \end{array}$$

The i^{th} column of the matrix C is obtained
 by multiplying B with the i^{th} column of A . (for $i = 1, 2, \dots, o$)

Example

$$\begin{bmatrix} 1 & 3 \\ 2 & 5 \end{bmatrix} \begin{bmatrix} 0 & 1 \\ 3 & 2 \end{bmatrix} = 7$$

$$\begin{bmatrix} 1 & 3 \\ 2 & 5 \end{bmatrix} \begin{bmatrix} 0 \\ 3 \end{bmatrix} =$$

$$\begin{bmatrix} 1 & 3 \\ 2 & 5 \end{bmatrix} \begin{bmatrix} 1 \\ 2 \end{bmatrix} = 2 \quad 7$$

House sizes:

2104

1416

1534

852

Have 3 competing

hypotheses:

1. $h_{\theta}(x) = -40 + 0.25x$

2. $h_{\theta}(x) = 200 + 0.1x$

3. $h_{\theta}(x) = -150 + 0.4x$

Matrix


$$\begin{bmatrix} 1 & 2104 \\ 1 & 1416 \\ 1 & 1534 \\ 1 & 852 \end{bmatrix}$$

\times

Matrix

$$\begin{bmatrix} -40 & 200 & -150 \\ 0.25 & 0.1 & 0.4 \end{bmatrix} =$$

$$\begin{bmatrix} 486 & 410 & 692 \\ 314 & 342 & 416 \\ 344 & 353 & 464 \\ 173 & 285 & 191 \end{bmatrix}$$



Machine Learning

Linear Algebra
review (optional)
Matrix
multiplication
properties

Let A and B be matrices. Then in general,
 $A \times B \neq B \times A$. (not commutative.)

E.g. $\begin{bmatrix} 1 & 1 \\ 0 & 0 \end{bmatrix} \begin{bmatrix} 0 & 0 \\ 2 & 0 \end{bmatrix} = \begin{bmatrix} 2 & 0 \\ 0 & 0 \end{bmatrix}$

$$\begin{bmatrix} 0 & 0 \\ 2 & 0 \end{bmatrix} \begin{bmatrix} 1 & 1 \\ 0 & 0 \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 2 & 2 \end{bmatrix}$$

$$A \times B \times C.$$

Let $D = B \times C$. Compute $A \times D$.

Let $E = A \times B$. Compute $E \times C$.

Identity Matrix

Denoted I (or $I_{n \times n}$).

Examples of identity

matrices:

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

2 x 2

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$


3 x 3

$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

4 x 4

For any matrix A ,

$$A \cdot I = I \cdot A = A$$



Machine Learning

Linear Algebra review (optional)

Inverse and transpose

Not all numbers have an inverse.

Matrix inverse:

If A is an $m \times m$ matrix, and if it has an inverse,

$$AA^{-1} = A^{-1}A = I.$$

Matrices that don't have an inverse are “singular” or “degenerate”

Matrix Transpose

Example:

$$A = \begin{bmatrix} 1 & 2 & 0 \\ 3 & 5 & 9 \end{bmatrix} \qquad A^T = \begin{bmatrix} 1 & 3 \\ 2 & 5 \\ 0 & 9 \end{bmatrix}$$

Let A be an $m \times n$ matrix, $B = A^T$.

and let

Then B is an $n \times m$ matrix, and

$$B_{ij} = A_{ji}.$$