```
In [1]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LinearRegression
```

In [2]: df = pd.read_csv("Fitness csv")
.dropna(axis="columns")
df

Out[2]:

	Row Labels	Sum of Jan	Sum of Feb	Sum of Mar	Sum of Total Sales
0	А	5.62%	7.73%	6.16%	75
1	В	4.21%	17.27%	19.21%	160
2	С	9.83%	11.60%	5.17%	101
3	D	2.81%	21.91%	7.88%	127
4	E	25.28%	10.57%	11.82%	179
5	F	8.15%	16.24%	18.47%	167
6	G	18.54%	8.76%	17.49%	171
7	Н	25.56%	5.93%	13.79%	170
8	Grand Total	100.00%	100.00%	100.00%	1150

In [3]: df.head()

Out[3]:

	Row Labels	Sum of Jan	Sum of Feb	Sum of Mar	Sum of Total Sales
0	А	5.62%	7.73%	6.16%	75
1	В	4.21%	17.27%	19.21%	160
2	С	9.83%	11.60%	5.17%	101
3	D	2.81%	21.91%	7.88%	127
4	Е	25.28%	10.57%	11.82%	179

Data cleaning and pre processing


```
In [4]: | df.info()
         <class 'pandas.core.frame.DataFrame'>
         RangeIndex: 9 entries, 0 to 8
        Data columns (total 5 columns):
              Column
                                   Non-Null Count Dtype
          0
              Row Labels
                                   9 non-null
                                                    object
          1
              Sum of Jan
                                   9 non-null
                                                    object
              Sum of Feb
                                   9 non-null
                                                    object
              Sum of Mar
                                   9 non-null
                                                    object
              Sum of Total Sales 9 non-null
                                                    int64
         dtypes: int64(1), object(4)
        memory usage: 488.0+ bytes
In [5]: df.describe()
Out[5]:
                Sum of Total Sales
                       9.000000
         count
                      255.555556
          mean
           std
                      337.332963
           min
                      75.000000
           25%
                      127.000000
           50%
                      167.000000
           75%
                      171.000000
                     1150.000000
           max
In [6]: df.columns
Out[6]: Index(['Row Labels', 'Sum of Jan', 'Sum of Feb', 'Sum of Mar',
                'Sum of Total Sales'],
```

EDA and VISUALIZATION

dtype='object')

In [7]: sns.pairplot(df)


Out[7]: <seaborn.axisgrid.PairGrid at 0x230edbb74c0>



In [8]: sns.distplot(df["Sum of Total Sales"])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarnin
g: `distplot` is a deprecated function and will be removed in a future version. Please
adapt your code to use either `displot` (a figure-level function with similar flexibil
ity) or `histplot` (an axes-level function for histograms).
 warnings.warn(msg, FutureWarning)

Out[8]: <AxesSubplot:xlabel='Sum of Total Sales', ylabel='Density'>



```
In [10]: sns.heatmap(df1.corr())
Out[10]: <AxesSubplot:>
                                                                        -1.100
                                                                        - 1.075
                                                                        - 1.050
                                                                        - 1.025
                                                                        - 1.000
              Sum of Total Sales
                                                                        -0.975
                                                                         0.950
                                                                         0.925
                                                                         0.900
                                  Sum of Total Sales
```

```
In [11]: | x = df1[['Sum of Total Sales','Sum of Total Sales']]
         y = df1['Sum of Total Sales']
```

split the data into training and test data

```
In [12]: x_train, x_test, y_train, y_test = train_test_split(x,y,test_size=0.3)
In [13]: | lr = LinearRegression()
         lr.fit(x_train, y_train)
Out[13]: LinearRegression()
In [14]: |lr.intercept_
Out[14]: 5.684341886080802e-14
In [15]: coeff = pd.DataFrame(lr.coef_, x.columns, columns =['Co-efficient'])
Out[15]:
```

	Co-efficient
Sum of Total Sales	0.5
Sum of Total Sales	0.5

```
In [16]:
         prediction = lr.predict(x_test)
         plt.scatter(y_test, prediction)
Out[16]: <matplotlib.collections.PathCollection at 0x230ee60d5b0>
          170
          168
          166
          164
          162
          160
               160
                      162
                             164
                                     166
                                            168
                                                   170
In [17]: lr.score(x_test,y_test)
Out[17]: 1.0
In [18]: from sklearn.linear_model import ElasticNet
         en = ElasticNet()
         en.fit(x_train,y_train)
Out[18]: ElasticNet()
In [19]:
         print(en.coef_)
         [9.99989714e-01 6.85716767e-06]
In [20]: print(en.intercept_)
         0.001028024868276134
In [21]:
         print(en.predict(x_test))
         [160.00047944 171.00044172 170.00044515]
In [22]:
         print(en.score(x_test,y_test))
         0.9999999915791138
In [23]: from sklearn import metrics
         print("Mean Absolytre Error:",metrics.mean_absolute_error(y_test,prediction))
         print("Mean Squared Error:",metrics.mean_squared_error(y_test,prediction))
         print("Root Mean Squared Error:",np.sqrt(metrics.mean_squared_error(y_test,prediction))
         Mean Absolytre Error: 5.684341886080802e-14
         Mean Squared Error: 3.2311742677852644e-27
         Root Mean Squared Error: 5.684341886080802e-14
```

In []: