Rajalakshmi Engineering College

Name: shiloh .s

Email: 240701498@rajalakshmi.edu.in

Roll no: 240701498 Phone: 9488883273

Branch: REC

Department: I CSE FE

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20 Marks Obtained : 19

Section 1: MCQ

1. What will be the output of the following Python code?

```
# Predefined lines to simulate the file content
lines = [
    "This is 1st line",
    "This is 2nd line",
    "This is 3rd line",
    "This is 4th line",
    "This is 5th line"
]

print("Name of the file: foo.txt")

# Print the first 5 lines from the predefined list for index in range(5):
    line = lines[index]
```

print("Line No %d - %s" % (index + 1, line.strip()))

Answer

Displays Output

Status: Correct Marks: 1/1

2. How do you create a user-defined exception in Python?

Answer

By creating a new class that inherits from the Exception class

Status: Correct & Marks: 1/1

3. What happens if no arguments are passed to the seek function?

Answer

file position is set to the start of file

Status: Wrong Marks: 0/1

4. What is the default value of reference_point in the following code?

file_object.seek(offset [,reference_point])

Answer

0

Status: Correct Marks: 1/1

5. What is the purpose of the except clause in Python?

Answer

To handle exceptions during code execution

Status: Correct

And Total Apple

And To

6. How do you rename a file?

Answer

os.rename(existing_name, new_name)

Status: Correct Marks: 1/1

7. What is the output of the following code?

```
try:
    x = 1 / 0
    except ZeroDivisionError:
    print("Caught division by zero error")
    finally:
    print("Executed")
```

Answer

Caught division by zero errorExecuted

Status: Correct Marks: 1/1

8. Which clause is used to clean up resources, such as closing files in Python?

Answer

finally

Status: Correct Marks: 1/1

9. What will be the output of the following Python code?

```
f = None
for i in range (5):
    with open("data.txt", "w") as f:
    if i > 2:
        break
print(f.closed)
```

```
Answer
   True
   Status: Correct
                                                                     Marks: 1
   10. What is the output of the following code?
   class MyError(Exception):
      pass
   try:
      raise MyError("Something went wrong")
   except MyError as e:
      print(e)
   Answer
   Something went wrong
   Status: Correct
                                                                     Marks: 1/1
   11. What is the correct way to raise an exception in Python?
   Answer
   raise Exception()
   Status: Correct
                                                                     Marks:
   12. Which of the following is true about
   fp.seek(10,1)
   Answer
   Move file pointer ten characters ahead from the current position
   Status: Correct
                                                                     Marks: 1/1
13. Fill in the code in order to get the following output:
```

	(110	/	
\cap	14	2		٠.
Οι	Ъ.	D	u	ι.

Name of the file: ex.txt fo = open(____(1), "wb") print("Name of the file: ",____)(2)

Answer

1) "ex.txt"2) fo.name

Status: Correct Marks: 1/1

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

['John,21\n','Raj,20\n']

Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct Marks: 1/1

15. What is the output of the following code?

except TypeError: print("Type Error occurred") finally: print("This will always execute") Answer Type Error occurred This will always execute Status: Correct Marks: 1/1 16. Match the following: a) f.seek(5,1) i) Move file pointer five characters behind from the current position b) f.seek(-5,1) ii) Move file pointer to the end of a file c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position d) f.seek(0) iv) Move file pointer to the beginning of a file Answer a-iii, b-i, c-ii, d-iv Status: Correct Marks: 1/1 17. Which of the following is true about the finally block in Python? **Answer** The finally block is always executed, regardless of whether an exception occurs or not Status: Correct Marks: 1/1 18. Fill in the blanks in the following code of writing data in binary files. import_

rec=[]

while True: rn=int(input("Enter")) nm=input("Enter") temp=[rn, nm]	240101498
rn=int(input("Enter"))	107
nm=input("Enter")	0401
temp=[rn, nm]	`V
rec.append(temp)	
ch=input("Enter choice (y/N)")	
if ch.upper=="N":	
break	
f.open("stud.dat","")(2)	
dump(rec,f)(3)	
close()(4)	
•	
Answer	.08
(pickle,wb,pickle,f) Status: Correct	240701498
Status: Correct	2010
of Status : Correct	2 de

19. What is the difference between r+ and w+ modes?

Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status: Correct Marks: 1/1

20. What happens if an exception is not caught in the except clause?

Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

7,498

2,407074.98