Shilpa Pandey 42 D15A

## **Experiment 2**

Aim: To design Flutter UI by including common widgets

Theory:

#### Text:

A Text widget holds some text to display on the screen. We can align the text widget by using **textAlign** property, and style property allow the customization of Text that includes font, font weight, font style, letter spacing, color, and many more.

#### **Button:**

This widget allows you to perform some action on click. Flutter does not allow you to use the Button widget directly; instead, it uses a type of buttons like a **FlatButton** and a **RaisedButton**.

## **Image**

This widget holds the image which can fetch it from multiple sources like from the asset folder or directly from the URL. It provides many constructors for loading image, which are given below:

- Image: It is a generic image loader, which is used by ImageProvider.
- **asset:** It load image from your project asset folder.
- file: It loads images from the system folder.
- **memory:** It load image from memory.
- **network:** It loads images from the network.

#### Scaffold

This widget provides a framework that allows you to add common material design elements like AppBar, Floating Action Buttons, Drawers, etc.

#### Stack

It is an essential widget, which is mainly used for **overlapping** a widget, such as a button on a background gradient.

State Management Widget

In Flutter, there are mainly two types of widget:

- StatelessWidget
- StatefulWidget

## StatefulWidget

A StatefulWidget has state information. It contains mainly two classes: the **state object** and the **widget**. It is dynamic because it can change the inner data during the widget lifetime. This widget does not have a **build()** method. It has **createState()** method, which returns a class that extends the Flutters State Class. The examples of the StatefulWidget are Checkbox, Radio, Slider, InkWell, Form, and TextField.

StatelessWidget

The StatelessWidget does not have any state information. It remains static throughout its lifecycle. The examples of the StatelessWidget are Text, Row, Column, Container, etc.

### Code:

cart

import 'dart:ui';


import 'package:amazon\_clone/model/product\_model.dart';

import 'package:amazon clone/model/user details model.dart';

```
import 'package:amazon clone/providers/user details provider.dart';
import 'package:amazon clone/resources/cloudfirestore methods.dart';
import 'package:amazon clone/utils/color themes.dart';
import 'package:amazon clone/utils/constants.dart';
import 'package:amazon clone/utils/utils.dart';
import 'package:amazon clone/widgets/cart item widget.dart';
import 'package:amazon clone/widgets/custom main button.dart';
import 'package:amazon clone/widgets/search bar widget.dart';
import 'package:amazon clone/widgets/user details bar.dart';
import 'package:cloud_firestore/cloud_firestore.dart';
import 'package:firebase_auth/firebase_auth.dart';
import 'package:flutter/material.dart';
import 'package:provider/provider.dart';
class CartScreen extends StatefulWidget {
const CartScreen({Key? key}) : super(key: key);
@override
State<CartScreen> createState() => CartScreenState();
}
class CartScreenState extends State<CartScreen> {
@override
Widget build(BuildContext context) {
  return Scaffold(
   appBar: SearchBarWidget(
    hasBackButton: false,
    isReadOnly: true,
   body: Center(
    child: Stack(
     children: [
       Column(
        children: [
         const SizedBox(
          height: kAppBarHeight / 2,
         Padding(
           padding: const EdgeInsets.all(8.0),
           child: StreamBuilder(
             stream: FirebaseFirestore.instance
```

```
.collection("users")
      .doc(FirebaseAuth.instance.currentUser!.uid)
      .collection("cart")
      .snapshots(),
   builder: (context,
      AsyncSnapshot<QuerySnapshot<Map<String, dynamic>>>
        snapshot) {
     if (snapshot.connectionState ==
       ConnectionState waiting) {
      return CustomMainButton(
        child: const Text(
          "Loading",
        ),
        color: yellowColor,
        isLoading: true,
        onPressed: () {});
    } else {
      return CustomMainButton(
        child: Text(
          "Proceed to buy (${snapshot.data!.docs.length}) items",
          style: const TextStyle(color: Colors.black),
        ),
        color: yellowColor,
        isLoading: false,
        onPressed: () async {
          await CloudFirestoreClass().buyAllItemsInCart(
            userDetails:
               Provider.of<UserDetailsProvider>(
                    context,
                    listen: false)
                 userDetails);
          Utils().showSnackBar(
            context: context, content: "Done");
        });
    }
   },
  )),
Expanded(
  child: StreamBuilder(
 stream: FirebaseFirestore.instance
   .collection("users")
   .doc(FirebaseAuth.instance.currentUser!.uid)
   .collection("cart")
   .snapshots(),
```

```
builder: (context,
         AsyncSnapshot<QuerySnapshot<Map<String, dynamic>>>
           snapshot) {
        if (snapshot.connectionState == ConnectionState.waiting) {
         return Container();
       } else {
         return ListView.builder(
           itemCount: snapshot.data!.docs.length,
           itemBuilder: (context, index) {
             ProductModel model = ProductModel.getModelFromJson(
               json: snapshot.data!.docs[index].data());
             return CartItemWidget(product: model);
           });
       }
      },
     ))
    ],
   UserDetailsBar(
    offset: 0,
  ),
),
```



#### Home

```
import 'package:amazon_clone/model/user_details_model.dart';
import 'package:amazon_clone/resources/cloudfirestore_methods.dart';
import 'package:amazon_clone/utils/constants.dart';
import 'package:amazon_clone/widgets/ad_banner_widget.dart';
import 'package:amazon_clone/widgets/categories_horizontal_list_view_bar.dart';
import 'package:amazon_clone/widgets/loading_widget.dart';
import 'package:amazon_clone/widgets/products_showcase_list_view.dart';
import 'package:amazon_clone/widgets/search_bar_widget.dart';
import 'package:amazon_clone/widgets/simple_product_widget.dart';
import 'package:amazon_clone/widgets/user_details_bar.dart';
import 'package:flutter/material.dart';
```


class HomeScreen extends StatefulWidget {
 const HomeScreen({Key? key}) : super(key: key);

@override

```
State<HomeScreen> createState() => _HomeScreenState();
}
class HomeScreenState extends State<HomeScreen> {
ScrollController controller = ScrollController();
double offset = 0;
List<Widget>? discount70;
List<Widget>? discount60;
List<Widget>? discount50;
List<Widget>? discount0;
@override
void initState() {
 super.initState();
 getData();
 controller.addListener(() {
   setState(() {
    offset = controller.position.pixels;
  });
 });
}
@override
void dispose() {
 super.dispose();
 controller.dispose();
}
void getData() async {
 List<Widget> temp70 =
  await CloudFirestoreClass().getProductsFromDiscount(70);
 List<Widget> temp60 =
  await CloudFirestoreClass().getProductsFromDiscount(60);
  List<Widget> temp50 =
  await CloudFirestoreClass().getProductsFromDiscount(50);
  List<Widget> temp0 = await CloudFirestoreClass().getProductsFromDiscount(0);
  print("everything is done");
  setState(() {
   discount70 = temp70;
   discount60 = temp60;
```

```
discount50 = temp50;
  discount0 = temp0;
});
}
@override
Widget build(BuildContext context) {
 return Scaffold(
  appBar: SearchBarWidget(
   isReadOnly: true,
   hasBackButton: false,
  body: discount70 != null &&
     discount60 != null &&
     discount50 != null &&
     discount0 != null
     ? Stack(
   children: [
     SingleChildScrollView(
      controller: controller,
      child: Column(
       children: [
         SizedBox(
          height: kAppBarHeight / 2,
         CategoriesHorizontalListViewBar(),
         AdBannerWidget(),
        ProductsShowcaseListView(
           title: "Upto 70% Off", children: discount70!),
        ProductsShowcaseListView(
           title: "Upto 60% Off", children: discount60!),
        ProductsShowcaseListView(
           title: "Upto 50% Off", children: discount50!),
        ProductsShowcaseListView(
           title: "Explore", children: discount0!),
       ],
      ),
     UserDetailsBar(
      offset: offset,
     ),
   ],
```

```
: const LoadingWidget(),
  );
}
}
```



# Conclusion:

Understand the various common widgets like Text , button etc in flutter and also how to use them in flutter App.