Implementation of a Benchmark Suite for Strymon

Nicolas Hafner









Motivation

Other Works

- Investigated 9 papers for other systems
- Almost no paper used a standardised benchmark
- Often very simple benchmarks like Word Count
- Code and data often not published

Timely






Benchmarks

- We implemented three benchmarks:
- 1. Intel's HiBench
- 2. Yahoo's Streaming Benchmark
- 3. Apache Beam's NEXMark

Intel's HiBench

- Big Data micro-benchmark
- Only four latency tests:
- 1. Identity
- 2. Repartition
- 3. Word Count
- 4. Window Reduce



Yahoo Stream Benchmark

- Count ad views for ad campaigns
- Only one, relatively simple data flow:



Beam's NEXMark¹

- Implements an "auctioning system"
- 13 data flows in total
- Uses filter, map, reduce, join, window, session, partition
- Dataflows for Query 5 and 8:




¹Pete Tucker et al. NEXMark-A Benchmark for Queries over Data Streams (DRAFT). Tech. rep. Technical report, OGI School of Science & Engineering at OHSU, Septembers, 2008.

Evaluation

- Run on sgs-r815-03 (AMD, 32 cores, 2.4GHz)
- Measured closed-loop per-epoch latency
- Data generated directly in memory
- Generation re-implemented in Rust
- No foreign systems like Kafka used
- Workload varied between 1K-10Me/s, 1-32 workers


HiBench Latency Scaling

Median Latency (32 workers)




HiBench CDF

CDF (32 workers, 10'000'000 e/s)




YSB Latency Scaling

Median Latency (32 workers)




YSB CDF

CDF (32 workers, 10'000'000 e/s)




NEXMark Latency Scaling

Median Latency (32 workers)




NEXMark CDF

CDF (32 workers, 10'000'000 e/s)



HiBench Worker Scaling

Scaling (10'000'000 e/s)




YSB Worker Scaling




NEXMark Worker Scaling

Scaling (10'000'000 e/s)




NEXMark Window Scaling



NEXMark Slide Scaling

Window Slides Q5 (32 workers, 10'000'000 e/s)



Important Findings

Test

Future Suggestions

- Abstract model definitions for data flows
- Various short and long data flows
- Deterministically generated workloads
- Correctness verification tools

Conclusion