

1. APPLICABLE STANDARDS/SPECIFICATIONS:  
ASME Y14.5-2009, DIMENSIONING AND TOLERANCING.  
ASME Y14.38-1999, ABBREVIATIONS AND ACRONYMS.  
APPLIED MATERIALS 0251-05096: INCH/MILLIMETER  
CONVERSION PROCEDURE

2. SHALL COMPLY WITH PRODUCT EHS REQUIREMENTS PER APPLIED MATERIALS 0250-27105.

3. APPLIED MATERIALS PACKAGING ENGINEERING MUST APPROVE ALL ENGINEERING CHANGES.

4. IF EXACT NOMINAL SIZES DUE TO METRIC EQUIVALENTS ARE NOT AVAILABLE FOR ITEMS WHERE DIMENSIONS ARE NOT CRITICAL SUCH AS CLEATS/LUMBER, METRIC SUBSTITUTIONS ARE PERMITTED, CONSULT PACKAGING ENGINEERING FOR CLARIFICATIONS OF CRITICAL VS. NON-CRITICAL DIMENSIONS.

5. CRATING AND STENCILING PER APPLIED MATERIALS  
0251-70054, LOCATIONS APPROXIMATELY WHERE SHOWN.

6 INSTALL SHEETS OF BARRIER AND POLY FILM PER APPLIED MATERIALS 0251-70054 USING SANDWICH METHOD.

7 SECURE PRODUCT USING BATTENS AND APPROPRIATE STRAPS OR BANDING.



8. PILOT HOLES SHALL BE PRE-DRILLED PRIOR TO INSTALLING LAG BOLTS.

9. FLOORBOARD QUANTITY AND WIDTH CAN BE SUBSTITUTED  
BASED ON AVAILABILITY.


10. ITEM 18 NOT SHOWN IN DRAWING.


11. LABELING MUST BE PER APPLIED MATERIALS 0251-07710.

12. MUST MEET GENERAL PACKAGING REQUIREMENTS PER APPLIED MATERIALS 0250-00098.



18	1	1.D. 46.00 X 38.00 X 91.50	BARRIER BAG	
17	2	1.50 X 3.50 X 20.50	BATTEN, LUMBER	
16	2	0.50 X 3.50 X 8.00	LBM, PLYWOOD	
15	2	1.50 X 3.50 X 8.00	LBM, LUMBER	
14	2	1.50 X 5.50 X 8.00	WELL, LUMBER	
13	2	3.50 X 3.50 X 8.00	BLOCK, LUMBER	
12	2	0.50 X 3.50 X 11.63	LBM, PLYWOOD	
11	2	1.50 X 3.50 X 11.63	LBM, LUMBER	
10	2	0.50 X 3.50 X 15.00	LBM, PLYWOOD	
9	2	1.50 X 3.50 X 15.00	LBM, LUMBER	
8	2	1.50 X 5.50 X 15.00	WELL, LUMBER	
7	2	3.50 X 3.50 X 15.00	BLOCK, LUMBER	
6	2	0.75 X 28.63 X 40.50	DECK, PLYWOOD	
5	1	2.00 X 18.00 X 28.63	CUSHION, FOAM, PE, 2.2 PCF	
4	2	2.00 X 10.00 X 28.63	CUSHION, FOAM, PE, 2.2 PCF	
3	1	1.50 X 1.00 X 46.00	FLOORBOARD, LUMBER	
2	4	1.50 X 9.25 X 46.00	FLOORBOARD, LUMBER	
1	2	3.50 X 3.50 X 40.00	SKID, LUMBER	
ITEM	QTY	DESCRIPTION		TC PART No.
APPROVALS		DATE		TOLERANCES
DESIGNED BY				DECIMALS ANGLES SURFACES
DRAWN BY		M.BRONSTEN 1/15/2024		.XX ± .13 .XXX ± .125
REVISED BY		K.NORI 1/16/2024		± 1' ✓
MFG ENGR				UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES. REMOVE BURRS AND SHARP EDGES.
CHECKED BY				MATERIAL
		SEE BOM		SIZE
		FINISH		D PART NO.
		NONE		0205-09004 REV
				02
				WEIGHT
				-
				SHEET
				Sheet 1 of 1





3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE

SHIPPING BASE  
AC POWER BOX, 2K DLT HV

UNLESS OTHERWISE SPECIFIED:  
ALL DIMENSIONS ARE IN INCHES.  
REMOVE BURRS AND SHARP EDGES.

SIZE	D	PART NO.	0205-09004	REV	02
WEIGHT	-	SHEET	Sheet 3 of 3		