



NOTES: UNLESS OTHERWISE SPECIFIED:

- | | | | |
|----|--|----|--|
| 1. | <p>APPLICABLE STANDARDS/SPECIFICATIONS:
 ASME Y14.5–2009, DIMENSIONING AND TOLERANCING.
 ASME Y14.38–1999, ABBREVIATIONS AND ACRONYMS.
 APPLIED MATERIALS 0251–05096: INCH/MILLIMETER
 CONVERSION PROCEDURE.</p> | 5. | <p>CRATING AND STENCILING TO COMPLY PER APPLIED MATERIALS 0251–70054.
 CHARACTERS IN THE APPROXIMATE LOCATION SHOWN.</p> |
| 2. | <p>SHALL COMPLY WITH PRODUCT EHS REQUIREMENTS
 PER APPLIED MATERIALS 0250–27105.</p> | 6. | <p>SECURE PRODUCT TO DECK WITH PROVIDED HARDWARE.</p> |
| 3. | <p>APPLIED MATERIALS PACKAGING ENGINEERING MUST APPROVE
 ALL ENGINEERING CHANGES.</p> | 7. | <p>FLOORBOARD QUANTITY AND WIDTH CAN BE SUBSTITUED BASED ON THE AVAILABILITY.</p> |
| 4. | <p>IF EXACT NOMINAL SIZES DUE TO METRIC EQUIVALENTS
 ARE NOT AVAILABLE FOR ITEMS WHERE DIMENSIONS ARE
 NOT CRITICAL SUCH AS CLEATS/LUMBER, METRIC SUBSTITUTIONS ARE PERMITTED.
 CONSULT PACKAGING ENGINEERING FOR CLARIFICATIONS OF
 CRITICAL VS. NON–CRITICAL DIMENSIONS.</p> | 8. | <p>LABELING MUST BE PER APPLIED MATERIALS 0251–07710.</p> |
| | | 9. | <p>MUST MEET GENERAL PACKAGING REQUIREMENTS PER APPLIED MATERIALS 0250–00098.</p> |

REV	DESCRIPTION	BY	DATE	APR







14	9		0.39 X 3.50 X 26.50, FOAM	
13	2		0.63 X 3.50 X 4.00, LBM, PLYWOOD	
12	1		1.50 X 3.50 X 34.50, LBM, LUMBER	
11	2		1.50 X 3.50 X 60.00, LBM, LUMBER	
10	8		1.00 X 1.50 X 14.75, 1.7#FOAM	
9	2		1.50 X 3.50 X 20.00, LBM, LUMBER	
8	1		0.25 X 3.50 X 25.50, LBM, PLYWOOD	
7	2		1.50 X 3.50 X 45.00, LBM, LUMBER	
6	4		1.50 X 3.50 X 9.25, LBM, LUMBER	
5	13		1.50 X 3.50 X 44.00, LBM, LUMBER	
4	2		3.50 X 3.50 X 16.75, SKID, LUMBER	
3	1		1.50 X 6.00 X 44.00, FLOORBOARD, LUMBER	
2	8		1.50 X 9.25 X 44.00, FLOORBOARD, LUMBER	
1	3		3.50 X 3.50 X 82.00, SKID, LUMBER	
ITEM	QTY	PART NO.	DESCRIPTION	TCENG NO.

APPROVALS		DATE	TOLERANCES		 APPLIED MATERIALS® <small>3050 BOWERS AVE., SANTA CLARA, CA 95054</small> TITLE: SHIPPING BASE, DLG_EYE LIFT DLT 2K HV
DESIGNED BY	NELSON PENG	2024/12/19	DECIMALS	ANGLES SURFACES	
DRAWN BY	NELSON PENG	2024/12/23	XX ± .12	—	
REVISED BY			XXX -	✓	
MFG ENGR			UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES, REMOVE BURRS AND SHARP EDGES.		
CHECKED BY			MATERIAL	SEE BOM	
APPLIED MATERIALS' CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS, INC.			FINISH	NONE	

SIZE	PART NO.	REV.
D	0205-12616	01
MICROT	-LB REF	1 OF 3

BASE DETAILS
ITEM 1-8 DETAILS





3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE: SHIPPING BASE,
DLG_EYE LIFT DLT 2K HV

SIZE: D	PART NO: 0205-12616	REV: 01
WEIGHT: -LB REF	SHEET: 2 OF 3	

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT
AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL,
AND CANNOT BE COPIED OR DISCLOSED
IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN
CONSENT OF APPLIED MATERIALS, INC.

