

Test Case Details


Project : Echo Aptumo
Application : AU Aptumo
Test Case : Goodwill Payment - Payment to Contract Process
Description :
Data Tag : Summer20_Om
Machine Name : Shivam-Parashar
OS : Windows
Browser : Chrome(98.0.4758.82)
User Name : Shivam.echo@bqurious.com
Run Name : Goodwill Payment - Payment to Contract Process
Run Date : 2022-02-15 09:52:39.0

1 Launch URL <https://echo-summer20-dev-ed.my.salesforce.com/> **PASS**
<https://echo-summer20-dev-ed.my.salesforce.com/> launched successfully

2 If element (App Launcher icon) is not visible Then **PASS**
Returned True

3 Maximize the browser **PASS**
Browser window maximized

4 Enter omprakashmishra@echo-ms.com.summer20 in Element Username on screen Login **PASS**
Set value omprakashmishra@echo-ms.com.summer20 successfully, Object Found by : name = username



5 Enter ***** in Element Password on screen Login PASS

Set value ***** successfully, Object Found by : id = password

6 Click on Login on screen Login PASS

Click performed successfully, Object Found by : id = Login

7 Copy value https://echo-summer20-dev-ed.my.salesforce.com/ between left boundary and right boundary to Variable baseUrl as String PASS

String value https://echo-summer20-dev-ed.my.salesforce.com/ copied in variable baseUrl

8 Condition End PASS

endIf executed successfully

9 Create a Random Alphanumeric String PASS

Generated String 'SITCeI5Z4T' and stored in randomUUID

*This is use for User account

10 Copy value Owner between left boundary and right boundary to Variable UserType as String PASS

String value Owner copied in variable UserType

11	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/oauth2/token with path	PASS
	POST request executed successfully with response : HTTP/1.1 200 OK	
12	To find key access_token in source {{_bq_response_data_}} and store in variable token.	
	Value 00DB00000005vDT! AQoAQPGelliY_DpOo15WJMgIyxEiXGCe0pKBmpIRArJpiVN8iRf_yfj1zjN478m3cptYxuVfaB for jsonpath : access_token stored in variable token	
13	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Device__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
14	To find key id in source {{_bq_response_data_}} and store in variable deviceId.	PASS
	Value a18B00000000ugKnIAI for jsonpath : id stored in variable deviceId	
15	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Location__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
16	To find key id in source {{_bq_response_data_}} and store in variable locationId.	PASS
	Value a1gB00000000LQFXIA4 for jsonpath : id stored in variable locationId	
17	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__SupplyPoint__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
18	To find key id in source {{_bq_response_data_}} and store in variable supplyPointId.	PASS
	Value a2cB00000000PrTpIAK for jsonpath : id stored in variable supplyPointId	

19	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__SupplyPointDevice__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
20	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableService__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
21	To find key id in source { {_bq_response_data_} } and store in variable availableWaterServiceId.	PASS
	Value a0CB0000008szKYMAY for jsonpath : id stored in variable availableWaterServiceId	
22	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableBundle__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
23	To find key id in source { {_bq_response_data_} } and store in variable waterBundleId.	PASS
	Value a08B000000MXdfQIAT for jsonpath : id stored in variable waterBundleId	
24	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableService__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
25	To find key id in source { {_bq_response_data_} } and store in variable availableSewerageServiceId.	PASS
	Value a0CB0000008szKdMAI for jsonpath : id stored in variable availableSewerageServiceId	
26	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableBundle__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	

27	To find key id in source { {_bq_response_data_} } and store in variable sewerageBundleId.	PASS
	Value a08B000000MXdfVIAT for jsonpath : id stored in variable sewerageBundleId	
28	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Reading__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
29	Send the API request using HTTPGet on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Location__c/{locationId} with path	PASS
	GET request executed successfully with response : HTTP/1.1 200 OK	
30	To find key Apt_AU__LoadReference__c in source { {_bq_response_data_} } and store in variable location.	PASS
	Value LOC-000002417 for jsonpath : Apt_AU__LoadReference__c stored in variable location	
31	Send the API request using HTTPGet on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__SupplyPoint__c/{supplyPointId} with path	PASS
	GET request executed successfully with response : HTTP/1.1 200 OK	
32	To find key Name in source { {_bq_response_data_} } and store in variable supplyPointNumber.	PASS
	Value SP-000002452 for jsonpath : Name stored in variable supplyPointNumber	
33	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Account with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
34	To find key id in source { {_bq_response_data_} } and store in variable accountId.	PASS
	Value 001B000001P2YwdIAF for jsonpath : id stored in variable accountId	

35	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Contact with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
36	To find key id in source { {_bq_response_data_} } and store in variable contactId.	PASS
	Value 003B000000KoQOjIAN for jsonpath : id stored in variable contactId	
37	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__LocationOccupant__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
38	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__BillingContract__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
39	To find key id in source { {_bq_response_data_} } and store in variable contractId.	PASS
	Value a0dB0000001O4ejIAC for jsonpath : id stored in variable contractId	
40	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Service__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
41	To find key id in source { {_bq_response_data_} } and store in variable waterServiceId.	PASS
	Value a2QB0000001yDyiMAE for jsonpath : id stored in variable waterServiceId	
42	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Service__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	

43 To find key id in source { {_bq_response_data_} } and store in variable sewerageServiceId. PASS

Value a2QB0000001yDynMAE for jsonpath : id stored in variable sewerageServiceId

44 Send the API request using HTTPGet on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableBundle__c/{ {sewerageBundleId} }/Apt_AU__AvailableServiceItems__r/ with path PASS

GET request executed successfully with response : HTTP/1.1 200 OK

45 To find key records[0].Id in source { {_bq_response_data_} } and store in variable sewerageServiceItem. PASS

Value a0AB00000005QYf2MAG for jsonpath : records[0].Id stored in variable sewerageServiceItem

46 To find key records[0].Apt_AU__ServiceItemType__c in source { {_bq_response_data_} } and store in variable sewerageServiceItemType. PASS

Value a2MB00000022P5DMAU for jsonpath : records[0].Apt_AU__ServiceItemType__c stored in variable sewerageServiceItemType

47 Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__ServiceItem__c with path PASS

POST request executed successfully with response : HTTP/1.1 201 Created

48 Send the API request using HTTPGet on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableBundle__c/{ {waterBundleId} }/Apt_AU__AvailableServiceItems__r/ with path PASS

GET request executed successfully with response : HTTP/1.1 200 OK

49 To find key records[0].Id in source { {_bq_response_data_} } and store in variable waterServiceItem1. PASS

Value a0AB00000005QYexMAG for jsonpath : records[0].Id stored in variable waterServiceItem1

50	To find key records[1].Id in source {{_bq_response_data_}} and store in variable waterServiceItem2.	PASS
	Value a0AB0000005QYeyMAG for jsonpath : records[1].Id stored in variable waterServiceItem2	
51	To find key records[0].Apt_AU__ServiceItemType__c in source {{_bq_response_data_}} and store in variable waterServiceItemType1.	PASS
	Value a2MB0000001pUqHMAU for jsonpath : records[0].Apt_AU__ServiceItemType__c stored in variable waterServiceItemType1	
52	To find key records[1].Apt_AU__ServiceItemType__c in source {{_bq_response_data_}} and store in variable waterServiceItemType2.	PASS
	Value a2MB00000022P58MAE for jsonpath : records[1].Apt_AU__ServiceItemType__c stored in variable waterServiceItemType2	
53	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__ServiceItem__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
54	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__ServiceItem__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
55	Send the API request using HTTPGet on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__BillingContract__c/{{contractId}} with path	PASS
	GET request executed successfully with response : HTTP/1.1 200 OK	
56	To find key Name in source {{_bq_response_data_}} and store in variable billingContractNumber.	PASS
	Value CON-00002666 for jsonpath : Name stored in variable billingContractNumber	

57 Launch URL {{baseUrl}}/lightning/r/Apt_AU__BillingContract__c/{{contractId}}/view PASS


https://echo-summer20-dev-ed.my.salesforce.com/lightning/r/Apt_AU__BillingContract__c/a0dB0000001O4ejIAC/view launched successfully

58 Launch URL {{baseUrl}}/lightning/r/Apt_AU__Location__c/{{locationId}}/view PASS

https://echo-summer20-dev-ed.my.salesforce.com/lightning/r/Apt_AU__Location__c/a1gB0000000LQFXIA4/view launched successfully

59 Verify Device-Tab is visible on the screen LOC. PASS

Element is visible, Object Found by : `xpath = //div[contains(@class,'active')]/a[text() = 'Devices']`



60 Click on Device-Tab on screen LOC PASS

Click performed successfully, Object Found by : `xpath = //div[contains(@class,'active')]/a[text() = 'Devices']`

[*Click on the Device tab](#)

61 If element (Waiting-Spinner) is visible Then PASS

Returned True, Object Found by : `xpath = //lightning-spinner[1]`

62 Condition End

PASS

endIf executed successfully

63 Copy the cell value, in the variable deviceNumber from table DEVICE NO, located at column DEVICE NO. and row number 1.

PASS

Table cell value DEV-000002435 copied in variable deviceNumber, Object Found by : xpath = //div[contains(@class,'active')] //span[@title='Devices']/ancestor::article[contains(@class,'forceRelatedListCardDesktop')]/table

*Copy the device number

DEVICE NO.	DEVICE TYPE	SERIAL NO.	ACTIVE	DEVICE TYPE	SERVICE TYPE
DEV-000002435	Kent - 20mm	SITCe15Z4T	<input checked="" type="checkbox"/>	Kent - 20mm	

READING DATE	ACTUAL DEVICE READING	READING METHOD	READING TYPE	HIGH READING	GROSS CONSUMPTION	READING SOURCE	BILLABLE TYPE	TRIPPED	ALL SERVICES BILLED
No items to display									

SERVICE NO.	SERVICE TYPE	BILLING CONTRACT	SUPPLY POINT	SERVICE START DATE	BILLED
No items to display					

BILL	BILL ITEM NAME	FROM	TO	SERVICE ITEM TYPE	PREVIOUS AMOUNT	PREVIOUS DISCOUNT	PREVIOUS TAX
No items to display							

64 To click in the table Device-Table cell at column SERIAL NO. and row 1

PASS

Click in table cell successfully, Object Found by : cssselector = table[data-aura-class='Apt_AUGIAp_GenericTable']

*Click on the serial number

65 Copy the cell value, in the variable lastReadingValue from table Device Reading Table, located at column ACTUAL DEVICE READING and row number 1.

PASS


Table cell value 000 copied in variable lastReadingValue, Object Found by : xpath = //div[contains(@class,'active')]//span[@title='Readings']/ancestor::article//table

66 Click on Add New Reading Button on screen LOC

PASS

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/button[text() = 'New']

*Click on New



67 Add the values and store it into variable newReading

PASS

Value successfully add and result 100 stored in variable newReading

68 if readingDate is empty Then

PASS

Returned True

69 Copy value Jan 31, 2021 between left boundary and right boundary to Variable readingDate as String

PASS

String value Jan 31, 2021 copied in variable readingDate

70 Condition End

PASS

endIf executed successfully

71 Enter readingDate in Element Reading Date on screen LOC

PASS

Set value Jan 31, 2021 successfully, Object Found by : label = Reading Date*

*Enter the Reading date

The screenshot shows the 'New Reading' form in the aptumo application. The 'Reading Date' field is highlighted with a blue border and contains the text 'Jan 31, 2021'. The 'Actual Device Reading' field is empty. The form includes sections for 'Information', 'Services (0)', and 'Bill Item Amendments'. The background shows the 'LOC-000002417' location details and a table of readings.

READING DATE	ACTUAL DEVICE READING
Jan 1, 2021	000

72 Enter newReading in Element Actual Device Reading on screen LOC

PASS

Set value 100 successfully, Object Found by : label = Actual Device Reading*

*Enter the Actual Device Reading

The screenshot shows the 'New Reading' form in the aptumo application. The 'Actual Device Reading' field is highlighted with a blue border and contains the text '100'. The 'Reading Date' field contains 'Jan 31, 2021'. The form includes sections for 'Information', 'Services (0)', and 'Bill Item Amendments'. The background shows the 'LOC-000002417' location details and a table of readings.

READING DATE	ACTUAL DEVICE READING
Jan 1, 2021	000

73 Select Regular from Reading Type on screen LOC.

PASS

Option with text Regular selected successfully, Object Found by : label = Reading Type*

*Select the Reading Type as Regular

74 Select Actual from Reading Method on screen LOC.

PASS

Option with text Actual selected successfully, Object Found by : xpath = //div[2]/div[1]/select[1]

*Select the Reading Method as Actual

75 Select Customer Reading from Reading Source on screen LOC.

PASS

Option with text Customer Reading selected successfully, Object Found by : label = Reading Source*

*Select the Reading Source as Cyclic Reading

76 Select Billable from Billable Type on screen LOC.

PASS

Option with text Billable selected successfully, Object Found by : label = Billable Type*

*Select the Billing type as Billable

The screenshot displays the 'New Reading' form in the aptumo application. The form is titled 'New Reading' and contains several fields: 'Reading Date' (Jan 31, 2021), 'Actual Device Reading' (100), 'Reading Type' (Regular), 'Reading Method' (Actual), 'Reading Source' (Customer Reading), and 'Billable Type' (Billable). There is an 'Estimate' button. The background shows the aptumo navigation menu with options like Customers, Home, Accounts, Contacts, Cases, Locations, Billing Contracts, Devices, Information Statements, and Dashboards. The location is LOC-000002417.

77 Scroll the Save New Reading to view on to the screen

PASS

Element scrolled into visible screen, Object Found by : `xpath = //div[contains (@class,'active')]/button[text() = 'Save']`

78 To click on the element

PASS

Click performed successfully, Object Found by : `xpath = //div[contains (@class,'active')]/button[text() = 'Save']`

[*Click on Save](#)

aptumo

Search...

Customers Home Accounts Contacts Cases Locations Billing Contracts Devices Information Statements Dashboards

Location LOC-000002417 + Follow

DEVICE NO. DEV
DEV-000002435 Ken

Readings (1)

READING DATE	ACTUAL DEVICE READING
Jan 1, 2021	000

Services (0)

SERVICE NO.	SER
-------------	-----

Bill Item Amendmen

BILL	BILL ITEM NAME	FROM	TO	SERVICE ITEM TYPE	PREVIOUS AMOUNT	PREVIOUS DISCOUNT	PREVIOUS TAX
No items to display							

New Reading

If this is an amendment, please select the last good record (all more recent records will be amended)

Readings (1)

SELECT	READING DATE	ACTUAL DEVICE READING	READING METHOD	READING TYPE	HIGH READING	GROSS CONSUMPTION	READING SOURCE	BILLABLE TYPE	TRIPPED	ALL SERVICES BILLED
<input type="checkbox"/>	Jan 1, 2021	000	Actual	Initial	<input type="checkbox"/>	0	Company Reading	Billable	<input type="checkbox"/>	<input type="checkbox"/>

Cancel Save

79 Launch URL `{{baseUrl}}/lightning/r/Apt_AU__BillingContract__c/{{contractId}}/view`

PASS


https://echo-summer20-dev-ed.my.salesforce.com/lightning/r/Apt_AU__BillingContract__c/a0dB0000001O4ejIAC/view launched successfully

80 Click on Create Bill Button on screen CON

PASS

Click performed successfully, Object Found by : `xpath = //div[contains (@class,'active')]/button[text() = 'Create Bill']`

[*Click on Create Bill button](#)



81 If element (Generate PDF Button) is not visible Then PASS
 Element is visible on the screen.Else part will be executed, if mentioned

82 Execute the loop with starting index 1 and ending index 4 --

83 Refresh the browser page --

84 Wait for the Create Bill Button to be displayed on the screen CON --

85 Click on Create Bill Button on screen CON --

86 Wait till Waiting-Spinner is not visible on the screenRecently Viewed --

87 If element (Generate PDF Button) is visible Then --

88 Exit from for loop --

89 Condition End

--

90 Loop End

--

91 Condition End

PASS

endif executed successfully, Object Found by : xpath = //div[contains (@class,'active')]/button[text() = 'Generate PDF']

92 Verify Bill Invoice Number is visible on the screen CON.

PASS

Element is visible, Object Found by : xpath = //div[text()='Bill']/following-sibling::slot/lightning-formatted-text[starts-with(text(),'INV-')]

The screenshot displays the Aptumo web application interface. At the top, there is a navigation bar with the Aptumo logo, a search bar, and various menu items including Customers, Home, Accounts, Contacts, Cases, Locations, Billing Contracts, Devices, and Information Statements. The main content area shows a bill details page for the invoice number INV-0000006659. The page includes a 'Related List Quick Links' section with links for Bill Items (3), Bill Service Types (2), Files (0), Balance Transactions (1), Bill Write Offs (0), Bill Exports (0), and Bill Releases (0). Below this is a 'Details' tab with a table of bill information. The table has two columns: 'Details' and 'Values'. The rows include Bill Number, Bill Type, Bill ID, Billing Contract, Due Date, Billed Amount, Total Amount Outstanding, Total Discount Amount, and Total Tax Amount. The bill number is INV-0000006659, the bill type is Normal, the bill ID is 3000000066590, and the billing contract is CON-00002666. The due date is 3/15/2022, the billed amount is \$200.32, the total amount outstanding is \$200.32, and the total discount amount is \$0.00. On the right side of the page, there is a 'PDF' section with a 'Generate PDF' button.

Details	Values
Bill Number	INV-0000006659
Bill Type	Normal
Bill ID	3000000066590
Billing Contract	CON-00002666
Due Date	3/15/2022
Billed Amount	\$200.32
Total Amount Outstanding	\$200.32
Total Discount Amount	\$0.00
Total Tax Amount	

93 Launch URL {{baseUrl}}/lightning/r/Apt_AU__BillingContract__c/{{contractId}}/view

PASS

https://echo-summer20-dev-ed.my.salesforce.com//lightning/r/Apt_AU__BillingContract__c/a0dB0000001O4ejIAC/view launched successfully

94 Copy Contract Balance value exists between and to Variable primaryContractBalance as String PASS

Element value \$200.32 is copied as String in variable primaryContractBalance,
Object Found by : xpath = //div[contains(@class,'active')]/records-record-layout-row[2]/slot[1]/records-record-layout-item[2]/div[1]/div[1]/div[2]/span

95 Launch URL {{baseUrl}}/lightning/r/Account/{{accountId}}/view PASS

https://echo-summer20-dev-ed.my.salesforce.com//lightning/r/Account/001B000001P2YwdIAF/view launched successfully

96 Click on Rates and Goodwill dropdown btn on screen Lightning Experience PASS


Click performed successfully, Object Found by : xpath = //div[contains(@class,'active')]/flexipage-accordion-section[2]/lightning-accordion-section[1]/section[1]/div[1]/h3[1]/button[1]/lightning-primitive-icon[1]

97 Click on Goodwill Payment btn on screen Lightning Experience PASS

Click performed successfully, Object Found by : xpath = //div[contains(@class,'active')]/button[text() = 'Goodwill Payment']

98 Click on Payment to Contract_Process As on screen Recently Viewed PASS

Click performed successfully, Object Found by : xpath = //div[contains(@class,'active')]/div[@id='modal-content-id-1']/div[1]/div[1]/div[1]/div[1]/fieldset[1]/fieldset[1]/div[1]/div[1]/span[2]/label[1]/span[1]



99 Enter 40 in Element Amount_Goodwill Payment on screen Lightning Experience **PASS**

Set value 40 successfully, Object Found by : cssselector = input[data-aura-class='uiInputSmartNumber']

100 Select GSL - (Water) from Goodwill Reason combo on screen Lightning Experience. **PASS**


Option with text GSL - (Water) selected successfully, Object Found by : attribute = select[aria-required='true']

101 Enter billingContractNumber in Element Contract Payment_edit on screen Recently Viewed **PASS**

Set value CON-00002666 successfully, Object Found by : id = combobox-unique-id

102 Click on Search Selected_Contract Payment on screen Recently Viewed **PASS**

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/span[@id='listbox-option-unique-id-01']/span[2]



103 Click on Save_Rates and Goodwill on screen Lightning Experience **PASS**


Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/button[2]

104	Refresh the browser page	PASS
	Browser Refreshed	
105	Launch URL {{baseUrl}}/lightning/r/Apt_AU__BillingContract__c/{{contractId}}/view	PASS
	https://echo-summer20-dev-ed.my.salesforce.com//lightning/r/Apt_AU__BillingContract__c/a0dB0000001O4ejIAC/view launched successfully	
106	Copy Contract Balance value exists between and to Variable updatedContractBalance as String	PASS
	Element value \$160.32 is copied as String in variable updatedContractBalance, Object Found by : xpath = //div[contains(@class,'active')]/records-record-layout-row[2]/slot[1]/records-record-layout-item[2]/div[1]/div[1]/div[2]/span	
107	If element (Show All Billing Contracts Links) is visible Then	PASS
	Returned True, Object Found by : xpath = //a[text() = 'Show All (28)']	
108	Click on Show All On Billing Contract on screen Recently Viewed	PASS
	Click performed successfully, Object Found by : xpath = //a[normalize-space() = 'Show All (28)']	
109	Condition End	PASS
	endIf executed successfully	
110	Click on Payments_QuickLink on screen Lightning Experience	PASS
	Click performed successfully, Object Found by : xpath = //span[contains(text(), 'Payments')]	
111	Verify if the cell, at column 4 and row number 1, value is Goodwill in table Payments table.	PASS
	Target cell value Goodwill matches, Object Found by : xpath = //div[@id='brandBand_2']/div[1]/div[1]/div[1]/div[1]/div[1]/div[2]/div[1]/div[1]/div[2]/div[2]/div[1]/div[1]/div[1]/table[1]	

112 Verify if the cell, at column 4 and row number 2, value is Payment in table Payments table.

PASS

Target cell value Payment matches, Object Found by : xpath = //div[@id='brandBand_2']/div[1]/div[1]/div[1]/div[1]/div[1]/div[2]/div[1]/div[1]/div[2]/div[2]/div[1]/div[1]/table[1]



Billing Contracts > CON-00002666

Payments

2 items • Sorted by Payment Date • Updated a few seconds ago

1	<input type="checkbox"/>	P-00001266	Goodwill	QA OwnerSITCel5Z4T	2/15/2022	-\$40.00
2	<input type="checkbox"/>	P-00001267	Payment	QA OwnerSITCel5Z4T	2/15/2022	\$40.00

113 If primaryContractBalance is equal to updatedContractBalance Then

--

114 Verify Contract Balance value is primaryContractBalance on screen Lightning Experience.

--

115 Condition End

--

116 To click on the link 1 located at column 3 and row number 1 in table Payments table.

PASS

Click P-00001266 in table cell successfully, Object Found by : xpath = //div[@id='brandBand_2']/div[1]/div[1]/div[1]/div[1]/div[1]/div[2]/div[1]/div[1]/div[2]/div[2]/div[1]/div[1]/table[1]

117 Verify Approved_Refund Status value is Approved on screen Payments.

PASS

Element value Approved matches, Object Found by : xpath = //div[contains(@class,'active')]/lightning-formatted-text[contains(text(),'Approved')]

118 Verify checkbox (Do Not Allocate to Instalments_Goodwill) is displayed as checked.

PASS

Checkbox is checked, Object Found by : `xpath = //span[text()='Do Not Allocate to Instalments']/ancestor::label/preceding-sibling::input`

119 Verify Record Type_Goodwill value is Goodwill on screen Payments.

--

120 Click Browser back button

PASS

Navigate back successfully

121 To click on the link 1 located at column 3 and row number 2 in table Payments table.

PASS

Click P-00001267 in table cell successfully, Object Found by : `xpath = //div[@id='brandBand_2']/div[1]/div[1]/div[1]/div[1]/div[1]/div[2]/div[1]/div[1]/div[2]/div[2]/div[1]/div[1]/div[1]/table[1]`

122 Verify Record Type_Goodwill value is Payment on screen Payments.

PASS

Element value Payment matches, Object Found by : `xpath = //div[contains(@class,'active')]/records-record-type[1]/div[1]/div[1]/span`

123 Click on Payment Allocation Quick Link on screen Payments

PASS

Click performed successfully, Object Found by : `xpath = //div[contains(@class,'active')]/span[contains(text(),'Payment Allocations')]`

124 Click Browser back button

PASS

Navigate back successfully

125 Verify checkbox (Goodwill Payment_Payment) is displayed as checked.

PASS

Checkbox is checked, Object Found by : `xpath = //div[contains(@class,'active')]/span[text()='Goodwill Payment']/ancestor::label/preceding-sibling::input`

126 Verify checkbox (Do Not Allocate to Instalments_Payment) is displayed as checked.

PASS

Checkbox is checked, Object Found by : `xpath = //div[contains(@class,'active')]/span[text()='Do Not Allocate to Instalments']/ancestor::label/preceding-sibling::input`

127 Click on payment Allocation_Quick link on screen Lightning Experience

PASS

Click performed successfully, Object Found by : `xpath = //div[contains(@class,'active')]/span[contains(text(),'Payment Allocations')]`

128 To click on the link 1 located at column 3 and row number 1 in table Payment Allocations_Table.

PASS

Click PA-00006184 in table cell successfully, Object Found by : xpath = //div[contains(@class,'active')]/table[@aria-label='Payment Allocations']

129 Copy Amount Allocated_Payment Allocation value exists between and to Variable payment1 as String

PASS

Element value \$39.68 is copied as String in variable payment1, Object Found by : label = Amount Allocated

The screenshot shows the Aptumo web application interface. At the top, there is a search bar and navigation tabs: Customers, Home, Accounts, Contacts, Cases, Locations, Billing Contracts, Devices, and Information Statements. The main header indicates the user is logged in as Omprakash Mishra. The page title is 'Payment Allocation PA-00006184'. Below the title, there is a table with the following data:

Field	Value
Payment	P-00001267
Instalment	
Amount Allocated	\$39.68
Active	<input checked="" type="checkbox"/>
Status	Allocated
Tax Amount	\$0.00
Discount Amount	\$0.00
Created By	Omprakash Mishra, 2/15/2022, 8:56 PM
Last Modified By	Omprakash Mishra, 2/15/2022, 8:56 PM

130 Click on Financial Control Quick Links on screen Payments


PASS

Click performed successfully, Object Found by : xpath = //div[contains(@class,'active')]/slot/span[starts-with(text(),'Financial Control')]

131 Verify if the cell, at column 8 and row number 1, value is payment1 in table Financial Control Table.

PASS

Target cell value \$39.68 matches, Object Found by : xpath = (//table)[last()]



Payment Allocations > PA-00006184
Financial Control
1 item • Updated a few seconds ago

1	<input checked="" type="checkbox"/>	FCR-000019140	2	026B0000000sglXIAQ	2022	\$39.68	Monthly	1
---	-------------------------------------	---------------	---	--------------------	------	---------	---------	---

132 Click Browser back button

PASS

Navigate back successfully

133 Click Browser back button

PASS

Navigate back successfully

134 To click on the link 1 located at column 3 and row number 2 in table Payment Allocations_Table.

PASS

Click PA-00006183 in table cell successfully, Object Found by : xpath = //div [contains(@class,'active')]/table[@aria-label='Payment Allocations']

135 Copy Amount Allocated_Payment Allocation value exists between and to Variable payment2 as String

PASS

Element value \$0.16 is copied as String in variable payment2, Object Found by : label = Amount Allocated

Payment Allocation
PA-00006183

Payment: P-00001267

Bill Item: BI-0000024524

Amount Allocated: \$0.16

Active: ☒

Status: Allocated

Tax Amount: \$0.00

Discount Amount: \$0.00

Created By: Omprakash Mishra, 2/15/2022, 8:56 PM

Last Modified By: Omprakash Mishra, 2/15/2022, 8:56 PM

136 Click on Financial Control_quick link_Payment Allocation on screen Payment Allocations

PASS

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/slot/span[starts-with(text(),'Financial Control')]

137 Verify if the cell, at column 8 and row number 1, value is payment2 in table Financial Control Table.

PASS

Target cell value \$0.16 matches, Object Found by : xpath = (//table)[last()]

Payment Allocations > PA-00006183

Financial Control

1 item • Updated a few seconds ago

1	<input type="checkbox"/> FCR-000019139	2	026B000000sglXIAQ	2022	\$0.16	Monthly	1
---	--	---	-------------------	------	--------	---------	---

138 Click Browser back button

PASS

Navigate back successfully

139 Click Browser back button

PASS

Navigate back successfully

140 To click on the link 1 located at column 3 and row number 3 in table Payment Allocations_Table.

PASS

Click PA-00006182 in table cell successfully, Object Found by : xpath = //div[contains(@class,'active')]/table[@aria-label='Payment Allocations']

141 Copy Amount Allocated_Payment Allocation value exists between and to Variable payment3 as String

PASS

Element value \$0.16 is copied as String in variable payment3, Object Found by : label = Amount Allocated

The screenshot shows the 'Payment Allocation' interface in the Aptumo system. The header includes the Aptumo logo, a search bar, and navigation tabs like Customers, Home, Accounts, Contacts, Cases, Locations, Billing Contracts, Devices, Information Statements, and Dashboards. The main content area displays details for 'Payment Allocation PA-00006182'. It lists various attributes: Payment (P-00001267), Instalment, Amount Allocated (\$0.16), Active (checked), Status (Allocated), Tax Amount (\$0.00), Discount Amount (\$0.00), and Created/Modified by Omprakash Mishra on 2/15/2022 at 8:56 PM. A 'New Opportunity' button is located in the top right corner.

142 Click on Financial Control_quick link_Payment Allocation on screen Payment Allocations


PASS

Click performed successfully, Object Found by : xpath = //div[contains(@class,'active')]/slot/span[starts-with(text(),'Financial Control')]

143 Verify if the cell, at column 8 and row number 1, value is payment3 in table Financial Control Table.

PASS

Target cell value \$0.16 matches, Object Found by : xpath = (//table)[last()]



The screenshot shows the Aptumo web application interface. At the top, there is a navigation bar with the Aptumo logo and a search bar. Below the navigation bar, there is a breadcrumb trail: "Payment Allocations > PA-00006182". The main heading is "Financial Control". Below the heading, it says "1 item • Updated a few seconds ago". The table has 8 columns. The first row contains the following data: 1, ☐, FCR-000019138, 2, 026B0000000sglXIAQ, 2022, \$0.16, Monthly, 1.

1	<input type="checkbox"/>	FCR-000019138	2	026B0000000sglXIAQ	2022	\$0.16	Monthly	1

144 Launch URL {{baseUrl}}/lightning/r/Apt_AU__BillingContract__c/{{contractId}}/view

PASS

https://echo-summer20-dev-ed.my.salesforce.com/lightning/r/Apt_AU__BillingContract__c/a0dB0000001O4ejIAC/view launched successfully

145 Click on Bills Quick Links on screen CON


PASS

Click performed successfully, Object Found by : xpath = //div[contains(@class,'active')]/span[starts-with(text(),'Bills')]

146 To click on the link 1 located at column 3 and row number 1 in table Bills Table.

PASS

Click INV-00000006659 in table cell successfully, Object Found by : xpath = //div[contains(@class,'active')]/div[contains(@aria-label,'Bills')]/table



Billing Contracts > CON-00002666
Bills

1 item • Sorted by Bill Number • Updated a few seconds ago

	<input type="checkbox"/> Bill Number ↓	Bill Date	Start Date	End Date	Billed Amou...	Total Amou...	Bill Type	Bill PDF
1	<input type="checkbox"/> INV-0000006659	2/15/2022	1/1/2021	1/31/2021	\$200.32	\$160.32	Normal	<input type="checkbox"/>

- 147 Verify Billed Amount_Invoice value is primaryContractBalance on screen Lightning Experience.

PASS

Element value \$200.32 matches, Object Found by : xpath = //div[contains (@class,'active')]/records-record-layout-row[2]/slot[1]/records-record-layout-item[2]/div[1]/div[1]/div[2]/span[1]/slot[1]/lightning-formatted-text[1]

- 148 Verify Total Amount Outstanding_Invoice value is updatedContractBalance on screen Lightning Experience.

PASS

Element value \$160.32 matches, Object Found by : label = Total Amount Outstanding

- 149 Click on Bill item_quick link on screen Lightning Experience

PASS

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/span[starts-with(text(),'Bill Items')]/ancestor::a

- 150 To click on the link 1 located at column 2 and row number 3 in table Bill Items Table.

PASS

Click BI-0000024525 in table cell successfully, Object Found by : attribute = table[aria-label='Bill Items']

aptumo

Customers Home Accounts Contacts Cases Locations Billing Contracts Devices Information Statements **INV-0000006**

Bills > INV-0000006659
Bill Items

3 items • Sorted by Amount Outstanding • Updated a few seconds ago

	Bill Item Name	Service Item Charge	Start Date	End Date	Volume ...	Billed A...	Amount ...	Amou
1	BI-0000024524	AKG Sewerage Service Item Type Fixed-20mm_akg	1/1/2021	1/31/2021		\$0.16	\$0.16	\$0.00
2	BI-0000024526	AKG Fixed Water Service Item Type-20mm_akg	1/1/2021	1/31/2021		\$0.16	\$0.16	\$0.00
3	BI-0000024525	AKG Volumetric Water Service Item Type	1/1/2021	1/31/2021	100.00	\$200.00	\$39.68	\$160.3

151 Verify Amount Outstanding_Bill Item value is updatedContractBalance on screen Lightning Experience.

PASS

Element value \$160.32 matches, Object Found by : xpath = //div[contains (@class,'active')]/records-record-layout-row[1]/slot[1]/records-record-layout-item[1]/div[1]/div[1]/div[2]/span[1]/slot[1]/records-formula-output[1]/slot[1]/lightning-formatted-text[1]

152 Verify Amount Paid_Bill Item value is \$39.68 on screen Lightning Experience.

PASS

Element value \$39.68 matches, Object Found by : label = Amount Paid