

Test Case Details


Project : Echo-ms
Application : Aptumo
Test Case : Refund to Customer Payment Process
Description :
Data Tag : Summer20_Om
Machine Name : Shivam-Parashar
OS : Windows
Browser : Chrome(97.0.4692.99)
User Name : Shivam.echo@bqurious.com
Run Name : Refund to Customer Payment Process
Run Date : 2022-02-09 15:36:32.0

1 Launch URL <https://echo-summer20-dev-ed.my.salesforce.com/> **PASS**
<https://echo-summer20-dev-ed.my.salesforce.com/> launched successfully

2 If element (App Launcher icon) is not visible Then **PASS**
Returned True

3 Maximize the browser **PASS**
Browser window maximized

4 Enter omprakashmishra@echo-ms.com.summer20 in Element Username on screen Login **PASS**
Set value omprakashmishra@echo-ms.com.summer20 successfully, Object Found by : name = username



5 Enter ***** in Element Password on screen Login PASS

Set value ***** successfully, Object Found by : id = password

6 Click on Login on screen Login PASS

Click performed successfully, Object Found by : id = Login

7 Create a random Device number start with user provided prefixDev PASS

Unique device number generated Dev6016807159 and stored in deviceSLN

8 Copy value https://echo-summer20-dev-ed.my.salesforce.com/ between left boundary and right boundary to Variable baseUrl as String PASS

String value https://echo-summer20-dev-ed.my.salesforce.com/ copied in variable baseUrl

9 Condition End PASS

endIf executed successfully

10 Generate Random UUID and store in provided variable PASS

4445000259452 generated and store in randomUUID

11	Create a Random Alphabetic String	PASS
	Generated String '6J8bw8f91B' and stored in randomUUID	
12	Copy value Owner between left boundary and right boundary to Variable UserType as String	PASS
	String value Owner copied in variable UserType	
13	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/oauth2/token with path	PASS
	POST request executed successfully with response : HTTP/1.1 200 OK	
14	To find key access_token in source {{_bq_response_data_}} and store in variable token.	PASS
	Value 00DB00000005vDT! AQoAQOwIBzxRhOIHrQ7yh6YbasLVya6U8EEAwVC.l. HEzzwL3XeD6DWEkLNIQ8CJl3Fi68NNMkiQq3_ijXD0Kw8HqIbF6f2Y for jsonpath : access_token stored in variable token	
15	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Device__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
16	To find key id in source {{_bq_response_data_}} and store in variable deviceId.	PASS
	Value a18B0000000ufdFIAQ for jsonpath : id stored in variable deviceId	
17	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Location__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
18	To find key id in source {{_bq_response_data_}} and store in variable locationId.	PASS
	Value a1gB0000000LPiXIAW for jsonpath : id stored in variable locationId	

19	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__SupplyPoint__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
20	To find key id in source <code>{{_bq_response_data_}}</code> and store in variable <code>supplyPointId</code> .	PASS
	Value <code>a2cB0000000Pqt2IAC</code> for jsonpath : id stored in variable <code>supplyPointId</code>	
21	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__SupplyPointDevice__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
22	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableService__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
23	To find key id in source <code>{{_bq_response_data_}}</code> and store in variable <code>availableWaterServiceId</code> .	PASS
	Value <code>a0CB00000008sgAXMAY</code> for jsonpath : id stored in variable <code>availableWaterServiceId</code>	
24	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableBundle__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
25	To find key id in source <code>{{_bq_response_data_}}</code> and store in variable <code>waterBundleId</code> .	PASS
	Value <code>a08B0000000MXakoIAD</code> for jsonpath : id stored in variable <code>waterBundleId</code>	
26	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableService__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	

27	To find key id in source { {_bq_response_data_} } and store in variable availableSewerageServiceId.	PASS
	Value a0CB0000008sgAcMAI for jsonpath : id stored in variable availableSewerageServiceId	
28	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableBundle__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
29	To find key id in source { {_bq_response_data_} } and store in variable sewerageBundleId.	PASS
	Value a08B000000MXaktIAD for jsonpath : id stored in variable sewerageBundleId	
30	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Reading__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
31	Send the API request using HTTPGet on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/ui-api/record-ui/{ {locationId} } with path	PASS
	GET request executed successfully with response : HTTP/1.1 200 OK	
32	To find key records. { {locationId} }.fields.Apt_AU__LoadReference__c.value in source { {_bq_response_data_} } and store in variable location.	PASS
	Value LOC-000002107 for jsonpath : records.a1gB0000000LPiXIAW.fields.Apt_AU__LoadReference__c.value stored in variable location	
33	Send the API request using HTTPGet on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/ui-api/record-ui/{ {supplyPointId} } with path	PASS
	GET request executed successfully with response : HTTP/1.1 200 OK	
34	To find key records. { {supplyPointId} }.fields.Name.value in source { {_bq_response_data_} } and store in variable supplyPointNumber.	PASS
	Value SP-000002112 for jsonpath : records.a2cB0000000Pqt2IAC.fields.Name.value stored in variable supplyPointNumber	

35	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Account with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
36	To find key id in source { {_bq_response_data_} } and store in variable accountId.	PASS
	Value 001B000001P1KdsIAF for jsonpath : id stored in variable accountId	
37	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Contact with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
38	To find key id in source { {_bq_response_data_} } and store in variable contactId.	PASS
	Value 003B000000Ko7QZIAZ for jsonpath : id stored in variable contactId	
39	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__LocationOccupant__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
40	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__BillingContract__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
41	To find key id in source { {_bq_response_data_} } and store in variable contractId.	PASS
	Value a0dB0000001O2krIAC for jsonpath : id stored in variable contractId	
42	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Service__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	

43	To find key id in source { {_bq_response_data_} } and store in variable waterServiceId.	PASS
	Value a2QB0000001yD96MAE for jsonpath : id stored in variable waterServiceId	
44	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__Service__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
45	To find key id in source { {_bq_response_data_} } and store in variable sewerageServiceId.	PASS
	Value a2QB0000001yD9BMAU for jsonpath : id stored in variable sewerageServiceId	
46	Send the API request using HTTPGet on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableBundle__c/{ {sewerageBundleId} }/Apt_AU__AvailableServiceItems__r/ with path	PASS
	GET request executed successfully with response : HTTP/1.1 200 OK	
47	To find key records[0].Id in source { {_bq_response_data_} } and store in variable sewerageServiceItem.	PASS
	Value a0AB0000005QX1kMAG for jsonpath : records[0].Id stored in variable sewerageServiceItem	
48	To find key records[0].Apt_AU__ServiceItemType__c in source { {_bq_response_data_} } and store in variable sewerageServiceItemType.	PASS
	Value a2MB00000022P5DMAU for jsonpath : records[0].Apt_AU__ServiceItemType__c stored in variable sewerageServiceItemType	
49	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__ServiceItem__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
50	Send the API request using HTTPGet on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/subjects/Apt_AU__AvailableBundle__c/{ {waterBundleId} }/Apt_AU__AvailableServiceItems__r/ with path	PASS
	GET request executed successfully with response : HTTP/1.1 200 OK	

51	To find key records[0].Id in source {{_bq_response_data_}} and store in variable waterServiceItem1.	PASS
	Value a0AB0000005QX1fMAG for jsonpath : records[0].Id stored in variable waterServiceItem1	
52	To find key records[1].Id in source {{_bq_response_data_}} and store in variable waterServiceItem2.	PASS
	Value a0AB0000005QX1gMAG for jsonpath : records[1].Id stored in variable waterServiceItem2	
53	To find key records[0].Apt_AU__ServiceItemType__c in source {{_bq_response_data_}} and store in variable waterServiceItemType1.	PASS
	Value a2MB0000001pUqHMAU for jsonpath : records[0].Apt_AU__ServiceItemType__c stored in variable waterServiceItemType1	
54	To find key records[1].Apt_AU__ServiceItemType__c in source {{_bq_response_data_}} and store in variable waterServiceItemType2.	PASS
	Value a2MB00000022P58MAE for jsonpath : records[1].Apt_AU__ServiceItemType__c stored in variable waterServiceItemType2	
55	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/objects/Apt_AU__ServiceItem__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
56	Send the API request using HTTPPost on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/objects/Apt_AU__ServiceItem__c with path	PASS
	POST request executed successfully with response : HTTP/1.1 201 Created	
57	Send the API request using HTTPGet on URL https://echo-summer20-dev-ed.my.salesforce.com/services/data/v53.0/objects/Apt_AU__BillingContract__c/{{contractId}} with path	PASS
	GET request executed successfully with response : HTTP/1.1 200 OK	

58 To find key Name in source {{_bq_response_data_}} and store in variable billingContractNumber. **PASS**


Value CON-00002367 for jsonpath : Name stored in variable billingContractNumber

59 Launch URL {{baseUrl}}/lightning/r/Apt_AU__Location__c/{{locationId}}/view **PASS**

https://echo-summer20-dev-ed.my.salesforce.com//lightning/r/Apt_AU__Location__c/a1gB0000000LPiXIAW/view launched successfully

60 Verify Device-Tab is visible on the screen LOC. **PASS**

Element is visible, Object Found by : xpath = //div[contains(@class,'active')]/a[text() = 'Devices']



61 Click on Device-Tab on screen LOC **PASS**

Click performed successfully, Object Found by : xpath = //div[contains(@class,'active')]/a[text() = 'Devices']

*Click on the Device tab

62 If element (Waiting-Spinner) is visible Then **PASS**

Returned True, Object Found by : xpath = //lightning-spinner[1]

63 Condition End

PASS

endIf executed successfully

64 Copy the cell value, in the variable deviceNumber from table DEVICE NO, located at column DEVICE NO. and row number 1.

PASS

Table cell value DEV-000002083 copied in variable deviceNumber, Object Found by : xpath = //div[2]/div[1]/table[1]

*Copy the device number

The screenshot shows the Aptumo web application. The top navigation bar includes a search bar and a menu with items like Customers, Home, Accounts, Contacts, Cases, Locations (selected), Billing Contracts, Devices, Information Statements, and Dashboards. The main content area is titled 'Location LOC-000002107' and contains a '+ Follow' button. Below this, there are three tables:

DEVICE NO.	DEVICE TYPE	SERIAL NO.	ACTIVE	DEVICE TYPE	SERVICE TYPE
DEV-000002083	Kent - 20mm	Dev6016807159	<input checked="" type="checkbox"/>	Kent - 20mm	

Below the first table is a 'Readings (0)' section with a 'New' button. It contains a table with columns: READING DATE, ACTUAL DEVICE READING, READING METHOD, READING TYPE, HIGH READING, GROSS CONSUMPTION, READING SOURCE, BILLABLE TYPE, TRIPPED, and ALL SERVICES BILLED. The table is empty with the message 'No items to display'.

Below the readings section is a 'Services (0)' section. It contains a table with columns: SERVICE NO., SERVICE TYPE, BILLING CONTRACT, SUPPLY POINT, SERVICE START DATE, and BILLED. The table is empty with the message 'No items to display'.

Below the services section is a 'Bill Item Amendments (0)' section. It contains a table with columns: BILL, BILL ITEM NAME, FROM, TO, SERVICE ITEM TYPE, PREVIOUS AMOUNT, PREVIOUS DISCOUNT, and PREVIOUS TAX. The table is empty with the message 'No items to display'.

65 To click in the table Device-Table cell at column SERIAL NO. and row 1

PASS

Click in table cell successfully, Object Found by : cssselector = table[data-aura-class='Apt_AUGIAp_GenericTable']

*Click on the serial number

66 Copy the cell value, in the variable lastReadingValue from table Device Reading Table, located at column ACTUAL DEVICE READING and row number 1.

PASS


Table cell value 000 copied in variable lastReadingValue, Object Found by : xpath = //div[contains(@class,'active')]/span[@title='Readings']/ancestor::article//table

67 Click on Add New Reading Button on screen LOC

PASS

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/button[contains(text(),'New')]

*Click on New



68 Add the values and store it into variable newReading

PASS

Value successfully add and result 100 stored in variable newReading

69 if readingDate is empty Then

PASS

Returned True

70 Copy value Jan 31, 2021 between left boundary and right boundary to Variable readingDate as String

PASS

String value Jan 31, 2021 copied in variable readingDate

71 Condition End

PASS

endIf executed successfully

72 Enter readingDate in Element Reading Date on screen LOC

PASS

Set value Jan 31, 2021 successfully, Object Found by : label = Reading Date*

*Enter the Reading date

The screenshot shows the 'New Reading' form in the aptumo application. The 'Reading Date' field is highlighted with a blue border and contains the text 'Jan 31, 2021'. The 'Actual Device Reading' field is empty. The form includes sections for 'Information', 'Services (0)', and 'Bill Item Amendments'. The background shows the 'LOC-000002107' location details and a table of readings.

READING DATE	ACTUAL DEVICE READING
Jan 1, 2021	000

73 Enter newReading in Element Actual Device Reading on screen LOC

PASS

Set value 100 successfully, Object Found by : label = Actual Device Reading*

*Enter the Actual Device Reading

The screenshot shows the 'New Reading' form in the aptumo application. The 'Actual Device Reading' field is highlighted with a blue border and contains the text '100'. The 'Reading Date' field contains 'Jan 31, 2021'. The form includes sections for 'Information', 'Services (0)', and 'Bill Item Amendments'. The background shows the 'LOC-000002107' location details and a table of readings.

READING DATE	ACTUAL DEVICE READING
Jan 1, 2021	000

74 Select Regular from Reading Type on screen LOC.

PASS

Option with text Regular selected successfully, Object Found by : label = Reading Type*

*Select the Reading Type as Regular

75 Select Actual from Reading Method on screen LOC.

PASS

Option with text Actual selected successfully, Object Found by : xpath = //div[2]/div[1]/select[1]

*Select the Reading Method as Actual

76 Select Customer Reading from Reading Source on screen LOC.

PASS

Option with text Customer Reading selected successfully, Object Found by : label = Reading Source*

*Select the Reading Source as Cyclic Reading

77 Select Billable from Billable Type on screen LOC.

PASS

Option with text Billable selected successfully, Object Found by : label = Billable Type*

*Select the Billing type as Billable

aptumo

Search...

Customers Home Accounts Contacts Cases Locations Billing Contracts Devices Information Statements Dashboards

Location LOC-000002107

+ Follow

DEVICES (1)

READING DATE ACTUAL DEVICE READING

Jan 1, 2021 000

SERVICES (0)

SERVICE NO. SER

Bill Item Amendmen

TRIPPED

High Reading

Information

*Reading Date Jan 31, 2021

*Actual Device Reading 100

*Reading Type Regular

*Reading Method Actual

*Reading Source Customer Reading

*Billable Type Billable

Estimate

BILL	BILL ITEM NAME	FROM	TO	SERVICE ITEM TYPE	PREVIOUS AMOUNT	PREVIOUS DISCOUNT	PREVIOUS TAX
No items to display							

78 Scroll the Save New Reading to view on to the screen

PASS

Element scrolled into visible screen, Object Found by : `xpath = //div[contains (@class,'active')]/button[contains(text(),'Save')]`

79 To click on the element

PASS

Click performed successfully, Object Found by : `xpath = //div[contains (@class,'active')]/button[contains(text(),'Save')]`

[*Click on Save](#)

SELECT	READING DATE	ACTUAL DEVICE READING	READING METHOD	READING TYPE	HIGH READING	GROSS CONSUMPTION	READING SOURCE	BILLABLE TYPE	TRIPPED	ALL SERVICES BILLED
<input type="checkbox"/>	Jan 1, 2021	000	Actual	Initial	<input type="checkbox"/>	0	Company Reading	Billable	<input type="checkbox"/>	<input type="checkbox"/>

80 Launch URL `{{baseUrl}}/lightning/r/Apt_AU__BillingContract__c/{{contractId}}/view`

PASS


https://echo-summer20-dev-ed.my.salesforce.com/lightning/r/Apt_AU__BillingContract__c/a0dB0000001O2krIAC/view launched successfully

81 Click on Create Bill Button on screen CON

PASS

Click performed successfully, Object Found by : `xpath = //div[contains (@class,'active')]/button[text() = 'Create Bill']`

[*Click on Create Bill button](#)



82 If element (Generate PDF Button) is not visible Then PASS
 Element is visible on the screen.Else part will be executed, if mentioned

83 Execute the loop with starting index 1 and ending index 4 --

84 Refresh the browser page --

85 Wait for the Create Bill Button to be displayed on the screen CON --

86 Click on Create Bill Button on screen CON --

87 Wait till Waiting-Spinner is not visible on the screenRecently Viewed --

88 If element (Generate PDF Button) is visible Then --

89 Exit from for loop --

90 Condition End

--

91 Loop End

--

92 Condition End

PASS

endIf executed successfully, Object Found by : xpath = //div[contains (@class,'active')]/button[contains(text(),'Generate PDF')]

93 Verify Bill Invoice Number is visible on the screen CON.

PASS

Element is visible, Object Found by : xpath = //div[text()='Bill']/following-sibling::slot/lightning-formatted-text[starts-with(text(),'INV-')]

The screenshot shows the Aptumo web application interface. At the top, there's a navigation bar with the Aptumo logo, a search bar, and several menu items: Customers, Home, Accounts, Contacts, Cases, Locations, Billing Contracts, Devices, and Information Statements. The current page is titled 'Bill INV-0000006159'. Below the title, there's a 'Related List Quick Links' section with links for Bill Items (3), Bill Service Types (2), Files (0), Balance Transactions (1), Bill Write Offs (0), Bill Exports (0), and Bill Releases (0). The main content area is divided into two columns. The left column has a 'Details' tab with a table of bill information. The right column has a 'PDF' section with a 'Generate PDF' button.

Details	Related	Payments	Bill Documents
Bill Number	INV-0000006159	Due Date	3/10/2022
Bill Type	Normal	Billed Amount	\$200.32
Bill ID	3000000061591	Total Amount Outstanding	\$200.32
Billing Contract	CON-00002367	Total Discount Amount	\$0.00

94 Launch URL {{baseUrl}}/lightning/r/Account/{{accountId}}/view

PASS

https://echo-summer20-dev-ed.my.salesforce.com//lightning/r/Account/001B000001P1KdsIAF/view launched successfully

95 Click on Rates and Goodwill dropdown btn on screen Lightning Experience


PASS

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/flexpage-accordion-section2[2]/lightning-accordion-section[1]/section[1]/div[1]/h3[1]/button[1]/lightning-primitive-icon[1]

96 Click on Goodwill Payment btn on screen Lightning Experience

PASS

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/button[text() = 'Goodwill Payment']



97 Click on Refund to Customer_Process As on screen Lightning Experience

PASS

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/span[text() = 'Refund to Customer']

98 Enter 20 in Element Amount_Goodwill Payment on screen Lightning Experience

PASS

Set value 20 successfully, Object Found by : cssselector = input[data-aura-class='uiInputSmartNumber']

99 Select GSL - (Water) from Goodwill Reason combo on screen Lightning Experience.


PASS

Option with text GSL - (Water) selected successfully, Object Found by : attribute = select[aria-required='true']

100 Click on Bank Account_Refund Type on screen Lightning Experience

PASS

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/span[text() = 'Bank Account']



101 Click on New_Select Operation on screen Lightning Experience PASS

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/span[text() = 'New']

102 Enter abcd in Element Name of Account_edit on screen Lightning Experience PASS

Set value abcd successfully, Object Found by : label = Name of Account

103 Enter 24466 in Element Bank Account Number_edit on screen Lightning Experience PASS


Set value 24466 successfully, Object Found by : label = Bank Account Number

104 Enter 123-456 in Element BSB Number_edit on screen Lightning Experience PASS

Set value 123-456 successfully, Object Found by : label = BSB Number

105 Press Tab Key PASS

Key pressed successfully, Object Found by : label = BSB Number



106 Click on Save_Rates and Goodwill on screen Lightning Experience

PASS

Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/button[text() = 'Save']

107 Refresh the browser page

PASS

Browser Refreshed

108 Click on Payments_QuickLink on screen Lightning Experience


PASS

Click performed successfully, Object Found by : xpath = //span[contains(text(), 'Payments')]

109 To click on the link 1 located at column 3 and row number 1 in table Payments table.

PASS

Click P-00001051 in table cell successfully, Object Found by : xpath = (//table)[last()]



110 Scroll the Goodwill_Record Type to view on to the screen PASS

Element scrolled into visible screen, Object Found by : `xpath = //div[contains(@class,'active')]/records-record-type[1]/div[1]/div[1]/span`

111 Verify Goodwill_Record Type value is Goodwill on screen Payments. PASS

Element value Goodwill matches, Object Found by : `xpath = //div[contains(@class,'active')]/records-record-type[1]/div[1]/div[1]/span`

112 Copy Empty_Billing Contract_Payment value exists between and to Variable emptyBillingContract as String PASS

Element value null is copied as String in variable emptyBillingContract, Object Found by : `xpath = //div[contains(@class,'active')]/records-record-layout-row[8]/slot[1]/records-record-layout-item[1]/div[1]/div[1]/div[2]/span[1]`

113 Verify if value in element,if element provided, or value of emptyBillingContract is empty PASS

Empty value found

114 Scroll the Amount_Payments to view on to the screen PASS

Element scrolled into visible screen, Object Found by : `label = Amount`

115	Verify Amount_Payments value is -\$20.00 on screen Payments.	PASS
	Element value -\$20.00 matches, Object Found by : label = Amount	
116	Copy value -\$20.00 between left boundary and right boundary to Variable goodwillAmount as String	PASS
	String value -\$20.00 copied in variable goodwillAmount	
117	Click on Edit Refund Status_new on screen Payments	PASS
	Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/records-record-layout-item[2]/div[1]/div[1]/div[2]/button[1]	
118	Scroll the Refund Status Combo to view on to the screen	PASS
	Element scrolled into visible screen, Object Found by : xpath = //div[contains (@class,'active')]/lightning-base-combobox[1]/div[1]/div[1]/button[1]	
119	Click on Refund Status Combo on screen Payments	PASS
	Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/lightning-base-combobox[1]/div[1]/div[1]/button[1]	
120	Click on Approved_Refund Status on screen Payments	PASS
	Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/span[contains(text(),'Approved')]	
121	Click on Refund Export Status Combo on screen Payments	PASS
	Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/records-record-layout-row[3]/slot[1]/records-record-layout-item[2]/div[1]/span[1]/slot[1]/records-record-picklist[1]/records-form-picklist[1]/lightning-picklist[1]/lightning-combobox[1]/div[1]/lightning-base-combobox[1]/div[1]/div[1]/button[1]	
122	Click on Ready_Refund Export Status on screen Payments	PASS
	Click performed successfully, Object Found by : xpath = //div[contains (@class,'active')]/records-record-layout-row[3]/slot[1]/records-record-layout-item[2]/div[1]/span[1]/slot[1]/records-record-picklist[1]/records-form-picklist[1]/lightning-picklist[1]/lightning-combobox[1]/div[1]/lightning-base-combobox[1]/div[1]/div[2]/lightning-base-combobox-item[3]/span[2]	

123 Click on Save_Refund Status on screen Payments

PASS

Click performed successfully, Object Found by : `xpath = //div[contains (@class,'active')]/button[text() = 'Save']`

124 Refresh the browser page

PASS

Browser Refreshed

125 If element (Show All In Payment) is visible Then

PASS

Returned True, Object Found by : `xpath = //forcegenerated-flexipage_payment_refund_record_page1_apt_au__payment__c__view_js[1]/record_flexipage-record-page-decorator[1]/div[1]/records-record-layout-event-broker[1]/slot[1]/slot[1]/flexipage-record-home-template-desktop2[1]/div[1]/div[2]/div[1]/slot[1]/flexipage-component2[1]/slot[1]/lst-related-list-quick-links-container[1]/article[1]/laf-progressive-container[1]/slot[1]/lst-related-list-quick-links-grid[1]/div[1]/div[1]/div[1]/a[1]`

126 Click on Show All In Payment on screen Payments

PASS

Click performed successfully, Object Found by : `xpath = //forcegenerated-flexipage_payment_refund_record_page1_apt_au__payment__c__view_js[1]/record_flexipage-record-page-decorator[1]/div[1]/records-record-layout-event-broker[1]/slot[1]/slot[1]/flexipage-record-home-template-desktop2[1]/div[1]/div[2]/div[1]/slot[1]/flexipage-component2[1]/slot[1]/lst-related-list-quick-links-container[1]/article[1]/laf-progressive-container[1]/slot[1]/lst-related-list-quick-links-grid[1]/div[1]/div[1]/div[1]/a[1]`

127 Condition End

PASS

endIf executed successfully

128 Click on Financial Control Quick Links on screen Payments


PASS

Click performed successfully, Object Found by : `xpath = //div[contains (@class,'active')]/slot/span[starts-with(text()),'Financial Control']`

129 Verify if the cell, at column 8 and row number 1, value is goodwillAmount in table Financial Control Table.

PASS

Target cell value -\$20.00 matches, Object Found by : xpath = (//table)[last()]



The screenshot shows the Aptumo web application interface. At the top, there is a navigation bar with the Aptumo logo, a search bar, and a list of menu items: Customers, Home, Accounts, Contacts, Cases, Locations, Billing Contracts, Devices, and Information Statements. A user profile icon is visible on the right. Below the navigation bar, the main content area displays the 'Financial Control' table. The table has a header row with columns 1 through 8. The first row of data contains the following values: 1, a checkbox, FCR-000017608, 2, 026B0000000sglYIAQ, 2022, -\$20.00, and 2. The table is titled 'Financial Control' and indicates '1 item • Updated a minute ago'.

1			2				
1	<input type="checkbox"/>	FCR-000017608	2	026B0000000sglYIAQ	2022	-\$20.00	2