

# Rajalakshmi Engineering College

Name: Shivani R J  
Email: 240701500@rajalakshmi.edu.in  
Roll no: 2116240701500  
Phone: 9962571492  
Branch: REC  
Department: CSE - Section 7  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 1\_Q1

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Gloria is responsible for monitoring the performance of two machines in a factory. She needs to determine which of the two machines is operating closest to the optimal temperature of 100 degrees Celsius using the relational operator.

Assist Gloria in displaying the machine's temperature, which is closer to 100, and the difference from 100.

##### ***Input Format***

The first line of input consists of an integer N, representing the temperature of the first machine.

The second line consists of an integer M, representing the temperature of the second machine.

### ***Output Format***

The output prints "The integer closer to 100 is X with a difference of Y" where X is the temperature of the closer machine and Y is the difference from 100.

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 90  
80

Output: The integer closer to 100 is 90 with a difference of 10

### ***Answer***

```
// You are using Java
import java.io.*;
import java.util.Scanner;
public class Main{
    public static void main(String [] args){
        Scanner scanner=new Scanner(System.in);
        int t1=scanner.nextInt();
        int t2=scanner.nextInt();
        int d1=100-t1;
        if(d1<0)
        {
            d1=-d1;
        }
        int d2=100-t2;
        if(d2<0)
        {
            d2=-d2;
        }
        if(d1<d2){
            System.out.println("The integer closer to 100 is " +t1+ " with a difference
of " +d1);
        }
        else
        {
            System.out.println("The integer closer to 100 is " +t2+ " with a difference
of " +d2);
        }
    }
}
```

**Status : Correct**

**Marks : 10/10**

# Rajalakshmi Engineering College

Name: Shivani R J  
Email: 240701500@rajalakshmi.edu.in  
Roll no: 2116240701500  
Phone: 9962571492  
Branch: REC  
Department: CSE - Section 7  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 1\_Q2

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. PROBLEM STATEMENT:**

Dave got two students who wants help with their doubt. Each handouts an integer and wants to find if one Integer Positive While the Other is Not Divisible by 3. Write a program to achieve this and conclude for them.

##### ***Input Format***

The first line of input represents the first integer.

The second line of input represents the second integer.

##### ***Output Format***

The output should display as "One of the integers is positive while the other is not divisible by 3." or "Neither of the integers meets the condition."

Refer to the sample output for the formatting specifications.

**Sample Test Case**

Input: 4

3

Output: One of the integers is positive while the other is not divisible by 3.

**Answer**

```
// You are using Java
import java.io.*;
import java.util.Scanner;
public class Main{
    public static void main(String [] args){
        Scanner in=new Scanner(System.in);
        int a=in.nextInt();
        int b=in.nextInt();
        if((a%3!=0)&&(b>0))
        {
            System.out.println("One of the integers is positive while the other is not
divisible by 3.");
        }
        else if((b%3!=0)&&(a>0))
        {
            System.out.println("One of the integers is positive while the other is not
divisible by 3.");
        }
        else
        {
            System.out.println("Neither of the integers meets the condition.");
        }
    }
}
```

**Status :** Correct

**Marks :** 10/10

# Rajalakshmi Engineering College

Name: Shivani R J  
Email: 240701500@rajalakshmi.edu.in  
Roll no: 2116240701500  
Phone: 9962571492  
Branch: REC  
Department: CSE - Section 7  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 1\_Q3

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem statement**

Manoj, a developer at MoneyMatters Inc., is working on improving the company's financial system. He needs to create a program that takes an integer input, converts it into a double, and displays both the original integer and the converted double value.

##### ***Input Format***

The input consists of a single integer representing a monetary amount.

##### ***Output Format***

The first line of the output displays the "Original Integer: ", followed by an integer representation of the input value.

The second line displays the "Converted Double: ", followed by a double value representing the input as a decimal value.

Refer to the sample output for the formatting specifications.

### **Sample Test Case**

Input: 20

Output: Original Integer: 20

Converted Double: 20.0

### **Answer**

```
// You are using Java
import java.io.*;
import java.util.Scanner;
public class Main{
    public static void main(String [] args)
    {
        Scanner in =new Scanner(System.in);
        int a=in.nextInt();
        double b=(double)a;
        System.out.println("Original Integer: "+a);
        System.out.println("Converted Double: "+b);

    }
}
```

**Status : Correct**

**Marks : 10/10**

# Rajalakshmi Engineering College

Name: Shivani R J  
Email: 240701500@rajalakshmi.edu.in  
Roll no: 2116240701500  
Phone: 9962571492  
Branch: REC  
Department: CSE - Section 7  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 1\_Q4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Vishal and Arun are discussing the properties of numbers. Vishal gives Arun two integers. He asks Arun to check if the sum of these two numbers is a multiple of their product.

Can you assist Arun and determine whether the sum is a multiple of the product?

##### ***Input Format***

The input consists of two space-separated integers.

##### ***Output Format***

The output prints:

1. "Sum is Multiple of Product" if the sum of the two numbers is divisible by their product.
2. "Sum is Not Multiple of Product" otherwise.

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 1 2

Output: Sum is Not Multiple of Product

### **Answer**

```
// You are using Java
import java.io.*;
import java.util.Scanner;
public class Main{
    public static void main(String [] args){
        Scanner in=new Scanner(System.in);
        int a=in.nextInt();
        int b=in.nextInt();
        int sum=a+b;
        int pro=a*b;
        if(sum==pro)
        {
            System.out.println("Sum is Multiple of Product");
        }
        else
        {
            System.out.println("Sum is Not Multiple of Product");
        }
    }
}
```

**Status :** Correct

**Marks :** 10/10

# Rajalakshmi Engineering College

Name: Shivani R J  
Email: 240701500@rajalakshmi.edu.in  
Roll no: 2116240701500  
Phone: 9962571492  
Branch: REC  
Department: CSE - Section 7  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 1\_Q5

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement:**

Emily has a beautiful circular garden in her backyard. She's interested in calculating two important measurements for her garden: the circumference and the area. To do this, she needs a program that can take the radius of her circular garden as input and provide the calculated circumference and area as output. The formulas she should use are as follows:

To calculate the circumference (C) of a circle, you can use the formula:

$$C = 2 * \pi * r$$

$$A = \pi * r^2$$

Where:

C represents the circumference.

A represents the area.

$\pi$  (pi) is approximately 3.14159.

r is the radius of the circle.

Emily is not a programmer, and she needs your help to create a program that will make these calculations for her garden.

#### ***Input Format***

The first line of input contains a single double-point number radius, representing the radius of the circle.

#### ***Output Format***

The output should consist of two lines:

The first line should print the circumference of the circle rounded to 2 decimal places, followed by the unit "meters".

The second line should print the area of the circle rounded to 2 decimal places, followed by the unit "square meters".

Refer to the sample output for formatting specifications.

#### ***Sample Test Case***

Input: 3.0

Output: Circumference: 18.85 meters

Area: 28.27 square meters

#### ***Answer***

```
// You are using Java
import java.io.*;
import java.util.Scanner;
import java.text.DecimalFormat;
public class Main{
    public static void main(String args[]){
        Scanner in=new Scanner(System.in);
```

```
        double r=in.nextDouble();
        double c=2*r*3.14159f;
        double a=(r*r*3.14159f);
        DecimalFormat df=new DecimalFormat("#.00");
        System.out.println("Circumference:"+df.format(c)+" meters");
        System.out.println("Area: "+df.format(a)+" square meters");
    }
}
```

**Status : Correct**

**Marks : 10/10**

# Rajalakshmi Engineering College

Name: Shivani R J

Email: 240701500@rajalakshmi.edu.in

Roll no: 2116240701500

Phone: 9962571492

Branch: REC

Department: CSE - Section 7

Batch: 2028

Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### **2028\_REC\_OOPS using Java\_Week 1\_Q6**

Attempt : 1

Total Mark : 10

Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Joey is learning about bitwise operations and is working on a project that involves extracting specific bits from integers. He needs to write a program that takes an integer and the number of bits N as input and outputs the value of the lowest N bits of the integer.

Help Joey in his project to understand and visualize how bitwise operations work in practical scenarios.

##### ***Input Format***

The first line of input consists of an integer X, representing the given integer.

The second line consists of an integer N, representing the number of bits to extract.

### **Output Format**

The output displays "Result: " followed by an integer representing the value of the lowest N bits of the given integer.

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 85

2

Output: Result: 1

### **Answer**

```
// You are using Java
import java.io.*;
import java.util.Scanner;
public class Main{
    public static void main(String [] args){
        Scanner in=new Scanner(System.in);
        int a=in.nextInt();
        int b=in.nextInt();
        int mask=(1<<b)-1;
        int res=a & mask;
        System.out.println("Result: "+res);
    }
}
```

**Status : Correct**

**Marks : 10/10**