Department of Computer Science and Engineering

Shivanirudh S G, 185001146, Semester VII

10 October 2021

UCS1711 - Mobile Application Development Lab

Exercise 8: Application that send a SMS and creates an alert upon receiving the SMS

Objective:

Implement an application that send a SMS and creates an alert upon receiving the SMS.

Main Activity:

Design:

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <androidx.constraintlayout.widget.ConstraintLayout
     xmlns:android="http://schemas.android.com/apk/res/android"
      xmlns:app="http://schemas.android.com/apk/res-auto"
      xmlns:tools="http://schemas.android.com/tools"
      android:layout_width="match_parent"
      android:layout_height="match_parent"
      tools:context=".MainActivity">
      <TextView
          android:id="@+id/textView1"
          android:layout_width="wrap_content"
11
          android:layout_height="wrap_content"
12
          android:layout_alignParentTop="true"
13
          android:layout_centerHorizontal="true"
14
          android:layout_marginTop="88dp"
          android:text="SMS"
16
          android:textSize="30dp"
17
          app:layout_constraintEnd_toEndOf = "parent"
18
          app:layout_constraintHorizontal_bias="0.498"
19
          app:layout_constraintStart_toStartOf="parent"
          app:layout_constraintTop_toTopOf="parent" />
21
      <EditText
23
          android:id="@+id/editTextNumber"
          android:layout_width="wrap_content"
          android:layout_height="wrap_content"
          android:layout_below="@+id/imageButton"
          android:layout_centerHorizontal="true"
          android:layout_marginTop="216dp"
29
          android:hint="Enter Phone Number"
30
          android:phoneNumber="true"
31
          android:textColorHint="@color/
32
     abc_primary_text_material_dark"
          app:layout_constraintEnd_toEndOf="parent"
33
          app:layout_constraintStart_toStartOf = "parent"
          app:layout_constraintTop_toTopOf="parent" />
35
      <EditText
37
          android:id="@+id/editTextMsg"
          android:layout_width="224dp"
39
          android:layout_height="87dp"
          android:layout_below="@+id/editTextNumber"
41
          android:layout_alignStart="@+id/editTextNumber"
          android:layout_alignLeft="@+id/editTextNumber"
```

```
android:layout_marginTop="328dp"
44
          android:hint="Enter message"
45
          android:textColorHint="@color/
46
     abc_primary_text_material_dark"
          app:layout_constraintEnd_toEndOf = "parent"
47
          app:layout_constraintStart_toStartOf = "parent"
          app:layout_constraintTop_toTopOf="parent" />
49
50
      <Button
51
          android:id="@+id/btnSend"
          android:layout_width="wrap_content"
          android:layout_height="wrap_content"
          android:layout_below="@+id/editTextMsg"
          android:layout_centerHorizontal="true"
56
          android:layout_marginTop="472dp"
          android:onClick="sendSMSMessage"
          android:text="Send"
          app:layout_constraintEnd_toEndOf = "parent"
60
          app:layout_constraintHorizontal_bias="0.498"
          app:layout_constraintStart_toStartOf="parent"
62
          app:layout_constraintTop_toTopOf="parent" />
64
66 </androidx.constraintlayout.widget.ConstraintLayout>
```

Behaviour:

```
package com.example.sms;

import androidx.appcompat.app.AppCompatActivity;
import androidx.core.app.ActivityCompat;
import androidx.core.content.ContextCompat;

import android.Manifest;
import android.content.pm.PackageManager;
import android.os.Bundle;

import android.telephony.SmsManager;

import android.util.Log;
import android.view.Menu;
import android.view.View;

import android.widget.Button;
import android.widget.EditText;
```

```
19 import android.widget.Toast;
21 public class MainActivity extends AppCompatActivity {
      private static final int REQUEST_SEND_SMS_PERMISSION =1 ;
23
      Button sendBtn;
      EditText phoneNo;
25
      EditText message;
26
      String number;
27
      String msg_content;
29
      @Override
30
      protected void onCreate(Bundle savedInstanceState) {
31
          super.onCreate(savedInstanceState);
32
          setContentView(R.layout.activity_main);
33
34
          sendBtn = (Button) findViewById(R.id.btnSend);
35
          phoneNo = (EditText) findViewById(R.id.editTextNumber
36
     );
          message = (EditText) findViewById(R.id.editTextMsg);
37
39
      public void sendSMSMessage(View view) {
40
          number = phoneNo.getText().toString();
41
          msg_content = message.getText().toString();
43
          if (ContextCompat.checkSelfPermission(this, Manifest.
     permission.SEND_SMS)
                   != PackageManager.PERMISSION_GRANTED) {
               if (ActivityCompat.
46
     shouldShowRequestPermissionRationale(this,
                       Manifest.permission.SEND_SMS)) {
47
                   Toast.makeText(getApplicationContext(), "Need
48
      permission.",
                           Toast.LENGTH_LONG).show();
49
              } else {
50
                   ActivityCompat.requestPermissions(this,
51
                           new String[]{Manifest.permission.
     SEND_SMS},
                           REQUEST_SEND_SMS_PERMISSION);
              }
54
55
          }
      }
56
      @Override
58
```

```
public void onRequestPermissionsResult(int requestCode,
     String permissions[], int[] grantResults) {
          Toast.makeText(getApplicationContext(), "control here
60
                   Toast.LENGTH_LONG).show();
61
            super.onRequestPermissionsResult(requestCode,
     permissions, grantResults);
          switch (requestCode) {
63
               case REQUEST_SEND_SMS_PERMISSION: {
64
                   if (permissions[0].equalsIgnoreCase(Manifest.
     permission.SEND_SMS)
                            && grantResults[0] == PackageManager.
66
     PERMISSION_GRANTED) {
                       try {
67
                            SmsManager smsManager = SmsManager.
68
     getDefault();
                            smsManager.sendTextMessage(number,
69
     null, msg_content, null, null);
                            {\tt Toast.makeText(getApplicationContext}
70
     (), "SMS sent.",
                                    Toast.LENGTH_LONG).show();
                       } catch (Exception e) {
72
                            Toast.makeText(getApplicationContext
73
     (), e.toString(),
                                    Toast.LENGTH_LONG).show();
74
                       }
75
76
                   } else {
                       Toast.makeText(getApplicationContext(),
78
                                "SMS failed, please try again.",
79
     Toast.LENGTH_LONG).show();
                       return;
80
                   }
81
               }
82
          }
83
84
85
      }
86 }
```

Output:







