Department of Computer Science and Engineering

Shivanirudh S G, 185001146, Semester VII

6 September 2021

UCS1711 - Mobile Application Development Lab

Exercise 5: Android Application Development using Multithreading

	•		
Λ	1	m	
$\overline{}$			

Create an android application to simulate an alarm clock.

Code:

Main Activity:

Design:

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <!--<androidx.constraintlayout.widget.ConstraintLayout</pre>
     xmlns:android="http://schemas.android.com/apk/res/android"
     -->
3 <!--
          xmlns:app="http://schemas.android.com/apk/res-auto"--
     >
4 <!--
          xmlns:tools="http://schemas.android.com/tools"-->
          android:layout_width="match_parent"-->
5 <!--
6 <!--
          android:layout_height="match_parent"-->
          tools:context=".MainActivity">-->
7 <!--
          <TextView-->
9 <!--
10 <!--
              android:layout_width="wrap_content"-->
11 <!--
              android:layout_height="wrap_content"-->
12 <!--
              android:text="Hello World!"-->
13 <!--
              app:layout_constraintBottom_toBottomOf = "parent" --
14 <!--
              app:layout_constraintLeft_toLeftOf="parent"-->
15 <!--
              app:layout_constraintRight_toRightOf = "parent" -->
16 <!--
              app:layout_constraintTop_toTopOf="parent" />-->
18 <!--</androidx.constraintlayout.widget.ConstraintLayout>-->
19 < Relative Layout
          xmlns:android="http://schemas.android.com/apk/res/
     android"
          xmlns:app="http://schemas.android.com/apk/res-auto"
2.1
          xmlns:tools="http://schemas.android.com/tools"
          android:layout_width="match_parent"
23
          android:layout_height="match_parent"
          tools:context=".MainActivity">
25
26
      <TimePicker
          android:id="@+id/alarmtime"
28
          android:layout_width="match_parent"
29
          android:layout_height="wrap_content"
30
          android:layout_alignParentStart="true"
          android:layout_alignParentTop="true"
32
          android:layout_marginTop="162dp" />
34
      <Button
          android:id="@+id/progbarpage"
36
          android:layout_width="121dp"
          android:layout_height="wrap_content"
38
          android:layout_alignParentEnd="true"
          android:layout_alignParentRight="true"
```

```
android:layout_alignParentBottom="true"
android:layout_marginEnd="85dp"
android:layout_marginRight="85dp"
android:layout_marginBottom="77dp"
android:onClick="nextPage"
android:text="Progress Bar" />
47 </RelativeLayout>
```


Behaviour:


```
2 package com.example.multithreading;
4 import androidx.annotation.RequiresApi;
5 import androidx.appcompat.app.AppCompatActivity;
7 import android.app.AlarmManager;
8 import android.app.PendingIntent;
9 import android.app.TimePickerDialog;
import android.content.Intent;
import android.os.Build;
12 import android.os.Bundle;
13 import android.view.View;
14 import android.widget.TimePicker;
15 import android.widget.Toast;
17 import java.util.Calendar;
19 public class MainActivity extends AppCompatActivity {
20
21
      Calendar calendar;
      @Override
22
      protected void onCreate(Bundle savedInstanceState) {
23
          super.onCreate(savedInstanceState);
24
          setContentView(R.layout.activity_main);
25
26
          final TimePicker alarm_time = findViewById(R.id.
     alarmtime);
28
          final AlarmManager alarmMgr = (AlarmManager)
     getSystemService(ALARM_SERVICE);
          final Intent I = new Intent(getApplicationContext(),
     Alarm.class);
```


```
final PendingIntent pd = PendingIntent.getBroadcast(
32
     getApplicationContext(), 0, I, 0);
33
          calendar = Calendar.getInstance();
34
          alarm_time.setOnClickListener(new View.
35
     OnClickListener() {
               @Override
36
               public void onClick(View v) {
37
                   new TimePickerDialog(MainActivity.this, new
38
     TimePickerDialog.OnTimeSetListener() {
                       @RequiresApi(api = Build.VERSION_CODES.
39
     KITKAT)
                       Olverride
40
41
                       public void onTimeSet(TimePicker view,
42
     int hourOfDay, int minute) {
                           alarm_time.setHour(hourOfDay);
43
                           alarm_time.setMinute(minute);
44
45
                           calendar.set(Calendar.HOUR_OF_DAY,
46
     alarm_time.getCurrentHour());
                           calendar.set(Calendar.MINUTE,
47
     alarm_time.getCurrentMinute());
48
                           alarmMgr.setExact(AlarmManager.
49
     RTC_WAKEUP, calendar.getTimeInMillis(), pd);
                           Toast.makeText(MainActivity.this, "
50
     Alarm set", Toast.LENGTH_SHORT).show();
                       }
                   }, calendar.get(Calendar.HOUR_OF_DAY),
52
     calendar.get(Calendar.MINUTE), false).show();
              }
53
          });
54
      }
56
      public void nextPage(View view){
          Intent intent = new Intent(this, ProgressBarActivity.
58
     class);
          startActivity(intent);
      }
60
61 }
package com.example.multithreading;
3 import android.app.NotificationManager;
```

```
4 import android.app.PendingIntent;
5 import android.content.BroadcastReceiver;
6 import android.content.Context;
7 import android.content.Intent;
8 import android.media.Ringtone;
9 import android.media.RingtoneManager;
10 import android.net.Uri;
import androidx.core.app.NotificationCompat;
14 public class Alarm extends BroadcastReceiver {
      @Override
16
      public void onReceive(Context context, Intent intent) {
17
          Uri uri = RingtoneManager.getDefaultUri(
     RingtoneManager.TYPE_ALARM);
          Ringtone ringtone = RingtoneManager.getRingtone(
19
     context, uri);
20
          ringtone.play();
21
          PendingIntent pd = PendingIntent.getActivity(context,
      0, intent, 0);
          NotificationCompat.Builder builder = new
     NotificationCompat.Builder(context, " Wake up ");
          builder.setSmallIcon(R.mipmap.ic_launcher_round);
25
          builder.setContentIntent(pd);
          builder.setContentTitle("Alarm");
          builder.setContentText("Time up");
          NotificationManager notifmgr = (NotificationManager)
30
     context.getSystemService(Context.NOTIFICATION_SERVICE);
          notifmgr.notify(1, builder.build());
31
      }
32
33 }
```

Output:







Aim:

Create an android application to simulate a progress bar.

Code:

Main Activity:

Design:

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <!--<androidx.constraintlayout.widget.ConstraintLayout
     xmlns:android="http://schemas.android.com/apk/res/android"
3 <!--
          xmlns:app="http://schemas.android.com/apk/res-auto"--
4 <!--
          xmlns:tools="http://schemas.android.com/tools"-->
         android:layout_width="match_parent"-->
5 <!--
          android:layout_height="match_parent"-->
6 <!--
          tools:context=".ProgressBarActivity">-->
7 <!--
9 <!--</androidx.constraintlayout.widget.ConstraintLayout>-->
11 <RelativeLayout xmlns:android="http://schemas.android.com/apk
     /res/android"
      xmlns:app="http://schemas.android.com/apk/res-auto"
      xmlns:tools="http://schemas.android.com/tools"
13
      android:layout_width="match_parent"
      android:layout_height="match_parent"
      tools:context=".ProgressBarActivity">
17
      <EditText
          android:id="@+id/time_limit"
19
          android:layout_width="match_parent"
          android:layout_height="wrap_content"
2.1
          android:hint="time(in sec)"
          android:inputType="number"/>
      <Button
          android:id="@+id/suspend_button"
```

```
android:layout_width="wrap_content"
26
          android:layout_height="wrap_content"
          android:layout_below="@id/time_limit"
28
          android:text="SUSPEND"
          android:layout_centerHorizontal="true"/>
30
      <ProgressBar
          android:id="@+id/progress_bar"
39
          android:layout_width="match_parent"
33
          android:layout_height="wrap_content"
34
          android:layout_below="@id/suspend_button"
          android:layout_marginLeft="50dp"
36
          android:layout_marginRight="50dp"
37
          style="@style/Widget.AppCompat.ProgressBar.Horizontal
     "/>
      <Button
39
          android:id="@+id/start_button"
40
          android:layout_width="wrap_content"
          android:layout_height="wrap_content"
42
          android:layout_below="@id/progress_bar"
          android:text="START"
44
          android:layout_centerHorizontal="true"/>
47 </RelativeLayout>
```

Behaviour:

```
package com.example.multithreading;
3 import androidx.annotation.RequiresApi;
4 import androidx.appcompat.app.AppCompatActivity;
6 import android.app.ProgressDialog;
7 import android.content.Intent;
8 import android.content.res.ColorStateList;
9 import android.graphics.Color;
10 import android.os.Build;
import android.os.Bundle;
12 import android.os.Handler;
13 import android.view.View;
14 import android.widget.Button;
15 import android.widget.EditText;
16 import android.widget.ProgressBar;
18 public class ProgressBarActivity extends AppCompatActivity {
19
```

```
ProgressBar pb;
20
      Handler handle;
21
      int i;
22
      @Override
23
      protected void onCreate(Bundle savedInstanceState) {
24
          super.onCreate(savedInstanceState);
          setContentView(R.layout.activity_progress_bar);
26
27
          Intent intent = getIntent();
2.8
          Button suspend_btn = findViewById(R.id.suspend_button
30
     );
          final Button start_btn = findViewById(R.id.
31
     start_button);
32
          pb = findViewById(R.id.progress_bar);
33
          handle = new Handler();
34
35
          suspend_btn.setOnClickListener(new View.
36
     OnClickListener() {
               @Override
               public void onClick(View v) {
38
                   final ProgressDialog pd = new ProgressDialog(
39
     ProgressBarActivity.this);
                   pd.setTitle("Suspended");
40
                   pd.setMessage("Started");
41
                   pd.show();
43
                   EditText time_limit = findViewById(R.id.
44
     time_limit);
                   int limit = Integer.parseInt(time_limit.
45
     getEditableText().toString());
46
                   new Handler().postDelayed(new Runnable() {
47
                       @Override
48
                       public void run() {
49
                            pd.dismiss();
50
51
                   }, limit*1000);
52
               }
          });
54
55
          start_btn.setOnClickListener(new View.OnClickListener
     () {
               @Override
57
```

```
public void onClick(View v) {
58
                    new Thread(new Runnable() {
59
                         @Override
60
                         public void run() {
61
                             for(i=0;i<100;i+=10){</pre>
62
                                  if(i==100){
                                      handle.post(new Runnable() {
64
                                           @RequiresApi(api = Build.
65
     VERSION_CODES.LOLLIPOP)
                                           @Override
66
                                           public void run() {
67
68
     setProgressTintList(ColorStateList.valueOf(Color.RED));
                                               start_btn.setText("
69
     FINISH");
                                           }
70
                                      });
71
                                  }
72
                                  pb.setProgress(i);
73
74
                                  try{
                                      Thread.sleep(100);
                                  }
76
                                  catch (Exception e){
                                      e.printStackTrace();
                                  }
                             }
80
                        }
81
                    }).start();
82
               }
83
           });
84
85
      }
86
87 }
```

Output:

