Department of Computer Science and Engineering

Shivanirudh S G, 185001146, Semester VII

30 August 2021

UCS1711 - Mobile Application Development Lab

Exercise 4: Android Application Development using Database

Objective:

In main activity have the following buttons: Create, Insert, Update, Delete, Retrieve. Perform appropriate operations for each.

Main	Activity:	

Code:

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <androidx.constraintlayout.widget.ConstraintLayout
     xmlns:android="http://schemas.android.com/apk/res/android"
      xmlns:app="http://schemas.android.com/apk/res-auto"
      xmlns:tools="http://schemas.android.com/tools"
      android:layout_width="match_parent"
      android:layout_height="match_parent"
      tools:context=".MainActivity">
      <Button
          android:id="@+id/btn_insert"
          android:layout_width="137dp"
11
          android:layout_height="50dp"
12
          android:layout_marginStart="44dp"
13
          android:layout_marginLeft="44dp"
14
          android:layout_marginTop="212dp"
          android:text="INSERT"
16
          app:layout_constraintStart_toStartOf="parent"
17
          app:layout_constraintTop_toBottomOf="@+id/textView" /
18
19
      <Button
20
          android:id="@+id/btn_update"
21
          android:layout_width="137dp"
22
          android:layout_height="50dp"
          android:layout_marginStart="204dp"
24
          android:layout_marginLeft="204dp"
          android:layout_marginTop="212dp"
          android:text="UPDATE"
          app:layout_constraintStart_toStartOf = "parent"
28
          app:layout_constraintTop_toBottomOf = "@+id/textView" /
29
30
      <Button
31
          android:id="@+id/btn_delete"
32
          android:layout_width="137dp"
          android:layout_height="50dp"
34
          android:layout_marginStart="44dp"
          android:layout_marginLeft="44dp"
36
          android:layout_marginTop="308dp"
          android:text="DELETE"
38
          app:layout_constraintStart_toStartOf="parent"
          app:layout_constraintTop_toBottomOf = "@+id/textView" /
40
41
```

```
<Button
42
          android:id="@+id/btn_retrieve"
43
          android:layout_width="137dp"
44
          android:layout_height="50dp"
          android:layout_marginStart="204dp"
46
          android:layout_marginLeft="204dp"
47
          android:layout_marginTop="308dp"
48
          android:text="RETRIEVE"
49
          app:layout_constraintStart_toStartOf = "parent"
50
          app:layout_constraintTop_toBottomOf = "@+id/textView" /
51
52
      <TextView
53
          android:id="@+id/textView"
54
          android:layout_width="221dp"
          android:layout_height="45dp"
56
          android:text="Employee Database"
          android:textAppearance="@style/TextAppearance.
58
     AppCompat.Large"
          android:textSize="24sp"
          app:layout_constraintBottom_toBottomOf = "parent"
          app:layout_constraintHorizontal_bias="0.449"
61
          app:layout_constraintLeft_toLeftOf="parent"
          app:layout_constraintRight_toRightOf = "parent"
          app:layout_constraintTop_toTopOf = "parent"
          app:layout_constraintVertical_bias="0.084" />
65
66
      <Button
          android:id="@+id/btn_create"
68
          android:layout_width="137dp"
69
          android:layout_height="50dp"
70
          android:layout_marginStart="124dp"
          android:layout_marginLeft="124dp"
72
          android:layout_marginTop="104dp"
73
          android:text="CREATE"
74
          app:layout_constraintStart_toStartOf="parent"
          app:layout_constraintTop_toBottomOf="@+id/textView" /
76
78 </androidx.constraintlayout.widget.ConstraintLayout>
  Behaviour:
```

```
package com.example.database;
```

```
3 import androidx.appcompat.app.AlertDialog;
4 import androidx.appcompat.app.AppCompatActivity;
6 import android.content.DialogInterface;
7 import android.content.Intent;
8 import android.os.Bundle;
10 import android.view.View;
import android.widget.Button;
13 public class MainActivity extends AppCompatActivity {
      private DBHelper dbHandler;
15
      private Button btn_create, btn_insert, btn_update,
16
     btn_delete, btn_retrieve;
17
      @Override
18
      protected void onCreate(Bundle savedInstanceState) {
19
          super.onCreate(savedInstanceState);
          setContentView(R.layout.activity_main);
21
          btn_create = findViewById(R.id.btn_create);
          btn_insert = findViewById(R.id.btn_insert);
          btn_update = findViewById(R.id.btn_update);
          btn_delete = findViewById(R.id.btn_delete);
          btn_retrieve = findViewById(R.id.btn_retrieve);
27
          btn_create.setOnClickListener(new View.
     OnClickListener() {
              @Override
30
              public void onClick(View v) {
31
                  dbHandler = new DBHelper(MainActivity.this);
32
33
                  AlertDialog.Builder builder1 = new
34
     AlertDialog.Builder(MainActivity.this);
                  builder1.setMessage("Table Employees created
     successfully!!");
                  builder1.setCancelable(true);
36
37
                  builder1.setPositiveButton(
                           "GG".
39
                           new DialogInterface.OnClickListener()
      {
                               public void onClick(
     DialogInterface dialog, int id) {
```

```
dialog.cancel();
42
                                }
43
                            });
44
                   AlertDialog alert11 = builder1.create();
                   alert11.show();
46
               }
          });
48
49
           btn_insert.setOnClickListener(new View.
50
     OnClickListener() {
               @Override
51
               public void onClick(View v) {
52
                   Intent intent = new Intent(MainActivity.this,
      InsertActivity.class);
                   startActivity(intent);
54
               }
55
          });
56
57
           btn_update.setOnClickListener(new View.
58
     OnClickListener() {
               @Override
               public void onClick(View v) {
60
                   Intent intent = new Intent(MainActivity.this,
61
      UpdateActivity.class);
                   startActivity(intent);
62
               }
63
          });
65
           btn_delete.setOnClickListener(new View.
     OnClickListener() {
               @Override
67
               public void onClick(View v) {
68
                   Intent intent = new Intent(MainActivity.this,
69
      DeleteActivity.class);
                   startActivity(intent);
70
               }
71
72
          });
73
           btn_retrieve.setOnClickListener(new View.
74
     OnClickListener() {
               @Override
75
               public void onClick(View v) {
76
                   Intent intent = new Intent(MainActivity.this,
      RetrieveActivity.class);
                   startActivity(intent);
78
```

```
79 }
80 });
81
82 }
83 }
```

Insert Activity:

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <androidx.constraintlayout.widget.ConstraintLayout</pre>
     xmlns:android="http://schemas.android.com/apk/res/android"
      xmlns:app="http://schemas.android.com/apk/res-auto"
      xmlns:tools="http://schemas.android.com/tools"
      android:layout_width="match_parent"
      android:layout_height="match_parent"
      app:layout_constraintTop_toTopOf="parent"
      tools:context=".MainActivity">
q
      <RadioButton
10
          android:id="@+id/radioButtonOther"
11
          android:layout_width="wrap_content"
12
          android:layout_height="wrap_content"
13
          android:layout_marginStart="4dp"
          android:layout_marginLeft="4dp"
          android:layout_marginTop="216dp"
          android:text="Other"
17
          app:layout_constraintStart_toEndOf = "@+id/
18
     radioButtonFemale"
          app:layout_constraintTop_toTopOf="parent" />
19
20
      <TextView
21
          android:id="@+id/textView10"
22
          android:layout_width="87dp"
23
          android:layout_height="45dp"
24
          android:layout_marginStart="40dp"
25
          android:layout_marginLeft="40dp"
          android:layout_marginTop="360dp"
          android:text="Salary"
          app:layout_constraintStart_toStartOf="parent"
29
          app:layout_constraintTop_toTopOf="parent" />
31
      <TextView
          android:id="@+id/textView7"
33
          android:layout_width="87dp"
          android:layout_height="45dp"
35
          android:layout_marginStart="40dp"
          android:layout_marginLeft="40dp"
```

```
android:layout_marginTop="288dp"
38
          android:text="Department"
          app:layout_constraintStart_toStartOf="parent"
40
          app:layout_constraintTop_toTopOf="parent" />
41
42
      <TextView
43
          android:id="@+id/textView6"
44
          android:layout_width="87dp"
45
          android:layout_height="45dp"
46
          android:layout_marginStart="40dp"
47
          android:layout_marginLeft="40dp"
48
          android:layout_marginTop="220dp"
49
          android:text="Gender"
          app:layout_constraintStart_toStartOf="parent"
          app:layout_constraintTop_toTopOf="parent" />
53
      <TextView
          android:id="@+id/textView3"
55
          android:layout_width="87dp"
56
          android:layout_height="45dp"
          android:layout_marginStart="36dp"
          android:layout_marginLeft="36dp"
59
          android:layout_marginTop="144dp"
60
          android:text="Employee Name"
61
          app:layout_constraintStart_toStartOf = "parent"
62
          app:layout_constraintTop_toTopOf="parent" />
63
64
      <androidx.appcompat.widget.Toolbar</pre>
65
          android:id="@+id/toolbar"
66
          android:layout_width="match_parent"
67
          android:layout_height="?attr/actionBarSize"
68
          android:background="?attr/colorPrimary"
          app:layout_anchor="@+id/toolbar"
70
          app:layout_anchorGravity="center"
71
          tools:layout_editor_absoluteX="0dp"
72
          tools:layout_editor_absoluteY="0dp" />
73
74
      <TextView
75
          android:id="@+id/textView"
76
          android:layout_width="87dp"
77
          android:layout_height="45dp"
78
          android:layout_marginStart="36dp"
79
          android:layout_marginLeft="36dp"
80
          android:layout_marginTop="80dp"
81
          android:text="Employee Code"
82
```

```
app:layout_constraintStart_toStartOf = "parent"
83
           app:layout_constraintTop_toTopOf="parent" />
85
       <EditText
           android:id="@+id/empcode_upd"
           android:layout_width="wrap_content"
           android:layout_height="wrap_content"
89
           android:layout_marginStart="24dp"
90
           android:layout_marginLeft="24dp"
91
           android:layout_marginTop="25dp"
92
           android: ems = "10"
93
           android:inputType="textPersonName"
94
           app:layout_constraintStart_toEndOf="@+id/textView"
           app:layout_constraintTop_toBottomOf="@+id/toolbar" />
96
97
       <TextView
98
           android:id="@+id/textView4"
           android:layout_width="410dp"
100
           android:layout_height="54dp"
           android:fontFamily="sans-serif-condensed-medium"
           android:gravity="center"
           android:text="Insert Page"
104
           android:textAppearance="@style/TextAppearance.
      AppCompat.Body1"
           android:textSize="20sp"
106
           app:autoSizeTextType="uniform"
107
           tools:layout_editor_absoluteX="0dp"
108
           tools:layout_editor_absoluteY="1dp" />
109
       <Spinner
111
           android:id="@+id/spinner"
           android:layout_width="208dp"
113
           android:layout_height="31dp"
114
           android:layout_marginStart="20dp"
           android:layout_marginLeft="20dp"
116
           android:layout_marginTop="288dp"
           android:entries="@array/department"
118
           app:layout_constraintStart_toEndOf = "@+id/textView7"
           app:layout_constraintTop_toTopOf="parent" />
120
121
       <EditText
           android:id="@+id/empsalary_upd"
           android:layout_width="wrap_content"
124
           android:layout_height="wrap_content"
           android:layout_marginStart="20dp"
126
```

```
android:layout_marginLeft="20dp"
127
           android:layout_marginTop="364dp"
           android: ems = "10"
           android:inputType="time"
130
           app:layout_constraintStart_toEndOf="@+id/textView10"
           app:layout_constraintTop_toTopOf="parent" />
133
       <Button
134
           android:id="@+id/button_search"
           android:layout_width="wrap_content"
136
           android:layout_height="wrap_content"
137
           android:layout_marginStart="144dp"
138
           android:layout_marginLeft="144dp"
139
           android:layout_marginTop="464dp"
140
           android:onClick="submitFields"
           android:text="Insert"
142
           app:layout_constraintStart_toStartOf="parent"
143
           app:layout_constraintTop_toTopOf="parent" />
144
145
       <EditText
146
           android:id="@+id/empname_upd"
           android:layout_width="wrap_content"
148
           android:layout_height="wrap_content"
149
           android:layout_marginStart="24dp"
           android:layout_marginLeft="24dp"
           android:layout_marginTop="144dp"
           android: ems = "10"
153
           android:inputType="textPersonName"
154
           app:layout_constraintStart_toEndOf = "@+id/textView3"
           app:layout_constraintTop_toTopOf="parent" />
       <RadioButton
           android:id="@+id/radioButtonMale"
           android:layout_width="wrap_content"
160
           android:layout_height="wrap_content"
161
           android:layout_marginStart="20dp"
           android:layout_marginLeft="20dp"
163
           android:layout_marginTop="216dp"
           android:text="Male"
165
           app:layout_constraintStart_toEndOf = "@+id/textView6"
166
           app:layout_constraintTop_toTopOf="@+id/toolbar" />
167
       <RadioButton
169
           android:id="@+id/radioButtonFemale"
170
           android:layout_width="wrap_content"
171
```

```
android:layout_height="wrap_content"
android:layout_marginStart="8dp"
android:layout_marginLeft="8dp"
android:layout_marginTop="216dp"
android:text="Female"
app:layout_constraintStart_toEndOf="@+id/radioButtonMale"
app:layout_constraintTop_toTopOf="parent" />
app:layout_constraintTop_toTopOf="parent" />
app:layout_constraintLayout.widget.ConstraintLayout>
```

```
package com.example.database;
3 import androidx.appcompat.app.AlertDialog;
4 import androidx.appcompat.app.AppCompatActivity;
6 import android.content.DialogInterface;
7 import android.content.Intent;
8 import android.database.sqlite.SQLiteException;
9 import android.os.Bundle;
10 import android.view.View;
import android.widget.Button;
12 import android.widget.EditText;
import android.widget.RadioButton;
14 import android.widget.Spinner;
import android.widget.Toast;
17 public class InsertActivity extends AppCompatActivity {
18
      EditText code, name, salary;
19
      RadioButton male, female, other;
20
      Spinner spin;
      Button insert;
22
      private DBHelper dbHelper;
23
24
      @Override
      protected void onCreate(Bundle savedInstanceState) {
26
          super.onCreate(savedInstanceState);
27
          setContentView(R.layout.activity_insert);
28
          Intent intent = getIntent();
30
31
          code = findViewById(R.id.empcode_upd);
```

```
name = findViewById(R.id.empname_upd);
33
          salary = findViewById(R.id.empsalary_upd);
          male = findViewById(R.id.radioButtonMale);
35
          female = findViewById(R.id.radioButtonFemale);
          other = findViewById(R.id.radioButtonOther);
37
          spin = findViewById(R.id.spinner);
          insert = findViewById(R.id.button_search);
30
40
          male.setOnClickListener(new View.OnClickListener() {
41
               @Override
              public void onClick(View v) {
43
                   female.setChecked(false);
44
                   other.setChecked(false);
45
46
          });
47
          female.setOnClickListener(new View.OnClickListener()
48
     {
               @Override
49
               public void onClick(View v) {
50
                   male.setChecked(false);
51
                   other.setChecked(false);
          });
          other.setOnClickListener(new View.OnClickListener() {
               @Override
              public void onClick(View v) {
57
                   male.setChecked(false);
58
                   female.setChecked(false);
59
              }
          });
61
62
          insert.setOnClickListener(new View.OnClickListener()
63
     {
               @Override
64
               public void onClick(View v) {
65
                   String empcode = code.getText().toString();
                   String empname = name.getText().toString();
67
                   String gender;
                   if (male.isChecked()) {
69
                       gender = male.getText().toString();
                   } else if (female.isChecked()) {
71
72
                       gender = female.getText().toString();
                   } else {
73
                       gender = other.getText().toString();
                   }
75
```

```
String dept = spin.getSelectedItem().toString
76
      ();
                   String sal = salary.getText().toString();
77
78
                   if (empname.length() == 0) {
79
                       name.requestFocus();
                       name.setError("FIELD CANNOT BE EMPTY");
81
                   } else if (!empname.matches("[a-zA-Z]+")) {
82
                       name.requestFocus();
83
                       name.setError("ENTER ONLY ALPHABETICAL
84
      CHARACTER");
                   } else if (empcode.length() == 0) {
85
                       code.requestFocus();
86
                       code.setError("FIELD CANNOT BE EMPTY");
87
                   } else if (!empcode.matches("[a-zA-Z0-9]+"))
       {
                       code.requestFocus();
89
                       code.setError("ENTER ONLY ALPHANUMERICAL
90
      CHARACTER");
                   } else if (sal.length() == 0) {
91
                       code.requestFocus();
                       code.setError("FIELD CANNOT BE EMPTY");
93
                   } else if (!sal.matches("[0-9.]+")) {
                       code.requestFocus();
95
                       code.setError("ENTER ONLY ALPHANUMERICAL
      CHARACTER");
                   } else {
97
                       dbHelper = new DBHelper(InsertActivity.
98
      this);
                       try {
99
                            dbHelper.insertEmployee(empcode,
100
      empname, gender, dept, sal);
101
                            AlertDialog.Builder builder1 = new
      AlertDialog.Builder(InsertActivity.this);
                            builder1.setMessage("Record inserted
      successfully!!");
                            builder1.setCancelable(true);
                            builder1.setPositiveButton(
                                    "GG".
                                    new DialogInterface.
      OnClickListener() {
                                        public void onClick(
      DialogInterface dialog, int id) {
```

```
dialog.cancel();
110
                                           }
111
                                       });
                              AlertDialog alert11 = builder1.create
113
      ();
                              alert11.show();
115
                              code.setText("");
116
                             name.setText("");
117
                             male.setChecked(false);female.
118
      setChecked(false); other.setChecked(false);
                             spin.setSelection(0);
119
                              salary.setText("");
120
121
                         catch(SQLiteException e){
122
                              Toast.makeText(InsertActivity.this,e.
123
      toString(), Toast.LENGTH_LONG).show();
124
125
                    }
126
                }
           });
128
       }
130 }
```

Update Activity:

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <androidx.constraintlayout.widget.ConstraintLayout</pre>
     xmlns:android="http://schemas.android.com/apk/res/android"
      xmlns:app="http://schemas.android.com/apk/res-auto"
      xmlns:tools="http://schemas.android.com/tools"
      android:layout_width="match_parent"
      android:layout_height="match_parent"
      app:layout_constraintTop_toTopOf="parent"
      tools:context=".MainActivity">
q
      <RadioButton
10
          android:id="@+id/radioButtonOther"
11
          android:layout_width="wrap_content"
12
          android:layout_height="wrap_content"
13
          android:layout_marginStart="4dp"
          android:layout_marginLeft="4dp"
          android:layout_marginTop="216dp"
          android:text="Other"
17
          app:layout_constraintStart_toEndOf = "@+id/
18
     radioButtonFemale"
          app:layout_constraintTop_toTopOf="parent" />
19
20
      <TextView
21
          android:id="@+id/textView10"
22
          android:layout_width="87dp"
23
          android:layout_height="45dp"
24
          android:layout_marginStart="40dp"
25
          android:layout_marginLeft="40dp"
          android:layout_marginTop="360dp"
          android:text="Salary"
          app:layout_constraintStart_toStartOf="parent"
29
          app:layout_constraintTop_toTopOf="parent" />
31
      <TextView
          android:id="@+id/textView7"
33
          android:layout_width="87dp"
          android:layout_height="45dp"
          android:layout_marginStart="40dp"
          android:layout_marginLeft="40dp"
```

```
android:layout_marginTop="288dp"
38
          android:text="Department"
          app:layout_constraintStart_toStartOf="parent"
40
          app:layout_constraintTop_toTopOf="parent" />
41
42
      <TextView
43
          android:id="@+id/textView6"
44
          android:layout_width="87dp"
45
          android:layout_height="45dp"
46
          android:layout_marginStart="40dp"
47
          android:layout_marginLeft="40dp"
48
          android:layout_marginTop="220dp"
49
          android:text="Gender"
          app:layout_constraintStart_toStartOf="parent"
          app:layout_constraintTop_toTopOf="parent" />
      <TextView
          android:id="@+id/textView3"
55
          android:layout_width="87dp"
56
          android:layout_height="45dp"
          android:layout_marginStart="36dp"
          android:layout_marginLeft="36dp"
59
          android:layout_marginTop="144dp"
60
          android:text="Employee Name"
61
          app:layout_constraintStart_toStartOf = "parent"
62
          app:layout_constraintTop_toTopOf="parent" />
63
64
      <androidx.appcompat.widget.Toolbar</pre>
65
          android:id="@+id/toolbar"
66
          android:layout_width="match_parent"
67
          android:layout_height="?attr/actionBarSize"
68
          android:background="?attr/colorPrimary"
          app:layout_anchor="@+id/toolbar"
70
          app:layout_anchorGravity="center"
71
          tools:layout_editor_absoluteX="0dp"
72
          tools:layout_editor_absoluteY="0dp" />
73
74
      <TextView
75
          android:id="@+id/textView"
76
          android:layout_width="87dp"
77
          android:layout_height="45dp"
78
          android:layout_marginStart="36dp"
79
          android:layout_marginLeft="36dp"
80
          android:layout_marginTop="80dp"
81
          android:text="Employee Code"
82
```

```
app:layout_constraintStart_toStartOf = "parent"
83
           app:layout_constraintTop_toTopOf="parent" />
85
       <EditText
           android:id="@+id/empcode_upd"
           android:layout_width="wrap_content"
           android:layout_height="wrap_content"
89
           android:layout_marginStart="24dp"
90
           android:layout_marginLeft="24dp"
91
           android:layout_marginTop="25dp"
92
           android: ems = "10"
93
           android:inputType="textPersonName"
94
           app:layout_constraintStart_toEndOf = "@+id/textView"
           app:layout_constraintTop_toBottomOf="@+id/toolbar" />
96
97
       <TextView
98
           android:id="@+id/textView4"
           android:layout_width="410dp"
100
           android:layout_height="54dp"
           android:fontFamily="sans-serif-condensed-medium"
           android:gravity="center"
           android:text="Update Page"
104
           android:textAppearance="@style/TextAppearance.
      AppCompat.Body1"
           android:textSize="20sp"
106
           app:autoSizeTextType="uniform"
107
           tools:layout_editor_absoluteX="0dp"
108
           tools:layout_editor_absoluteY="1dp" />
109
       <Spinner
111
           android:id="@+id/spinner"
           android:layout_width="208dp"
113
           android:layout_height="31dp"
114
           android:layout_marginStart="20dp"
           android:layout_marginLeft="20dp"
116
           android:layout_marginTop="288dp"
           android:entries="@array/department"
118
           app:layout_constraintStart_toEndOf = "@+id/textView7"
           app:layout_constraintTop_toTopOf="parent" />
120
121
       <EditText
           android:id="@+id/empsalary_upd"
           android:layout_width="wrap_content"
124
           android:layout_height="wrap_content"
           android:layout_marginStart="20dp"
126
```

```
android:layout_marginLeft="20dp"
127
           android:layout_marginTop="364dp"
           android: ems = "10"
           android:inputType="time"
130
           app:layout_constraintStart_toEndOf="@+id/textView10"
           app:layout_constraintTop_toTopOf="parent" />
133
       <Button
134
           android:id="@+id/button_search"
           android:layout_width="wrap_content"
136
           android:layout_height="wrap_content"
137
           android:layout_marginStart="144dp"
138
           android:layout_marginLeft="144dp"
139
           android:layout_marginTop="464dp"
140
           android:onClick="submitFields"
           android:text="Update"
142
           app:layout_constraintStart_toStartOf = "parent"
143
           app:layout_constraintTop_toTopOf="parent" />
144
145
       <EditText
146
           android:id="@+id/empname_upd"
           android:layout_width="wrap_content"
148
           android:layout_height="wrap_content"
149
           android:layout_marginStart="24dp"
           android:layout_marginLeft="24dp"
           android:layout_marginTop="144dp"
           android: ems = "10"
153
           android:inputType="textPersonName"
154
           app:layout_constraintStart_toEndOf = "@+id/textView3"
           app:layout_constraintTop_toTopOf="parent" />
       <RadioButton
           android:id="@+id/radioButtonMale"
           android:layout_width="wrap_content"
160
           android:layout_height="wrap_content"
161
           android:layout_marginStart="20dp"
           android:layout_marginLeft="20dp"
163
           android:layout_marginTop="216dp"
           android:text="Male"
165
           app:layout_constraintStart_toEndOf = "@+id/textView6"
166
           app:layout_constraintTop_toTopOf="@+id/toolbar" />
167
       <RadioButton
169
           android:id="@+id/radioButtonFemale"
170
           android:layout_width="wrap_content"
171
```

```
android:layout_height="wrap_content"
android:layout_marginStart="8dp"
android:layout_marginLeft="8dp"
android:layout_marginTop="216dp"
android:text="Female"
app:layout_constraintStart_toEndOf="@+id/radioButtonMale"
app:layout_constraintTop_toTopOf="parent" />
app:layout_constraintLayout.widget.ConstraintLayout>
```

```
package com.example.database;
3 import androidx.appcompat.app.AlertDialog;
4 import androidx.appcompat.app.AppCompatActivity;
6 import android.content.DialogInterface;
7 import android.content.Intent;
8 import android.database.sqlite.SQLiteException;
9 import android.os.Bundle;
10 import android.view.View;
import android.widget.Button;
12 import android.widget.EditText;
import android.widget.RadioButton;
14 import android.widget.Spinner;
import android.widget.Toast;
17 public class UpdateActivity extends AppCompatActivity {
18
      EditText code, name, salary;
19
      RadioButton male, female, other;
20
      Spinner spin;
      Button insert;
22
      private DBHelper dbHelper;
23
24
      @Override
      protected void onCreate(Bundle savedInstanceState) {
26
          super.onCreate(savedInstanceState);
27
          setContentView(R.layout.activity_update);
29
          Intent intent = getIntent();
30
31
          code = findViewById(R.id.empcode_upd);
```

```
name = findViewById(R.id.empname_upd);
33
          salary = findViewById(R.id.empsalary_upd);
          male = findViewById(R.id.radioButtonMale);
35
          female = findViewById(R.id.radioButtonFemale);
          other = findViewById(R.id.radioButtonOther);
37
          spin = findViewById(R.id.spinner);
          insert = findViewById(R.id.button_search);
30
40
          male.setOnClickListener(new View.OnClickListener() {
41
               @Override
              public void onClick(View v) {
43
                   female.setChecked(false);
44
                   other.setChecked(false);
45
46
          });
47
          female.setOnClickListener(new View.OnClickListener()
48
     {
               @Override
49
               public void onClick(View v) {
50
                   male.setChecked(false);
51
                   other.setChecked(false);
          });
          other.setOnClickListener(new View.OnClickListener() {
               @Override
              public void onClick(View v) {
57
                   male.setChecked(false);
58
                   female.setChecked(false);
59
              }
          });
61
62
          insert.setOnClickListener(new View.OnClickListener()
63
     {
               @Override
64
               public void onClick(View v) {
65
                   String empcode = code.getText().toString();
                   String empname = name.getText().toString();
67
                   String gender;
                   if (male.isChecked()) {
69
                       gender = male.getText().toString();
                   } else if (female.isChecked()) {
71
72
                       gender = female.getText().toString();
                   } else {
73
                       gender = other.getText().toString();
                   }
75
```

```
String dept = spin.getSelectedItem().toString
76
      ();
                   String sal = salary.getText().toString();
77
78
                   if (empname.length() == 0) {
79
                        name.requestFocus();
                        name.setError("FIELD CANNOT BE EMPTY");
81
                   } else if (!empname.matches("[a-zA-Z]+")) {
82
                        name.requestFocus();
83
                        name.setError("ENTER ONLY ALPHABETICAL
84
      CHARACTER");
                   } else if (empcode.length() == 0) {
85
                        code.requestFocus();
86
                        code.setError("FIELD CANNOT BE EMPTY");
87
                   } else if (!empcode.matches("[a-zA-Z0-9]+"))
       {
                        code.requestFocus();
89
                        code.setError("ENTER ONLY ALPHANUMERICAL
90
      CHARACTER");
                   } else if (sal.length() == 0) {
91
                        code.requestFocus();
                        code.setError("FIELD CANNOT BE EMPTY");
93
                   } else if (!sal.matches("[0-9.]+")) {
                        code.requestFocus();
95
                        code.setError("ENTER ONLY ALPHANUMERICAL
      CHARACTER");
                   } else {
97
                        try{
98
                            dbHelper = new DBHelper(
99
      UpdateActivity.this);
                            dbHelper.updateEmployee(empcode,
100
      empname, gender, dept, sal);
101
                            AlertDialog.Builder builder1 = new
      AlertDialog.Builder(UpdateActivity.this);
                            builder1.setMessage("Record updated
      successfully!!");
                            builder1.setCancelable(true);
                            builder1.setPositiveButton(
                                    "GG".
                                    new DialogInterface.
      OnClickListener() {
                                        public void onClick(
      DialogInterface dialog, int id) {
```

```
dialog.cancel();
110
                                           }
111
                                       });
                              AlertDialog alert11 = builder1.create
113
      ();
                              alert11.show();
115
                              code.setText("");
116
                             name.setText("");
117
                             male.setChecked(false);female.
118
      setChecked(false); other.setChecked(false);
                             spin.setSelection(0);
119
                              salary.setText("");
120
121
                         catch(SQLiteException e){
122
                              Toast.makeText(UpdateActivity.this,e.
123
      toString(), Toast.LENGTH_LONG).show();
124
125
                    }
126
                }
           });
128
       }
130 }
```

Delete Activity:

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <androidx.constraintlayout.widget.ConstraintLayout</pre>
     xmlns:android="http://schemas.android.com/apk/res/android"
      xmlns:app="http://schemas.android.com/apk/res-auto"
      xmlns:tools="http://schemas.android.com/tools"
      android:layout_width="match_parent"
      android:layout_height="match_parent"
      app:layout_constraintTop_toTopOf="parent"
      tools:context=".MainActivity">
9
      <androidx.appcompat.widget.Toolbar</pre>
10
          android:id="@+id/toolbar"
11
          android:layout_width="match_parent"
12
          android:layout_height="?attr/actionBarSize"
13
          android:background="?attr/colorPrimary"
14
          app:layout_anchor="@+id/toolbar"
          app:layout_anchorGravity="center"
          tools:layout_editor_absoluteX="0dp"
17
          tools:layout_editor_absoluteY="0dp" />
18
19
20
      <TextView
          android:id="@+id/textView"
21
          android:layout_width="87dp"
22
          android:layout_height="45dp"
23
          android:layout_marginStart="36dp"
24
          android:layout_marginLeft="36dp"
25
          android:layout_marginTop="80dp"
26
          android:text="Employee Code"
          app:layout_constraintStart_toStartOf="parent"
28
          app:layout_constraintTop_toTopOf="parent" />
29
30
      <EditText
          android:id="@+id/empcode_upd"
32
          android:layout_width="wrap_content"
          android:layout_height="wrap_content"
34
          android:layout_marginStart="24dp"
          android:layout_marginLeft="24dp"
36
          android:layout_marginTop="25dp"
37
          android: ems = "10"
38
```

```
android:inputType="textPersonName"
39
          app:layout_constraintStart_toEndOf = "@+id/textView"
          app:layout_constraintTop_toBottomOf="@+id/toolbar" />
41
      <TextView
43
          android:id="@+id/textView4"
          android:layout_width="410dp"
45
          android:layout_height="54dp"
46
          android:fontFamily="sans-serif-condensed-medium"
          android:gravity="center"
          android:text="Delete Page"
49
          android:textAppearance="@style/TextAppearance.
50
     AppCompat.Body1"
          android:textSize="20sp"
51
          app:autoSizeTextType="uniform"
52
          tools:layout_editor_absoluteX="0dp"
          tools:layout_editor_absoluteY="1dp" />
55
      <Button
56
          android:id="@+id/button_search"
57
          android:layout_width="wrap_content"
          android:layout_height="wrap_content"
          android:layout_marginStart="128dp"
          android:layout_marginLeft="128dp"
61
          android:layout_marginTop="184dp"
          android:text="Delete"
63
          app:layout_constraintStart_toStartOf = "parent"
          app:layout_constraintTop_toTopOf="parent" />
65
67 </androidx.constraintlayout.widget.ConstraintLayout>
```

```
package com.example.database;

import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;

import android.content.DialogInterface;
import android.content.Intent;
import android.database.sqlite.SQLiteException;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
```

```
import android.widget.TextView;
14 import android.widget.Toast;
16 public class DeleteActivity extends AppCompatActivity {
17
      EditText code;
18
      Button delete;
10
      private DBHelper dbHelper;
20
21
      @Override
22
      protected void onCreate(Bundle savedInstanceState) {
23
          super.onCreate(savedInstanceState);
24
          setContentView(R.layout.activity_delete);
25
26
          Intent intent = getIntent();
27
28
          code = findViewById(R.id.empcode_upd);
          delete = findViewById(R.id.button_search);
30
31
          delete.setOnClickListener(new View.OnClickListener()
32
     {
               @Override
33
               public void onClick(View v) {
34
                   String empcode = code.getText().toString();
35
                   if (empcode.length() == 0) {
37
                       code.requestFocus();
38
                       code.setError("FIELD CANNOT BE EMPTY");
39
                   } else if (!empcode.matches("[a-zA-Z0-9]+"))
40
      {
                       code.requestFocus();
41
                       code.setError("ENTER ONLY ALPHANUMERICAL
42
     CHARACTER");
                   }
43
44
                   dbHelper = new DBHelper(DeleteActivity.this);
                   try{
46
                       dbHelper.deleteEmployee(empcode);
47
48
                       AlertDialog.Builder builder1 = new
49
     AlertDialog.Builder(DeleteActivity.this);
                       builder1.setMessage("Record deleted
     successfully!!");
                       builder1.setCancelable(true);
52
```

```
builder1.setPositiveButton(
                                     "GG",
54
                                     \begin{array}{ccc} \textbf{new} & \texttt{DialogInterface} \,. \end{array}
55
      OnClickListener() {
                                          public void onClick(
56
      DialogInterface dialog, int id) {
                                               dialog.cancel();
57
                                          }
58
                                     });
59
                           AlertDialog alert11 = builder1.create();
60
                           alert11.show();
61
                           code.setText("");
62
                      }
63
                      catch(SQLiteException e){
64
                           Toast.makeText(DeleteActivity.this, e.
65
      toString(), Toast.LENGTH_LONG).show();
                      }
66
                 }
67
            });
68
       }
69
70 }
```

Retrieve Activity:

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <androidx.constraintlayout.widget.ConstraintLayout</pre>
     xmlns:android="http://schemas.android.com/apk/res/android"
      xmlns:app="http://schemas.android.com/apk/res-auto"
      xmlns:tools="http://schemas.android.com/tools"
      android:layout_width="match_parent"
      android:layout_height="match_parent"
      app:layout_constraintTop_toTopOf="parent"
      tools:context=".MainActivity">
9
      <TextView
10
          android:id="@+id/salary_display"
11
          android:layout_width="193dp"
12
          android:layout_height="46dp"
13
          android:layout_marginStart="144dp"
          android:layout_marginLeft="144dp"
          android:layout_marginTop="520dp"
          app:layout_constraintStart_toStartOf = "parent"
17
          app:layout_constraintTop_toTopOf="parent" />
18
19
20
      <TextView
          android:id="@+id/dept_display"
21
          android:layout_width="193dp"
22
          android:layout_height="46dp"
23
          android:layout_marginStart="144dp"
24
          android:layout_marginLeft="144dp"
25
          android:layout_marginTop="464dp"
26
          app:layout_constraintStart_toStartOf = "parent"
          app:layout_constraintTop_toTopOf="parent" />
28
29
      <TextView
30
          android:id="@+id/gender_display"
          android:layout_width="193dp"
32
          android:layout_height="46dp"
          android:layout_marginStart="144dp"
34
          android:layout_marginLeft="144dp"
          android:layout_marginTop="400dp"
36
          app:layout_constraintStart_toStartOf = "parent"
37
          app:layout_constraintTop_toTopOf="parent" />
```

```
39
      <TextView
          android:id="@+id/empname_display"
41
          android:layout_width="193dp"
          android:layout_height="46dp"
43
          android:layout_marginStart="152dp"
44
          android:layout_marginLeft="152dp"
45
          android:layout_marginTop="336dp"
46
          app:layout_constraintStart_toStartOf = "parent"
          app:layout_constraintTop_toTopOf="parent" />
48
49
      <TextView
50
          android:id="@+id/textView10"
          android:layout_width="87dp"
          android:layout_height="45dp"
53
          android:layout_marginStart="44dp"
54
          android:layout_marginLeft="44dp"
          android:layout_marginTop="520dp"
56
          android:text="Salary"
          app:layout_constraintStart_toStartOf="parent"
          app:layout_constraintTop_toTopOf="parent" />
60
      <TextView
61
          android:id="@+id/textView7"
62
          android:layout_width="87dp"
          android:layout_height="45dp"
64
          android:layout_marginStart="44dp"
65
          android:layout_marginLeft="44dp"
          android:layout_marginTop="464dp"
67
          android:text="Department"
68
          app:layout_constraintStart_toStartOf = "parent"
69
          app:layout_constraintTop_toTopOf="parent" />
71
      <TextView
72
          android:id="@+id/textView6"
73
          android:layout_width="87dp"
          android:layout_height="45dp"
75
          android:layout_marginStart="44dp"
          android:layout_marginLeft="44dp"
          android:layout_marginTop="404dp"
78
          android:text="Gender"
79
          app:layout_constraintStart_toStartOf = "parent"
          app:layout_constraintTop_toTopOf="parent" />
81
      <TextView
83
```

```
android:id="@+id/textView3"
84
           android:layout_width="87dp"
           android:layout_height="45dp"
86
           android:layout_marginStart="44dp"
           android:layout_marginLeft="44dp"
88
           android:layout_marginTop="340dp"
           android:text="Employee Name"
an
           app:layout_constraintStart_toStartOf = "parent"
91
           app:layout_constraintTop_toTopOf="parent" />
92
93
       <androidx.appcompat.widget.Toolbar</pre>
94
           android:id="@+id/toolbar"
95
           android:layout_width="match_parent"
           android:layout_height="?attr/actionBarSize"
97
           android:background="?attr/colorPrimary"
           app:layout_anchor="@+id/toolbar"
99
           app:layout_anchorGravity="center"
           tools:layout_editor_absoluteX="0dp"
           tools:layout_editor_absoluteY="0dp" />
       <TextView
           android:id="@+id/textView"
           android:layout_width="87dp"
106
           android:layout_height="45dp"
107
           android:layout_marginStart="36dp"
108
           android:layout_marginLeft="36dp"
           android:layout_marginTop="80dp"
           android:text="Employee Code"
111
           app:layout_constraintStart_toStartOf = "parent"
112
           app:layout_constraintTop_toTopOf="parent" />
113
114
       <EditText
           android:id="@+id/empcode_upd"
116
           android:layout_width="wrap_content"
117
           android:layout_height="wrap_content"
118
           android:layout_marginStart="24dp"
           android:layout_marginLeft="24dp"
120
           android:layout_marginTop="25dp"
           android:ems="10"
           android:inputType="textPersonName"
           app:layout_constraintStart_toEndOf = "@+id/textView"
124
           app:layout_constraintTop_toBottomOf="@+id/toolbar" />
126
       <TextView
127
           android:id="@+id/textView4"
128
```

```
android:layout_width="410dp"
           android:layout_height="54dp"
           android:fontFamily="sans-serif-condensed-medium"
131
           android:gravity="center"
           android:text="Retrieve Page"
           android:textAppearance="@style/TextAppearance.
      AppCompat.Body1"
           android:textSize="20sp"
135
           app:autoSizeTextType="uniform"
           tools:layout_editor_absoluteX="0dp"
           tools:layout_editor_absoluteY="1dp" />
138
139
       <Button
140
           android:id="@+id/button_search"
141
           android:layout_width="wrap_content"
           android:layout_height="wrap_content"
143
           android:layout_marginStart="128dp"
           android:layout_marginLeft="128dp"
145
           android:layout_marginTop="184dp"
           android:text="Search"
147
           app:layout_constraintStart_toStartOf = "parent"
           app:layout_constraintTop_toTopOf="parent" />
149
151 </androidx.constraintlayout.widget.ConstraintLayout>
```

```
package com.example.database;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.database.Cursor;
import android.database.sqlite.SQLiteException;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;
import android.widget.Toast;

public class RetrieveActivity extends AppCompatActivity {
    EditText code;
    TextView name, gender, dept, salary;
```


```
Button search;
19
      private DBHelper dbHelper;
20
      @Override
21
      protected void onCreate(Bundle savedInstanceState) {
          super.onCreate(savedInstanceState);
          setContentView(R.layout.activity_retrieve);
25
          Intent intent = getIntent();
26
          code = findViewById(R.id.empcode_upd);
          search = findViewById(R.id.button_search);
29
30
          name = findViewById(R.id.empname_display);
31
          gender = findViewById(R.id.gender_display);
32
          dept = findViewById(R.id.dept_display);
33
          salary = findViewById(R.id.salary_display);
34
35
          search.setOnClickListener(new View.OnClickListener()
36
     {
               @Override
37
               public void onClick(View v) {
                   String empcode = code.getText().toString();
39
40
                   if (empcode.length() == 0) {
41
                       code.requestFocus();
42
                       code.setError("FIELD CANNOT BE EMPTY");
43
                   } else if (!empcode.matches("[a-zA-Z0-9]+"))
      {
                       code.requestFocus();
45
                       code.setError("ENTER ONLY ALPHANUMERICAL
46
     CHARACTER");
                   }
47
48
                   dbHelper = new DBHelper(RetrieveActivity.this
49
     );
50
                   String[] vals = dbHelper.retrieveEmployee(
51
     empcode);
                     Cursor c = dbHelper.retrieveEmployee(
52 //
     empcode);
53 //
                     if(c.moveToNext()){
54 //
                         name.setText(c.getString(0));
55 //
                     }
                   if(vals == null) {
56
                       Toast.makeText(RetrieveActivity.this, "
57
```

```
Nothing returned", Toast.LENGTH_LONG).show();
                        return;
58
                    }
59
                    else {
                        String empname = vals[0];
61
                        String sex = vals[1];
                        String department = vals[2];
63
64
                        String sal = vals[3];
65
                        name.setText(empname);
66
                        gender.setText(sex);
67
                        dept.setText(department);
68
                        salary.setText(sal);
69
70
                        code.setText("");
71
                   }
72
               }
73
          });
74
75
76
      }
77 }
```


Output:


Main Activity:







Insert Activity:










Update Activity:








Delete Activity:





Retrieve Activity:

