

G V V Sharma*

CONTENTS

1	Uniform Random Numbers	1
2	Central Limit Theorem	1
3	From Uniform to Other	2

Abstract—This manual provides a simple introduction to the generation of random numbers

1 UNIFORM RANDOM NUMBERS

Let U be a uniform random variable between 0 and 1.

1.1 Generate 10^6 samples of U using a C program and save into a file called uni.dat .

Solution: Download the following files and execute the C program.

```
wget https://github.com/gadepall/probability/
raw/master/manual/codes/exrand.c
wget https://github.com/gadepall/probability/
raw/master/manual/codes/coeffs.h
```

1.2 Load the uni.dat file into python and plot the empirical CDF of U using the samples in uni.dat. The CDF is defined as

$$F_U(x) = \Pr(U \leq x) \quad (1.1)$$

Solution: The following code plots Fig. 1.2

```
wget https://github.com/gadepall/probability/
raw/master/manual/codes/cdf_plot.py
```

1.3 Find a theoretical expression for $F_U(x)$.

1.4 The mean of U is defined as

$$E[U] = \frac{1}{N} \sum_{i=1}^N U_i \quad (1.2)$$

* The author is with the Department of Electrical Engineering, Indian Institute of Technology, Hyderabad 502285 India e-mail: gadepall@iith.ac.in.




Fig. 1.2: The CDF of U

and its variance as

$$\text{var}[U] = E[U - E[U]]^2 \quad (1.3)$$

Write a C program to find the mean and variance of U .

1.5 Verify your result theoretically given that

$$E[U^k] = \int_{-\infty}^{\infty} x^k dF_U(x) \quad (1.4)$$



2 CENTRAL LIMIT THEOREM

2.1 Generate 10^6 samples of the random variable

$$X = \sum_{i=1}^{12} U_i - 6 \quad (2.1)$$

using a C program, where $U_i, i = 1, 2, \dots, 12$ are a set of independent uniform random variables between 0 and 1 and save in a file called gau.dat

2.2 Load gau.dat in python and plot the empirical CDF of X using the samples in gau.dat. What properties does a CDF have?

Fig. 2.2: The CDF of X Fig. 2.3: The PDF of X

2.5 Given that

$$p_X(x) = \frac{1}{\sqrt{2\pi}} \exp\left(-\frac{x^2}{2}\right), -\infty < x < \infty, \quad (2.3)$$

repeat the above exercise theoretically.

3 FROM UNIFORM TO OTHER

3.1 Generate samples of

$$V = -2 \ln(1 - U) \quad (3.1)$$

and plot its CDF.

3.2 Find a theoretical expression for $F_V(x)$.

Solution: The CDF of X is plotted in Fig. 2.2

2.3 Load `gau.dat` in python and plot the empirical PDF of X using the samples in `gau.dat`. The PDF of X is defined as

$$p_X(x) = \frac{d}{dx} F_X(x) \quad (2.2)$$

What properties does the PDF have?

Solution: The PDF of X is plotted in Fig. 2.3 using the code below

```
wget https://github.com/gadepall/probability/
raw/master/manual/codes/pdf_plot.py
```

2.4 Find the mean and variance of X by writing a C program.