#### **CSE343**

#### A SUMMER TRAINING

#### **REPORT**

On

## PYTHON PROGRAMMING LANGUAGE by TECHVANTO ACADEMY

Submitted in partial fulfilment of the requirements for the award of degree of B. Tech (Computer Science & Engineering)

#### **SUBMITTED TO:**

#### LOVELY PROFESSIONAL UNIVERSITY

PHAGWARA, PUNJAB



Transforming Education Transforming India

From 1st June'21 -15th July'21

**SUBMITTED BY:** 

Y. Surya charan chowdary

Registration no.: 11906945

Under the guidance of

Shiva Sir

#### **Student Declaration**

## To whom so ever it may concern

I Surya charan Chowdary ,11906945, hereby declare that the work done by me on "PYTHON PROGRAMMING LANGUAGE "from 1<sup>st</sup> June 2021 to 15<sup>th</sup> July 2021, is a record of original work for the partial fulfillment of the requirements for the award of the degree, Bachelor of Technology (CSE)

Name of the Student (Registration Number): Y. Surya charan chowdary

Signature of the student: Y. Surya charan chowdary

Dated: September, 2021.

**Summer Training Certificate from Techvanto Academy:** 





## **CERTIFICATE OF COMPLETION**

This certifies that

## **SURYA CHARAN**

has efficiently completed **6 Week Live Training** in **Python Programming** conducted by **Techvanto Academy** in association with **Alma Fiesta**, **IIT Bhubaneswar** with an **A** grade on basis of overall performance and evaluation.

We wish a great success for his/her future endeavours..!!

MR.SHEKHAR SAINI

- holder ain

Director

Alma Fiesta

ISO
9001:2015
COMPANY

REG. ID
TA2145PPT2128

Date: 1st June'21 -15th July'21

#### Acknowledgement

It is our proud privilege and duty to acknowledge the kind of help and guidance received from several people in preparation of this report. It would not have been possible to prepare this report in this form without their valuable help, cooperation and guidance.

First and foremost, we wish to record our sincere gratitude to family, friends for his constant support and encouragement in preparation of this report.

The seminar on "Python" was very helpful to us in giving the necessary background information and inspiration in choosing this topic for the seminar. Their contributions and technical support in preparing this report are greatly acknowledged.

Last but not the least, we wish to thank our parents for financing our studies in this college as well as for constantly encouraging us to learn engineering. Their personal sacrifice in providing this opportunity to learn engineering is gratefully acknowledgement.

Thank You!

## Table Of Contents

## Introduction

1.1 Python	1-2
1.2 Scripting Language	2-3
1.3 Object Oriented Programming	
1.4 History of python	3-4
1.5 Behind the Scene of Python	5-5
Downloading & Installing Python	
2.1 Downloading Python	6-7
2.2 Installing Python	8-10
2.3 Setup path of variable	10-11
2.4 Running The Python IDE	12-13
2.5 Python code Execution	13-13
Data Types & Operator	
3.1 Data Type	14-15
3.2 Variables	15-15
3.3 String	15-16
3.4 Python Operator	16-17
3.4.1 Arithmetic Operator	17-17

3.4.2 Comparison Operator	17-18
Tuple & List	
4.1 Tuple	18-20
4.1.1 Accessing Tuple Values	18-18
4.1.2 Built in Operation	18-19
4.1.3 Built in Tuple Functions	19-19
4.2 List	20-23
4.2.1 Accessing List Values	20-21
4.2.2 Built in Operation	21-21
4.2.3 Built in Functions	21-21
Loops & Conditional Statements	
5.1 Loops	21-26
5.1.1 Loops Definition	21-22
5.1.2 Loops Example	22-23
5.2 Conditional Statement	23-23
5.21Conditional Statement Definition	23-23
5.2.2 Conditional Statement Example	24-25
5.3 Function	25-25
5.3.1 Syntax & Examples	25-26
Uses & Scope of python.	
6.1 What can we do With Python?	26-26
6.2 Who Uses Python Today?	27-27

6.3	Why do People use python?	27	7-27
-----	---------------------------	----	------

### **Python**

Python is a widely used high-level, general-purpose, interpreted, dynamic programming language. Its design philosophy emphasizes code readability, and its syntax allows programmers to express concepts in fewer lines of code than would be possible in languages such as C++ or Java. The language provides constructs intended to enable clear programs on both a small and large scale.

Python supports multiple programming paradigms, including object-oriented, imperative and functional programming or procedural styles. It features a dynamic type system and automatic memory management and has a large and comprehensive standard library. Python interpreters are available for installation on many operating systems, allowing Python code execution on a wide variety of systems.

### **Scripting Language**

A scripting or script language is a programming language that supports scripts, programs written for a special run-time environment that automate the execution of tasks that could alternatively be executed one-by-one by a human operator.

Scripting languages are often interpreted (rather than compiled). Primitives are usually the elementary tasks or API calls, and the language allows them to be combined into more complex programs. Environments that can be automated through scripting include software applications, web pages within a web browser, the shells of operating systems (OS), embedded systems, as well as numerous games.

A scripting language can be viewed as a domain-specific language for a particular environment; in the case of scripting an application, this is also known as an **extension language**. Scripting languages are also sometimes referred to as very high-level programming languages, as they operate at a high level of abstraction, or as control languages.

### **Object Oriented Programming Language**

Object-oriented programming (OOP) is a programming paradigm based on the concept of "objects", which may contain data, in the form of fields, often known as attributes; and code, in the form of procedures, often known as methods. A distinguishing feature of objects is that an object's procedures can access and often modify the data fields of the object with which they are associated (objects have a notion of "this" or "self").

In OO programming, computer programs are designed by making them out of objects that interact with one another. There is significant diversity in objectoriented programming, but most popular languages are class-based, meaning that objects are instances of classes, which typically also determines their type.

#### **History**

Python was conceived in the late 1980s, and its implementation was started in December 1989 by Guido van Rossum at CWI in the Netherlands as a successor to the ABC language (itself inspired by SETL) capable of exception handling and interfacing with the Amoeba operating system. Van Rossum is Python's principal author, and his continuing central role in deciding the direction of Python is reflected in the title given to him by the Python community, benevolent dictator for life (BDFL).



"Python is an experiment in how much freedom programmers need. Too much freedom and nobody can read another's code; too little and expressiveness is endangered."

- Guido van Rossum

## **Downloading python**

If you don't already have a copy of Python installed on your computer, you will need to open up your Internet browser and go to the Python download page (http://www.python.org/download/).



Now that you are on the download page, select which of the software builds you would like to download. For the purposes of this article we will use the most up to date version available (Python 3.4.1).

# Download Python

## Download Python

The current production versions are Python 3.4.1 and Python 2.7.8.

Once you have clicked on that, you will be taken to a page with a description of all the new updates and features of 3.4.1, however, you can always read that while the download is in process. Scroll to the bottom of the page till you find the "Download" section and click on the link that says "download page."

## Download

Please proceed to the download page for the download.

Notes on this release:

- The binaries for AMD64 will also work on processors that implement the Intel 64 architecture. (Also known as the "x64" architecture, and formerly known as both "EM64T" and "x86-64".) They will not work on Intel Itanium Processors (formerly "IA-64").
- There is important information about IDLE, Tkinter, and Tcl/Tk on Mac OS X here.

Now you will scroll all the way to the bottom of the page and find the "Windows x86" MSI installer." If you want to download the 86-64 bit MSI, feel free to do so. We believe that even if you have a 64-bit operating system installed on your computer, the 86-bit MSI is preferable. We say this because it will still run well and sometimes, with the 64bit architectures, some of the compiled binaries and Python libraries don't work well.

Files		
Version	Operating System	Description
Mac OS X 32-bit i386/PPC installer	Mac OS X	for Mac OS X 10.5 and later
Mac OS X 64-bit/32-bit installer	Mac OS X	for Mac OS X 10.6 and later
Gzipped source tarball	Source release	
XZ compressed source tarball	Source release	
Windows debug information files	Windows	
Windows debug information files for 64-bit binaries	Windows	
Windows help file	Windows	
Windows x86-64 MSI installer	Windows	for AMD64/EM64T/x64, not
Windows x86 MSI installer	Windows	

### **Installing Python**

Once you have downloaded the Python MSI, simply navigate to the download location on your computer, double clicking the file and pressing Run when the dialog box pops up.




If you are the only person who uses your computer, simply leave the "Install for all users" option selected. If you have multiple accounts on your PC and don't want to install it across all accounts, select the "Install just for me" option then press "Next."



f you want to change the install location, feel free to do so; however, it is best to leave it as is and simply select next, Otherwise...

Scroll down in the window and find the "Add Python.exe to Path" and click on the small red "x." Choose the "Will be installed on local hard drive" option then press "Next."



Now that you have completed the installation process, click on "Finish.



## **Setup the Path Variable**


Begin by opening the start menu and typing in "environment" and select the option called "Edit the system environment variables."

When the "System Properties" window appears, click on "Environment Variables..."

Once you have the "Environment Variables" window open, direct your focus to the bottom half. You will notice that it controls all the "System Variables" rather than just this associated with your user. Click on "New..." to create a new variable for Python.




Simply enter a name for your Path and the code shown below. For the purposes of this example we have installed Python 2.7.3, so we will call the path: "Pythonpath." The string that you will need to enter is: "C:\Python27\;C:\Python27\Scripts;"



## **Running The Python IDE**

Now that we have successfully completed the installation process and added our "Environment Variable," you are ready to create your first basic Python script. Let's begin by opening Python's GUI by pressing "Start" and typing "Python" and selecting the "IDLE (Python GUI)."



Once the GUI is open, we will begin by using the simplest directive possible. This is the "print" directive which simply prints whatever you tell it to, into a new line. Start by typing a print directive like the one shown in the image below or copy and paste this text then press

"Enter": print ("Congratulations on executing your first print directive!")

```
File Edit Shell Debug Options Windows Help

Python 3.4.1 (v3.4.1:c0e311e010fc, May 18 2014, 10:38:22) [MSC v.1600 32 bi t (Intel)] on win32

Type "copyright", "credits" or "license()" for more information.


>>> print ("Congratulations on executing your first print directive!")

Congratulations on executing your first print directive!

>>>
```

## Python Code Execution

Python's traditional runtime execution model: source code you type is translated to byte code, which is then run by the Python Virtual Machine. Your code is automatically compiled, but then it is interpreted.



Source code extension is .py

Byte code extension is .pyc (compiled python code)

### **Data Type**

This is called dynamic typing). Data types determine whether an object can do something, or whether it just would not make sense. Other programming languages often determine whether an operation makes sense for an object by making sure the object can never be stored somewhere where the operation will be performed on the object (this type system is called static typing). Python does not do that. Instead, it stores the type of an object with the object, and checks when the operation is performed whether that operation makes sense for that object

Python has many native data types. Here are the important ones:

**Booleans** are either True or False.

**Numbers** can be integers (1 and 2), floats (1.1 and 1.2), fractions (1/2 and 2/3), or even complex numbers.

**Strings** are sequences of Unicode characters, e.g., an HTML document.

Bytes and byte arrays, e.g., a JPEG image file.

Lists are ordered sequences of values.

**Tuples** are ordered, immutable sequences of values.

**Sets** are unordered bags of values.

#### Variable

Variables are nothing but reserved memory locations to store values. This means that when you create a variable you reserve some space in memory.

Based on the data type of a variable, the interpreter allocates memory and decides what can be stored in the reserved memory. Therefore, by assigning different data types to variables, you can store integers, decimals or characters in these variables.

Ex: counter = 100 # An integer

assignment miles = 1000.0 # A floating

point name= "John" # A string

## **String**

In programming terms, we usually call text a string. When you think of a string as a collection of letters, the term makes sense.

All the letters, numbers, and symbols in this book could be a string.

For that matter, your name could be a string, and so could your

address.

### **Creating Strings**

In Python, we create a string by putting quotes around text. For example, we could take our otherwise useless

• "hello"+"world" # concatenation

•	"hello"*3	"hellohellohello"	# repetition
•	"hello"[0]	"h"	# indexing
•	"hello"[-1] "hello"[1:4]	"o" "ell"	# (from end) # slicing
•	len("hello")	5	# size
•	"hello" < "jello"	1	# comparison
•	"e" in "hello"	1	# search

## **Python Operator**

## **Arithmetic Operator**

Operator	Meaning	Example
+	Add two operands or unary plus	x + y +2
-	Subtract right operand from the left or unary minus	x - y -2
*	Multiply two operands	x * y
/	Divide left operand by the right one (always results into float)	x / y

%	Modulus - remainder of the division of left operand by the right	x % y (remainder of x/y)
//	Floor division - division that results into whole number adjusted to the left in the number line	x // y
**	Exponent - left operand raised to the power of right	x**y (x to the power y)

## **Comparison Operator**

>	Greater that - True if left operand is greater than the right	x > y	
<	Less that - Irue it lett operand is less than the right	x < y	Cha
==	Equal to - True if both operands are equal	x == y	
!=	Not equal to - True if operands are not equal	x != y	
>=	Greater than or equal to - True if left operand is greater than or equal to the right	x >= y	
<=	Less than or equal to - True if left operand is less than or equal to the right	+x <= y	

### **Tuples**

A tuple is a sequence of immutable Python objects. Tuples are sequences, just like lists. The differences between tuples and lists are, the tuples cannot be changed unlike lists and tuples use parentheses.

## **Accessing Values in Tuples:**

To access values in tuple, use the square brackets for slicing along with the index or indices to obtain value available at that index. For example - tup1 = ('physics', 'chemistry', 1997, 2000); tup2 = (1, 2, 3, 4, 5, 6, 7); print "tup1[0]: ", tup1[0] print "tup2[1:5]: ", tup2[1:5]

When the above code is executed, it produces the following result – tup1[0]: physics tup2[1:5]: [2, 3, 4, 5]

**Basic TuplesOperations** 

Tuples respond to the + and \* operators much like strings; they mean concatenation and repetition here too, except that the result is a new tuple, not a string. In fact, tuples respond to all of the general sequence operations we used on strings in the prior chapter –

Python Expression	Results	Description
Len((1, 2, 3))	3	Length
(1, 2, 3) + (4, 5, 6)	(1, 2, 3, 4, 5, 6)	Concatenation
('Hi!',) * 4	('Hi!', 'Hi!', 'Hi!', 'Hi!')	Repetition
3 in (1, 2, 3)	True	Membership
for x in (1, 2, 3): print x,	1 2 3	Iteration

### **Built-in Tuple Functions**

Python includes the following tuple functions –

SN	Function with Description
1	cmp(tuple1, tuple2) Compares elements of both tuples.
2	len(tuple) Gives the total length of the tuple.
3	max(tuple) Returns item from the tuple with max value.
4	min(tuple) Returns item from the tuple with min value.
5	tuple(seq) Converts a list into tuple.

#### List

The list is a most versatile datatype available in Python which can be written as a list of commas- separated values (items) between square brackets. Important thing about a list is that items in a list need not be of the same type.

Creating a list is as simple as putting different comma-separated values between square brackets. For example – list1 = ['physics', 'chemistry', 1997, 2000]; list2 = [1, 2, 3, 4, 5]; list3 = ["a", "b", "c", "d"];

Similar to string indices, list indices start at 0, and lists can be sliced, concatenated and so on. Accessing Values in Lists:

To access values in lists, use the square brackets for slicing along with the index or indices to obtain value available at that index. For example - list1 = ['physics', 'chemistry', 1997, 2000]; list2 = [1, 2, 3, 4, 5, 6, 7]; print "list1[0]: ", list1[0] print "list2[1:5]: ", list2[1:5]

Output: list1[0]: physics

list2[1:5]: [2, 3, 4, 5]

**Update:** list = ['physics', 'chemistry', 1997, 2000]; print

"Value available at index 2: " print list [2] list [2] = 2001;

print "New value available at index 2: " print list [2]

**Output:** Value available at index 2:

1997 New value available at index 2:

2001

**Delete:** list1 = ['physics', 'chemistry', 1997, 2000]; print

list1 del list1[2]; print "After deleting value at index 2: "

print list1

['physics', 'chemistry', 1997, 2000]

**Output:** After deleting value at index

2 : ['physics', 'chemistry', 2000]

Basic ListOperation

Python Expression	Results	Description
len([1, 2, 3])	3	Length
[1, 2, 3] + [4, 5, 6]	[1, 2, 3, 4, 5, 6]	Concatenation
['Hi!'] * 4	['Hi!', 'Hi!', 'Hi!', 'Hi!']	Repetition
3 in [1, 2, 3]	True	Membership
for x in [1, 2, 3]: print x,	123	Iteration

## Built-in List Functions & Methods:

SN	Function with Description
1	cmp(list1, list2) Compares elements of both lists.
2	len(list) Gives the total length of the list.
3	max(list) Returns item from the list with max value.
4	min(list) Returns item from the list with min value.
5	list(seq) Converts a tuple into list.

Python includes following list methods


SN	Methods with Description
1	list.append(obj) Appends object obj to list
2	list.count(obj) Returns count of how many times obj occurs in list
3	list.extend(seq) Appends the contents of seq to list
4	list.index(obj) Returns the lowest index in list that obj appears
5	list.insert(index, obj) Inserts object obj into list at offset index
6	list.pop(obj=list[-1]) Removes and returns last object or obj from list

7	list.remove(obj) Removes object obj from list
8	list.reverse() Reverses objects of list in place
9	list.sort([func]) Sorts objects of list, use compare func if given

## **Loop definition**

Programming languages provide various control structures that allow for more complicated execution paths.

A loop statement allows us to execute a statement or group of statements multiple times. The following diagram illustrates a loop statement –



Python programming language provides following types of loops to handle looping requirements.

Loop Type	Description


while loop	Repeats a statement or group of statements while a given condition is TRUE. It tests the condition before executing the loop body.
for loop	Executes a sequence of statements multiple times and abbreviates the code that manages the loop variable.
nested loops	You can use one or more loop inside any another while, for or dowhile loop.

```
Loop Example:
For Loop:
>>> for mynum in [1, 2, 3, 4,
5]: print ("Hello", mynum)
Hello 1
Hello 2
Hello 3
Hello 4
Hello 5
While Loop:
>>> count = 0 >> while(count < 4):
print 'The count is:', count count =
count + 1
The count is: 0
The count is:
1 The count
     2
        The
count is: 3
```

#### **Conditional Statements:**

Decision making is anticipation of conditions occurring while execution of the program and specifying actions taken according to the conditions.

Decision structures evaluate multiple expressions which produce TRUE or FALSE as outcome. You need to determine which action to take and which statements to execute if outcome is TRUE or FALSE otherwise.



Python programming language provides following types of decision making statements. Click the following links to check their detail.

Statement	Description
if statements	An <b>if statement</b> consists of a boolean expression followed by one or more statements.
ifelse statements	An <b>if statement</b> can be followed by an optional <b>else statement</b> , which executes when the boolean expression is FALSE.
nested if statements	You can use one <b>if</b> or <b>else if</b> statement inside another <b>if</b> or <b>else if</b> statement(s).

```
Example:

If Statement:
a=33
b=20
0

If b>a:
print("b")

If...Else Statement:
a=200
b=33
if b>a:
print("b is greater than a") else:
print("a is greater than b")
```

#### **Function**

Function blocks begin with the keyword **def** followed by the function name and parentheses ( ( )).

Any input parameters or arguments should be placed within these parentheses. You can also define parameters inside these parentheses.

The first statement of a function can be an optional statement - the documentation string of the function.

The code block within every function starts with a colon (:) and is indented.

The statement return [expression] exits a function, optionally passing back an expression to the caller. A return statement with no arguments is the same as return None.

## **Syntex:**

Def
functionname(parameters):
"function\_docstring"
Function\_suite

Return[expression]

## **Example:**

Def printme(str):

"this print a passed string into this function" print str return

**1.** # Function definition is here def printme( str ):

"This prints a passed string into this function" print str return;

# Now you can call printme function printme("I'm first call to user defined function!") printme("Again second call to the same function")

#### SCOPE OF PYTHON

- 1 Science
  - Bioinformatics
- 2 System Administration
  - Unix
  - Web logic
  - Web sphere
- 3 Web Application Development

## What Can We do With Python?

- 1 System programming
- 2 Graphical User Interface

Programming 3 - Internet Scripting

4 - Component

Integration 5 - Database

**Programming** 

6 - Gaming, Images, XML, Robot and more

#### WHO USES PYTHONTODAY?

- Python is being applied in real revenue-generating products by real companies.
- Google makes extensive use of Python in its web search system, and employs Python's creator.
- Intel, Cisco, Hewlett-Packard, Seagate, Qualcomm, and IBM use Python for hardware testing.
- ESRI uses Python as an end-user customization tool for its popular GIS mapping products.

## WHY DO PEOPLE USE PYTHON?

- The YouTube video sharing service is largely written in Python.
- Python is object-oriented o Structure supports such concepts as polymorphism, operation overloading, and multiple inheritance.
- Indentation oIndentation is one of the greatest future in Python.
- It's free (open source) oDownloading and installing Python is free and easy oSource code is easily accessible
- It's powerful o Dynamic typing o Built-in types and tools o Library utilities
  - o Third party utilities (e.g. Numeric, NumPy, SciPy) o Automatic memory management
- It's portable oPython runs virtually every major platform used today o As long as you have a compatible Python interpreter installed, Python programs will run in exactly the same manner, irrespective of platform.

#### Conclusion

I believe the trial has shown conclusively that it is both possible and desirable to use Python as the principal teaching language:

- ❖ It is Free (as in both cost and source code).
- ❖ It is trivial to install on a Windows PC allowing students to take their interest further. For many the hurdle of installing a Pascal or C compiler on a Windows machine is either too expensive or too complicated.
- ❖ It is a flexible tool that allows both the teaching of traditional procedural programming and modern OOP; It can be used to teach a large number of transferable skills.
- ❖ It is a real-world programming language that can be and is used in academia and the commercial world.
- ❖ It appears to be quicker to learn and, in combination with its many libraries, this offers the possibility of more rapid student development allowing the course to be made more challenging and varied.

and most importantly, its clean syntax offers increased understanding and enjoyment for students.

## REFRENCES

- www.google.com
- \* www.wikepedia.com
- Python programming book
- ❖ Online classes of Techvanto Academy
- ❖ Courses of Techvanto Academy