Rajalakshmi Engineering College

Name: shubha PR

Email: 240801324@rajalakshmi.edu.in

Roll no: 240801324 Phone: 9994552664

Branch: REC

Department: I ECE AF

Batch: 2028

Degree: B.E - ECE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

Input Format

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

```
Sample Test Case
```

```
Input: 5
   10 20 30 40 50
Output: 10 20 30 40 50
   Answer
   // You are using GCC
   #include <stdio.h>
   #include <stdlib.h>
   typedef struct Node {
     int data;
     struct Node* next;
     struct Node* prev;
   } Node;
 Node* createNode(int data) {
     Node* newNode = (Node*)malloc(sizeof(Node));
     newNode->data = data;
     newNode->next = NULL:
     newNode->prev = NULL;
     return newNode;
   }
   void append(Node** head, Node** tail, int data) {
     Node* newNode = createNode(data);
     if (*head == NULL) {
      *head = *tail = newNode;
else {
        (*tail)->next = newNode;
```

```
240801324
                                                    240801374
        newNode->prev = *tail;
         *tail = newNode;
    void displayList(Node* head) {
       Node* temp = head;
       while (temp != NULL) {
         printf("%d ", temp->data);
         temp = temp->next;
       }
       printf("\n");
                                                                              240801324
    int main() {
      Node* head = NULL;
       Node* tail = NULL;
       int n;
       // Input the number of students
       scanf("%d", &n);
       // Input student IDs and add them to the list
       for (int i = 0; i < n; i++) {
append(&head, &tail, studentID);
}
                                                                              240801324
                                                    240801324
      // Display the list of student IDs
       displayList(head);
       return 0;
    }
                                                                       Marks: 10/10
     Status: Correct
```

240801374

240801374

240801324

240801324