

Name: Akshita Dhaundiyal

Course: MCA

Section: 2A

Roll no: 2001019

Subject Name: Computer Network

Subject Code: TMC 203

Solution 1

Solution 2

Problem Statement: There are two organization in a city named GEU and GEHU design a network between the SOC department of GEU and GEHU. Also show communication b/w no1 of GEU and user no2 of GEHU.

Objective: To design a network between SOC department of GEU and GEHU and show communication.

Description: Practical steps with snapshot of output.


Step 1. Create LAN-1 with 4 PC and Create LAN2 with 4 PCs

Step 2: connect both LAN with router and configure the router

Step 3: Default gateway for LAN1 is 10.0.0.5

Default gateway for LAN2 is 192.168.1.5

step 4: sending PDU to see if connection is established



Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x:539, y:494

PC0

Physical Config Desktop Programming Attributes

IP Configuration

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 10.0.0.1

Subnet Mask: 255.0.0.0

Default Gateway: 10.0.0.5

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::2E9A:3FF:FE11:85AE

Default Gateway:

DNS Server:

802.1X

☐ Use 802.1X Security

Authentication: MCS

Username:

Password:

☐ Top

GEU

PC-PT PC0

PC-PT PC1

GEU

PC-PT PC6

PC-PT PC7

Time: 00:17:35.535

PLAY CONTROLS

Scenario 3

New Delete

Toggle PDU List/Window

Fire List Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Event List Realtime Simulation

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x:1398, y:707

2911 Router0

GEU Switch0

GEU Switch1

PC-PT PC0

PC-PT PC1

PC-PT PC2

PC-PT PC3

PC-PT PC4

PC-PT PC5

PC-PT PC6

PC-PT PC7

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device
	0.000	-	PC0
	0.001	PC0	Switch0

Reset Simulation ☒ Constant Delay Capturing

Play Controls

Event List Filters - Visible Events

ACLFilter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Mirek, NDP, NETFLOW, NTP, OSPF, OSPFv6, Ping, POP3, POP3, POP3ED, PTP, RADIUS, REP, RIP, RIPv6, RTP, SSCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:17:45.535 PLAY CONTROLS

Scenario 3

New Delete

Toggle PDU List/Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	In Progress	PC0	PC5	ICMP		0.000	N	0	(edit)	(delete)

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x:1549, y:371

[Root] 13:09:30

2911 Router0

GEU 2960 Switch

GEHU 2960 Switch

PC-PT PC0, PC-PT PC1, PC-PT PC2, PC-PT PC3

PC-PT PC4, PC-PT PC5, PC-PT PC6, PC-PT PC7

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	T
	0.000	-	PC0	
	0.001	PC0	Switch6	
	0.002	Switch6	Router0	
	0.003	Router0	Switch1	
	0.004	Switch1	PC5	
	0.005	PC5	Switch1	
	0.006	Switch1	Router0	
	0.007	Router0	Switch6	
	0.008	Switch6	PC0	
	0.009	-	Switch1	

Reset Simulation ☒ Constant Delay Captured to 0.391 s

Play Controls

Event List Filters - Visible Events

ACL, Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, RIPv2, RIPv6, RIPng, RRP, RRPv6, PTP, RADIUS, REP, RIP, RIPng, RTP, SSCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:17:46.018 PLAY CONTROLS

Scenario 1

New Delete

Tools PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC5	ICMP		0.000	N	0	(edit)	(delete)

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x:1560,y:377

PC4

Physical Config Desktop Programming Attributes

IP Configuration

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.1.1

Subnet Mask: 255.255.255.0

Default Gateway: 192.168.1.5

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::202:18FF:FEA2:C30B

Default Gateway:

DNS Server:

802.1X

☐ Use 802.1X Security

Authentication: MCS

Username:

Password:

☐ Top

GEU

PC-PT PC0

PC-PT PC1

GEU

PC-PT PC6

PC-PT PC7

Time: 00:17:45.535

PLAY CONTROLS

Scenario 3

New Delete

Toggle PDU List Window

Fire List Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Event List Realtime Simulation

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x:1553, y:500

[Root] 19:23:00

2911 Router0

GEU Switch0

GEU Switch1

PC0 PC1 PC2 PC3

PC4 PC5 PC6 PC7

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	T
	0.000	-	PC0	
	0.001	PC0	Switch0	
	0.002	Switch0	Router0	
	0.003	Router0	Switch1	
	0.004	Switch1	PC5	
	0.005	PC5	Switch1	
	0.006	Switch1	Router0	
	0.007	Router0	Switch0	
	0.008	Switch0	PC0	
	0.391	-	Switch1	

Reset Simulation ☒ Constant Delay Captured to 0.391 s

Play Controls

Event List Filters - Visible Events

ACL, Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, RDP, RFP, RIPv2, RIPv6, RTR, SOAP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:17:46.018 PLAY CONTROLS

Scenario 0

New Delete

Toggle PDU List Window

File	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC5	ICMP		0.000	N	0	(edit)	(delete)