COURSE CODE: 22ES14D

USN					

RV COLLEGE OF ENGINEERING Autonomous Institution affiliated to VTU I Semester B.E. April -2023 Examinations ELECTRICAL AND ELECTRONICS ENGINEERING BASICS OF ELECTRICAL ENGINEERING (2022 SCHEME)

Time: 03 Hours Maximum Marks: 100

Instructions to candidates:

- 1. Answer all questions from Part A. Part A questions should be answered in first three pages of the answer book only.
- 2. Answer FIVE full questions from Part B. In Part B question number 2 is compulsory. Answer any one full question from 3 and 4, 5 and 6, 7 and 8, and 9 and 10.

		PART-A (Objective type for one or two marks) (True & false and match the following questions are not permitted)	
1	1.1	State Thevenin's theorem. Draw the equivalent circuit.	2
	1.2	The resistance of two coils is 25 ohms when connected in series, and 6 ohms when connected in parallel. Determine the individual resistances of the two coils.	2
	1.3	Define (i) Form factor (ii) Peak factor	2
	1.4	A coil has an inductance of 25 mH and negligible resistance. Calculate its reactance at 50 Hz.	2
	1.5	Three identical resistors of 20 ohm are connected in star to a 415 V, three phase, 50 Hz supply. Calculate the total power taken by the load.	2
	1.6	Two wattmeters are used to measure the power in 3 phase balanced system. What is the power factor when one reads twice the other?	2
	1.7	A 3-phase, 4 pole, 440V, 50Hz induction motor runs with a slip of 4%. Find the rotor speed and frequency of the rotor current.	2
	1.8	List the types of single-phase induction motor.	2
	1.9	What is the purpose of earthing electrical appliances?	2
	1.1 0	Write any four safety precautions to avoid electric shock.	2
		PART-B (Maximum subdivisions is limited to 3 in each question)	
		UNIT-I	
2	а	State and prove maximum power transfer theorem for dc circuits.	8
	b	Use Thevenin's theorem to determine the current through and the voltage across the 25 Ω resistor given in Fig. 1.	8

		V_s T_s						
		Fig. 1						
		UNIT-II	110					
3	а	What is an impedance triangle? Explain and draw the impedance triangle for a series RL and series RC single-phase a.c. circuits. Also, deduce an expression for the resonant frequency of a series RLC single-phase a.c. circuit.	10					
	b	A resistance of 10 Ω is connected in series with an inductance of 0.05 H and a capacitance of 300 μF to a 100 V a.c. supply. Calculate the value and phase angle of the current when the frequency is 50 Hz.	6					
		OR						
4	а	Derive the form factor and peak factor of half wave and full wave rectified sine wave.	8					
	b	A coil and a non-inductive resistor are connected in series across a 200 V, 50 Hz supply. The voltages across the coil and resistor are 120 V and 140 V respectively. If the supply current is 0.5 A, calculate: (i) the resistance and inductance of the coil; (ii) the power dissipated in the coil; (iii) the power factor of the circuit.						
		UNIT-III						
5	а	With the aid of a phasor diagram, obtain the relationship between the line and phase values of voltage in a three-phase, star connected system.	8					
	b	A 100 kVA, 50 Hz, 440/11000 V, 1-phase transformer has an efficiency of 98.5% when supplying full-load current at 0.8 power factor lagging, and an efficiency of 99% when supplying half full-load current at unity power factor. Find the core losses and the copper losses corresponding to full-load current. At what value of load current will the maximum efficiency be attained?	8					
		OR						
6	а	Explain briefly the action of a transformer and show that the voltage ratio of the primary and secondary windings is the same as their turns ratio.	6					
	b	A three-phase load consists of three similar inductive coils, each of resistance 50 Ω and inductance 0.3 H. The supply is 415 V, 50 Hz. Calculate: (i) the line current; (ii) the power factor; and (iii) the total power when the load is: star-connected and delta-connected.	10					
		UNIT-IV						
7	а	Explain the working principle of a single-phase induction motor with the help of neat sketch.	8					
	b	A 4-pole, 3 -phase induction motor operates from a supply whose frequency is 50 Hz. Calculate (i) the speed at which the magnetic field of the stator is rotating; (ii) the speed of the rotor when the slip is 0.04; (iii) the frequency of the rotor current when the slip is 0.03.	8					
		OR						
8	а	Explain the concept of rotating magnetic field of an Induction Motor. Explain and draw the torque-slip characteristic of a three phase induction motor.	10					

	b	Describe the construction of a single-phase induction motor with the aid of diagram.							
		UNIT-V							
9	а	Explain the concept of power transmission and distribution through block diagrams.							
	b	Discuss the types of tariff of electricity bill. Estimate Total Daily Energy Requirement for the following loads.							
		Name of the Appliance	Power Rating (W)	Avg. Daily Usage Hrs	No. of Appliances				
		CFL	12	6	3				
		Fan	50	8	2				
		TV (21")	150	2	1				
		Computer	250	3	1				
		Take electricity cost to be Rs.6 per unit.							
				OR					
0	а	What are the types of earthing? Explain with diagram any two types of earthing.							
	b	Write a short note on: i) Fuse and ii) Miniature Circuit Breaker							

Signature of Scrutinizer:	Signature of Chairman
Name:	Name:

Course Code:				ES14D						
PART-A										
Q.No	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	1.10
ВТ	2	2	1	2	2	2	2	1	2	2
COs	1	1	1	1	2	2	3	3	4	4

PART-B

Questi	on	ВТ	Cos		Question		ВТ	Cos
No		Levels	addressed		No		Levels	addressed
	а	3	1		3	а	2	2
	b	3	1	1		b	3	2
2	С					С		
	d					d		
	а	3	1			а	3	2
	b	3	2		_	b	3	3
4	С				5	С		
	d					d		
	а	2	3		_	а	3	3
	b	3	3			b	3	3
6	С				7	С		
	d					d		
	а	3	3] !	9	а	3	4
	b	3	3			b	3	4
8	С					C		
	d					d		
	а	2	4					
10	b	3	4					
10	С							
	d							

Signature of Scrutinizer:

Signature of Chairperson: