

Python Dictionaries

Dictionary

A dictionary is a collection which is unordered, changeable and indexed. In Python dictionaries are written with curly brackets, and they have keys and values.

Example

```
Create and print a dictionary:
```

```
thisdict = {
  "brand": "Ford",
  "model": "Mustang",
  "year": 1964
}
print(thisdict)
```

Accessing Items

You can access the items of a dictionary by referring to its key name, inside square brackets:

Example

```
Get the value of the "model" key:
```

```
x = thisdict["model"]
```

There is also a method called get() that will give you the same result:

Example

Get the value of the "model" key:

```
x = thisdict.get("model")
```

Change Values

You can change the value of a specific item by referring to its key name:

Example

```
Change the "year" to 2018:
```

```
thisdict = {

"brand": "Ford",

"model": "Mustang",

"year": 1964
}
```

Dictionary Length

To determine how many items (key-value pairs) a dictionary has, use the len() function.

Example

Print the number of items in the dictionary:

```
print(len(thisdict))
```

Adding Items

Adding an item to the dictionary is done by using a new index key and assigning a value to it:

Example

```
thisdict = {
  "brand": "Ford",
  "model": "Mustang",
  "year": 1964
}
thisdict["color"] = "red"
print(thisdict)
```

Removing Items

There are several methods to remove items from a dictionary:

Example

The pop() method removes the item with the specified key name:

```
thisdict = {
  "brand": "Ford",
  "model": "Mustang",
  "year": 1964
}
thisdict.pop("model")
print(thisdict)
```

Example

```
The popitem() method removes the last inserted item :
```

```
thisdict = {
  "brand": "Ford",
  "model": "Mustang",
  "year": 1964
}
thisdict.popitem()
print(thisdict)
```

Example

```
The del keyword removes the item with the specified key name:

thisdict = {

"brand": "Ford",

"model": "Mustang",

"year": 1964
}

del thisdict["model"]

print(thisdict)
```

Example

```
The del keyword can also delete the dictionary completely:

thisdict = {

"brand": "Ford",

"model": "Mustang",

"year": 1964

}

del thisdict

print(thisdict) #this will cause an error because "thisdict" no longer exists.
```

Example

```
The clear() method empties the dictionary:

thisdict = {

"brand": "Ford",

"model": "Mustang",

"year": 1964

}

thisdict.clear()

print(thisdict)
```

Copy a Dictionary

You cannot copy a dictionary simply by typing dict2 = dict1, because: dict2 will only be a reference to dict1,

and changes made in dict1 will automatically also be made in dict2.

There are ways to make a copy, one way is to use the built-in Dictionary method copy().

Example

Make a copy of a dictionary with the copy() method:

```
thisdict = {
  "brand": "Ford",
  "model": "Mustang",
  "year": 1964
}
mydict = thisdict.copy()
print(mydict)
```

Another way to make a copy is to use the built-in function dict().

Example

Make a copy of a dictionary with the dict() function:

```
thisdict = {
  "brand": "Ford",
  "model": "Mustang",
  "year": 1964
}
mydict = dict(thisdict)
print(mydict)
```

Nested Dictionaries

A dictionary can also contain many dictionaries, this is called nested dictionaries.

Example

Create a dictionary that contain three dictionaries:

```
myfamily = {
    "child1" : {
        "name" : "Emil",
        "year" : 2004
    },
    "child2" : {
        "name" : "Tobias",
        "year" : 2007
    },
    "child3" : {
        "name" : "Linus",
        "year" : 2011
    }
}
```

Or, if you want to nest three dictionaries that already exists as dictionaries:

Example

Create three dictionaries, then create one dictionary that will contain the other three dictionaries:

```
child1 = {
```

```
"name" : "Emil",

"year" : 2004
}
child2 = {
    "name" : "Tobias",
    "year" : 2007
}
child3 = {
    "name" : "Linus",
    "year" : 2011
}
myfamily = {
    "child1" : child1,
    "child2" : child2,
    "child3" : child3
}
```

Dictionary Methods

Python has a set of built-in methods that you can use on dictionaries.

Method	Description
<pre>clear()</pre>	Removes all the elements from the dictionary
copy()	Returns a copy of the dictionary
<pre>fromkeys()</pre>	Returns a dictionary with the specified keys and value
get()	Returns the value of the specified key
items()	Returns a list containing a tuple for each key value pair
keys()	Returns a list containing the dictionary's keys
pop()	Removes the element with the specified key
popitem()	Removes the last inserted key-value pair
setdefault()	Returns the value of the specified key. If the key does not exist: insert the key, with the specified value
<u>update()</u>	Updates the dictionary with the specified key-value pairs
values()	Returns a list of all the values in the dictionary

I HOPE YOU WILL ENJOY THIS VIDEO,

IF YOU SHARE THIS VIDEO WITH YOU FRIENDS

THIS ENCOURAGE ME A LOT TO UPLOAD

A VIDEO VERY EFFICIENTLY & QUICKLY.

PLEASE SUBSCRIBE MY CHANNEL METAEDUCATORS

