

#### Software Installation for Unit 7 - SQL

#### Please install the following before our class on July 11

- Installing pgAdmin and Postgres on Windows
- Installing pgAdmin and Postgres on a Mac



#### **Class Objectives**

#### By the end of today's class, you will be able to:



Explain what Panel is and its value in relation to data visualization.



Explain Panel's role within the PyViz ecosystem.



Design and develop a Panel dashboard layout using row, column, and tab objects.



Understand how Panel extensions are used to enable interactivity and plugin integration.



Integrate Plotly and hvPlot plots with Panel dashboard using Panel extensions.



Explain the role of Bokeh in Panel dashboards.



Deploy Bokeh server to host Panel dashboard.

### Creating a Dashboard Is Different than Creating a Report

01

Reports are used to help visualize underlying data and enable users to perform their own analysis of the data.


02


Dashboards are used to consume data tailored to a specific reporting need. The reporting need typically satisfies a business objective or evaluates performance based off of certain indicators.

03

Dashboards can be used to consolidate multiple reports into one view. Structuring reports as parts of dashboards helps create a robust reporting platform based off of a digital dashboard.

### Panel: a PyViz Dashboard Package







Instructor Demonstration Introduction to Panel

#### Panel Dashboarding

Digital dashboards have become a staple in the tech world. Dashboards are used to visualize personal finances, company performance and revenue, and even election predictions and results.



#### **Panel Dashboarding**

01

Panel, a PyViz dashboarding package, has altered the data visualization arena by providing a programmatic way to easily create dashboards. 02

Panel's integration with PyViz makes it a highly valuable skill in analytics and a staple in the Python data visualization ecosystem. 03

Panel allows data scientists and analysts to create and manage dashboards in the same environment they are completing development, using one technology stack. One developer can use the same technology to create both a data pipeline and dashboard visualizations for the data.



Panel's integration with PyViz makes it a highly valuable skill in analytics and a staple in the Python data visualization ecosystem. Dashboards are used to drive business decisions, track and monitor KPIs, and improve operational processes.

# **Getting Started with Panel**



Instructor Demonstration
Getting Started with Panel

### **Getting Started with Panel**

Panel can be imported into Python using the import command.

Panel is equipped with its own set of libraries, functions, and widgets. An example library is the panel.interact library.

When working with Panel in Jupyter Lab, the Jupyter Lab Panel plugin is required. This can be activated using the extension command. If the extension is not activated, Panel objects will not render in Jupyter Lab.

```
import panel as pn
```

```
from panel.interact import interact
from panel import widgets
```

```
pn.extension()
```

### **Getting Started with Panel**

A commonly used Panel function is panel.interact. interact allows users to create widget UI controls to manipulate function parameters.



Parameter widgets provide a convenient, easy way for users to change the values populating the visual, which is extremely handy when completing impact analysis.



The Panel parameter widget bar only appears if a function was passed that accepts parameters. If a function without parameters is passed to the interact function, the interact function will execute, but will not provide the widget bar.



It's important to note that this parameter widget is an added benefit provided by Panel. Not all dashboarding technologies provide this convenient feature.

#### Panel with Python Data Structures

<pre>def choose_year(year):     return year</pre>	oose a year
	nel drop down list using Python List '2018','2017','2016','2015'] ear=list_of_years)
year	
2019	<b>\$</b>
2019	
	nel drop down list using Python List 4','2013','2012','2011','2010'] ear=list_of_years_2)
year	

# **Dashboard Components**



Instructor Demonstration

Dashboard Components: Panes

#### **Dashboard Components: Panes**

Dashboard components create the overall layout and structure of a Panel dashboard and allow media to be rendered on a Panel dashboard.



Panel dashboards have two main components: **panes** and **panels** (rows, columns, and tabs).



**Pane** and **panel** objects work in same way, in that they wrap around pre-existing objects (plots, text, html). Each specific media type will have a helper function that can be used to convert the content to a Panel object.



In order to display and interact with content on a Panel dashboard, the content must be converted to a **Panel** object. Once content is in a Panel **pane** object, the rendered content (i.e., plot, image, html, markdown, etc.) can be accessed and called with Panel.



Panel **panes** and **panels** are similar objects, except **panels** are sub-components (rows, columns, and tabs).



## Activity: No Pane, No Gain

In this activity, you will create a Plotly plot and convert it to a Panel **pane**.

(Instructions sent via Slack.)





Time's Up! Let's Review.



Instructor Demonstration Dashboard Components: Panels

#### **Dashboard Components: Panels**

Panel panels are similar to pane objects, except panels have a structure.



Panels can consist of rows, columns, and/or tabs. Rows, columns, and tabs all serve as storage mechanisms for media types. For example, a Plotly figure stored as a pane can be inserted into a row.



Rows, columns, and tabs are all list objects and operate similarly to Python lists. This means list functions (i.e., add, remove, etc.) can be used to add, remove, and update content.



Rows can be created to list components/media in a horizontal container. Row objects can contain different media types, such as Markdown language or different types of plots.

#### **Dashboard Components: Panels**


Panel panels are similar to pane objects, except panels have a structure.

Columns are similar to rows, except content is aligned in a vertical container. The panel.Column function can be used to align content in a vertical fashion. For example, the row object previously created could be added to a column that also includes Markdown headers.

**Tabs** organize components as selectable tabs, and are an alternative to putting content in a horizontal or vertical container. **Tabs** allow one dashboard to have multiple reports/views into the data. Each **tab** could represent a different data set, plot, and/or analytic objective. Tabs are created using the panel. Tabs function.

```
# Create column using Markdown and row object
column = pn.Column(
    '# Alleghany, PA Real Estate Visualizations',
    '## Sales and Foreclosures',
    row)
column
```

```
# Create tabs
tabs = pn.Tabs(
    ("Correlations", scatter_plot),
    ("Time Series", bar_plot))
tabs
```



## Activity: The Judge's Panel

In this activity, you will execute insert, update, and remove operations on Panel **panels**.

(Instructions sent via Slack.)





Time's Up! Let's Review.



## **Panel Extensions**



Instructor Demonstration
Panel Extensions

#### **Panel Extensions**

Panel supports a wide range of visualization technologies, which are managed by Panel **extensions**.



Panel supports a number of extensions, including Plotly, Bokeh, and Matplotlib. Extensions give Panel the ability to display and use content created by other technologies.



Each Panel extension has its own unique features and colour schemes, and features that are shared across extensions. For this reason, multiple extensions may need to be specified if a dashboard leverages more than one technology (i.e., Plotly and Matplotlib).



By specifying the extension, multiple media types can be combined to create an informative and insightful dashboard.



Panel extensions are specified using the extension function, which loads the corresponding plugin so that content produced by the technology can be rendered and used by Panel.

### Special Rule When Using hvPlot in Panels

When use using hyplot.pandas the panel extensions should be initialized prior to the hyplot.pandas import.

The hyplot.pandas library initializes its own extension through Holoviews which will disallow the panel extensions unless the panel extensions are imported first.





## **Activity:** Extending Plotting

In this activity, you will create a dashboard that contains map visualizations and hvPlot composed plots.

(Instructions sent via Slack.)





Time's Up! Let's Review.

# Dashboards as Web Applications




Instructor Demonstration Dashboards as Web Applications

#### Dashboards as Web Applications

An advantage of using Panel for dashboarding is that they can be deployed as web apps: dashboard applications that are accessible over the internet, rather than just in a Jupyter notebook. This means that any Jupyter notebook containing a Panel object can be deployed as its own independent web app.

Panel is equipped with a servable function that spins up a **Bokeh** server and launches the Jupyter notebook code as a web app. Even though the web app will use the code from the Jupyter notebook, the web app will only display the Panel object being rendered.





### **Activity:**

Monte Carlo Dashboard Web App

In this activity, you will revisit simulations and use Monte Carlo to predict housing sales prices over the next 10 years.

(Instructions sent via Slack.)

Suggested Time: 15 Minutes



Time's Up! Let's Review.

