ARJUNA (NEET)

P XI M1 Pg27

DPP-06

Units and Mesurements

- 1. If main scale division of screw gauge is 1 mm and there 100 division on circular scale, then least count of screw gauge is
 - (A) 0.1 mm

27

27

27

27

27

- (B) 0.01 mm
- (C) 0.01 cm
- (D) 0.001 mm
- **2.** If the time period of oscillation of a pendulum is measured as 2.5 second using
- a stop watch with least count $\frac{1}{2}$ sec, then

the permissible error in the measurement is

- (A) 10%
- (B) 30%
- (C) 20%
- (D) 25%
- **3.** The unit of percentage error is
 - (A) Same as that of physical quantity
 - (B) Different from that of physical quantity
 - (C) Percentage error is unitless
 - (D) Errors have got their own units which are different from that of physical quantity measured
- 4. The percentage errors in measurement of mass and speed are 3% and 2%, respectively. The error in kinetic energy will be
 - (A) 6%
- (B) 7%
- (C) 10%
- (D) 12%
- 5. There is an error of 2% in the measurement of side of a cube. The percentage error in the calculation of its volume will be
 - (A) 1%
 - (B) 2%
 - (C) 3%
 - (D) 6%

6. In the measurement of a physical quantity

$$X = \frac{A^2B}{C^{1/3}D^3}$$
. The percentage errors introduced in the measurements of the quantities, A, B, C and D are 2%, 2%, 4% and 5% respectively. Then the minimum

amount of percentage of error in the

- (A) A
- (B) B
- (C) C
- (D) D
- 7. If x = a b, the maximum percentage error in the measurement of x will be:

measurement of X is contributed by

(A)
$$\left(\frac{\Delta a}{a} + \frac{\Delta b}{b}\right) \times 100\%$$

28

28

(B)
$$\left(\frac{\Delta a}{a} - \frac{\Delta b}{b}\right) \times 100\%$$

(C)
$$\left(\frac{\Delta a}{a-b} + \frac{\Delta b}{a-b}\right) \times 100\%$$

(D)
$$\left(\frac{\Delta a}{a-b} - \frac{\Delta b}{a-b}\right) \times 100\%$$

8. If x = ab, the maximum percentage error in the measurement of x will be:

(A)
$$\left(\frac{\Delta a}{a} \times 100\%\right) \times \left(\frac{\Delta b}{b} \times 100\%\right)$$

28

(B)
$$\left(\frac{\Delta a}{a} \times 100\%\right) \div \left(\frac{\Delta b}{b} \times 100\%\right)$$

(C)
$$\left(\frac{\Delta a}{a} - \frac{\Delta b}{b}\right) \times 100\%$$

(D)
$$\left(\frac{\Delta a}{a} + \frac{\Delta b}{b}\right) \times 100\%$$

29

- 9. In an experiment refractive index of glass was observed to be 1.45, 1.56, 1.54, 1.44, 1.54 and 1.53. The mean absolute error in the experiment is
 - (A) 0.04
- (B) 0.02
- (C) 0.03
- (D) ± 0.01

10. If $x = a^2b$, the maximum percentage error in the measurement of x will be:

(A)
$$\left(\frac{2\Delta a}{a} \times 100\%\right) \times \left(\frac{\Delta b}{b} \times 100\%\right)$$

(B)
$$\left(\frac{2\Delta a}{a} \times 100\%\right) \div \left(\frac{\Delta b}{b} \times 100\%\right)$$

(C)
$$\left(\frac{2\Delta a}{a} - \frac{\Delta b}{b}\right) \times 100\%$$

(D)
$$\left(\frac{2\Delta a}{a} + \frac{\Delta b}{b}\right) \times 100\%$$

- 1. (B)
- 2. (C)
- 3. (C)
- 4. **(B)**
- **5. (D)**
- 6. (C)
- 7. (C)
- 8. (D)
- 9. (A)
- 10. (D)





Note - If you have any query/issue

Mail us at support@physicswallah.org