Ex. No.: 4a)

Date: 12 2 2 5

EMPLOYEE AVERAGE PAY

Aim:

To find out the average pay of all employees whose salary is more than 6000 and no. of days worked is more than 4.

Algorithm:

Program Code:

- 1. Create a flat file emp.dat for employees with their name, salary per day and number of days worked and save it.
- 2. Create an awk script emp.awk
- 3. For each employee record do
- a. If Salary is greater than 6000 and number of days worked is more than 4, then print name and salary earned
- b. Compute total pay of employee
- 4. Print the total number of employees satisfying the criteria and their average pay.

Begin { print "Employee Defails" } {

if (\$2 > 6000 ff \$3 > 4) {

print \$1," \t\t'; \$2 \$53

pay = pay + \$2 \$3

count = count + 1 33 END (print no of employees are =", wount print "total pay = ", pay print average pay=" hay/count?]

Sample Input:

//emp.dat - Col1 is name, Col2 is Salary Per Day and Col3 is //no. of days worked

Output:

Run the program using the below commands

[student@localhost ~]\$ vi emp.dat [student@localhost ~]\$ vi emp.awk [student@localhost ~]\$ gawk -f emp.awk emp.dat.

EMPLOYEES DETAILS

JOE 40000
BEN 49000
AMY 39000
no of employees are= 3
total pay= 128000
average pay= 42666.7
[student@localhost ~]\$

S VI emp. awk

S VI emp. awk

S gawk - Jemp. awk emp. dat

EMPLOYEE DETAILS

JOE 40000

BEN 40000

AMY 39000

no of employees are = 3

Johal pay = 128000

average frey = 42666.7

Result:

Thus the shoot script to find out the average how of all the employees whose salary is more than 6000 and no of days 29 is worked than 4 has be successfully executed