

Tracing in FoodChain-Lab

## Tracing in FoodChain-Lab




- Import the Example Workflow from https://github.com/SiLeBAT/BfROpenLabResources/raw/master/GitHubPages/workflows/Example\_Workflow.zip.
- Open the Tracing View by double-clicking on it.

Tracing in FoodChain-Lab



- In the delivery graph you can see three Outbreak stations (red) and two station where Cross Contamination is assumed.
- The size of each station is based on its "Score", which depends on the Outbreak stations that can be reached from the station.



- We will now observe the trace of a single station in detail.
- Set "PICKING" as Editing Mode and double click on the station in the red circle.

4




- A dialog will pop up, that all attributes of the station.
- Additionally you can change "Weight", "Cross Contamination" and "Observed".




■ Select **Observed** and press **OK**.

Tracing in FoodChain-Lab




- All stations/deliveries of the forward trace are orange-colored and the ones of the backward trace are purple.
- Two of the three Outbreak stations are also orange striped now. That means they are also on the forward trace of the observed station.




- Let's what happens if we deactivate cross contamination in station in the red circle.
- So double click on it.

8



■ Uncheck CrossContamination and press OK.



- Deactivating cross contamination changed the forward trace of the observed station.
- Now the Outbreak station on the left cannot be reached anymore.