## **Dependency Injection**

```
package com.ecommerce.tests;
import static org.junit.jupiter.api.Assertions.assertEquals;
import static org.junit.jupiter.api.Assertions.assertTrue;
import org.junit.jupiter.api.*;
import org.junit.jupiter.api.AfterAll;
import org.junit.jupiter.api.BeforeAll;
import org.junit.jupiter.api.Test;
import org.junit.jupiter.api.condition.DisabledIf;
import org.junit.jupiter.api.condition.EnabledOnOs;
import org.junit.jupiter.api.condition.OS;
import org.junit.platform.runner.JUnitPlatform;
import org.junit.runner.RunWith;
@DisplayName("JUnit 5 Dependency Injection Example")
@RunWith(JUnitPlatform.class)
public class DependencyInjection {
    DependencyInjection(TestInfo testInfo) {
    assertEquals("JUnit 5 Dependency Injection Example", testInfo.getDisplayName());
  }
  @BeforeEach
  void init(TestInfo testInfo) {
    String displayName = testInfo.getDisplayName();
    assertTrue(displayName.equals("TEST 1") || displayName.equals("test2()"));
  }
  @Test
```

```
@DisplayName("TEST 1")
@Tag("my-tag")
void test1(TestInfo testInfo) {
    assertEquals("TEST 1", testInfo.getDisplayName());
    assertTrue(testInfo.getTags().contains("my-tag"));
}

@Test
void test2() {
}
```