

```
In [1]: #Name: Siddhi N. Sakharkar
#Roll no.: 51
#Sec:B
```

```
In [ ]: #Aim : To perform and find accuracy of KNN Classifier
```

```
In [2]: import pandas as pd
import os
import matplotlib.pyplot as plt
import numpy as np
import seaborn as sns
from sklearn.model_selection import train_test_split
import warnings
warnings.filterwarnings('ignore')
```

```
In [3]: os.getcwd()
```

Out[3]: 'C:\\Users\\lenovo'

```
In [4]: os.chdir('C:\\Users\\lenovo\\Desktop')
```

```
In [5]: df=pd.read_csv('framingham.csv')
```

```
In [6]: df.head()
```

Out[6]:

	male	age	education	currentSmoker	cigsPerDay	BPMeds	prevalentStroke	prevalentHyp	diabetes	totChol	sysBP	diaBP	BMI	heartRate
0	1	39	4.0	0	0.0	0.0	0	0	0	195.0	106.0	70.0	26.97	80.1
1	0	46	2.0	0	0.0	0.0	0	0	0	250.0	121.0	81.0	28.73	95.1
2	1	48	1.0	1	20.0	0.0	0	0	0	245.0	127.5	80.0	25.34	75.1
3	0	61	3.0	1	30.0	0.0	0	1	0	225.0	150.0	95.0	28.58	65.1
4	0	46	3.0	1	23.0	0.0	0	0	0	285.0	130.0	84.0	23.10	85.1

```
In [7]: df.tail()
```

Out[7]:

	male	age	education	currentSmoker	cigsPerDay	BPMeds	prevalentStroke	prevalentHyp	diabetes	totChol	sysBP	diaBP	BMI	heartRate
4235	0	48	2.0	1	20.0	NaN	0	0	0	248.0	131.0	72.0	22.00	
4236	0	44	1.0	1	15.0	0.0	0	0	0	210.0	126.5	87.0	19.16	
4237	0	52	2.0	0	0.0	0.0	0	0	0	269.0	133.5	83.0	21.47	
4238	1	40	3.0	0	0.0	0.0	0	1	0	185.0	141.0	98.0	25.60	
4239	0	39	3.0	1	30.0	0.0	0	0	0	196.0	133.0	86.0	20.91	

```
In [8]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 4240 entries, 0 to 4239
Data columns (total 16 columns):
#   Column          Non-Null Count  Dtype
---  -
0   male            4240 non-null   int64
1   age             4240 non-null   int64
2   education       4135 non-null   float64
3   currentSmoker   4240 non-null   int64
4   cigsPerDay      4211 non-null   float64
5   BPMeds          4187 non-null   float64
6   prevalentStroke  4240 non-null   int64
7   prevalentHyp    4240 non-null   int64
8   diabetes        4240 non-null   int64
9   totChol         4190 non-null   float64
10  sysBP           4240 non-null   float64
11  diaBP           4240 non-null   float64
12  BMI             4221 non-null   float64
13  heartRate       4239 non-null   float64
```

```
14 glucose          3852 non-null    float64
15 TenYearCHD       4240 non-null    int64
dtypes: float64(9), int64(7)
memory usage: 530.1 KB
```

```
In [9]: df.describe()
```

	male	age	education	currentSmoker	cigsPerDay	BPMeds	prevalentStroke	prevalentHyp	diabetes	totChol
count	4240.000000	4240.000000	4135.000000	4240.000000	4211.000000	4187.000000	4240.000000	4240.000000	4240.000000	4190.000000
mean	0.429245	49.580189	1.979444	0.494104	9.005937	0.029615	0.005896	0.310613	0.025708	236.69952
std	0.495027	8.572942	1.019791	0.500024	11.922462	0.169544	0.076569	0.462799	0.158280	44.59128
min	0.000000	32.000000	1.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	107.00000
25%	0.000000	42.000000	1.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	206.00000
50%	0.000000	49.000000	2.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	234.00000
75%	1.000000	56.000000	3.000000	1.000000	20.000000	0.000000	0.000000	1.000000	0.000000	263.00000
max	1.000000	70.000000	4.000000	1.000000	70.000000	1.000000	1.000000	1.000000	1.000000	696.00000

```
In [10]: df.isna().sum()
```

```
Out[10]: male          0
age          0
education    105
currentSmoker  0
cigsPerDay   29
BPMeds       53
prevalentStroke  0
prevalentHyp   0
diabetes      0
totChol       50
sysBP         0
diaBP         0
BMI           19
heartRate     1
glucose       388
TenYearCHD    0
dtype: int64
```

```
In [11]: df['glucose'].fillna(value = df['glucose'].mean(),inplace=True)
```

```
In [12]: df['education'].fillna(value = df['education'].mean(),inplace=True)
```

```
In [13]: df['heartRate'].fillna(value = df['heartRate'].mean(),inplace=True)
```

```
In [14]: df['BMI'].fillna(value = df['BMI'].mean(),inplace=True)
```

```
In [15]: df['cigsPerDay'].fillna(value = df['cigsPerDay'].mean(),inplace=True)
```

```
In [16]: df['totChol'].fillna(value = df['totChol'].mean(),inplace=True)
```

```
In [17]: df['BPMeds'].fillna(value = df['BPMeds'].mean(),inplace=True)
```

```
In [18]: df.isna().sum()
```

```
Out[18]: male          0
age          0
education     0
currentSmoker  0
cigsPerDay    0
BPMeds        0
prevalentStroke  0
prevalentHyp   0
diabetes      0
totChol       0
```

```
sysBP      0
diaBP      0
BMI         0
heartRate  0
glucose    0
TenYearCHD 0
dtype: int64
```

```
In [19]: df.isna().sum()
```

```
Out[19]: male      0
age      0
education 0
currentSmoker 0
cigsPerDay 0
BPMeds    0
prevalentStroke 0
prevalentHyp 0
diabetes  0
totChol   0
sysBP     0
diaBP     0
BMI       0
heartRate 0
glucose   0
TenYearCHD 0
dtype: int64
```

```
In [20]: #Splitting the dependent and independent variables.
x = df.drop("TenYearCHD",axis=1)
y = df['TenYearCHD']
```

```
In [21]: x #checking the features
```

```
Out[21]:
```

	male	age	education	currentSmoker	cigsPerDay	BPMeds	prevalentStroke	prevalentHyp	diabetes	totChol	sysBP	diaBP	BMI	heartRate
0	1	39	4.0	0	0.0	0.000000	0	0	0	195.0	106.0	70.0	26.97	
1	0	46	2.0	0	0.0	0.000000	0	0	0	250.0	121.0	81.0	28.73	
2	1	48	1.0	1	20.0	0.000000	0	0	0	245.0	127.5	80.0	25.34	
3	0	61	3.0	1	30.0	0.000000	0	1	0	225.0	150.0	95.0	28.58	
4	0	46	3.0	1	23.0	0.000000	0	0	0	285.0	130.0	84.0	23.10	
...
4235	0	48	2.0	1	20.0	0.029615	0	0	0	248.0	131.0	72.0	22.00	
4236	0	44	1.0	1	15.0	0.000000	0	0	0	210.0	126.5	87.0	19.16	
4237	0	52	2.0	0	0.0	0.000000	0	0	0	269.0	133.5	83.0	21.47	
4238	1	40	3.0	0	0.0	0.000000	0	1	0	185.0	141.0	98.0	25.60	
4239	0	39	3.0	1	30.0	0.000000	0	0	0	196.0	133.0	86.0	20.91	

4240 rows × 15 columns



Train Test Split

```
In [22]: x_train,x_test,y_train,y_test = train_test_split(x,y,test_size=0.2,random_state=42)
```

```
In [23]: y_train
```

```
Out[23]: 1427    0
3257    0
3822    0
1263    0
3575    0
..
3444    0
466     0
3092    0
3772    0
860     0
```

Name: TenYearCHD, Length: 3392, dtype: int64

KNN Classifier

```
In [24]: from sklearn.neighbors import KNeighborsClassifier
knn = KNeighborsClassifier(n_neighbors=5, p=2, metric='minkowski')
knn.fit(x_train, y_train)
acc = knn.score(x_test, y_test)*100
print(acc)
```

84.19811320754717

In []:

Loading [MathJax]/jax/output/CommonHTML/fonts/TeX/fontdata.js