

Top 50 MySQL Interview Questions You Must Prepare In 2019

2K Views



Sahiti Kappagantula

Published on Jan 17,2019

MySQL Interview Questions:

In the era of 2.5 Quintillion bytes of data being generated every day, data plays a crucial role in [decision making](#) for business operations. This quite quintessentially makes us handle data in databases and gives us the need to use database management systems. With various kinds of [Database Management System\(DBMS\)](#) present in the market today, the Relational Database Management System(RDBMS) is one of the most popular systems available. This type of DBMS, uses a structure that allows the users to identify and access data *in relation* to another piece of data in the database, and MySQL is one such popular RDBMS. Well, knowing [MYSQL](#) opens the doors for you to become a Database Administrator. I believe that you are already aware of these facts and this has made you land on this MySQL Interview Questions article.

In this article on MySQL Interview Questions, I will be discussing the top questions related to MySQL asked in your interviews. These questions are collected after consulting with people having excellent [skills](#) in this field. For your better understanding, I have divided the article into the following sections:

1. [MySQL DBA Interview Questions](#)
2. [PHP MySQL Interview Questions](#)
3. [Complex MySQL Interview Questions](#)
4. [Tricky MySQL Interview Questions](#)



So, let’s get started guys.

MySQL DBA Interview Questions

Q1. Can you tell the difference between Mysql_connect And Mysql_pconnect?

Mysql_connect	Used to open a new connection to a database.
	You can open and close the database connection based on the request.
	Opens a page everytime the page is loaded.
Mysql_connect vs Mysql_pconnect	
Mysql_pconnect	Used to open a persistent connection in a database.
	You cannot close the database connection.
	There is no need to open and close a connection everytime a page is loaded.


Q2. What is the default port for MySQL server?

MySQL Server’s default port is **3306**. Apart from this, another standard default port for the SQL Server in TCP/IP is **1433**.


Q3. Can you tell what are the different set operations available in MySQL?

The various set operations available in MySQL are as follows:

Subscribe to our Newsletter, and get personalized recommendations. ✕




Sign up with Google



Signup with Facebook

Already have an account? [Sign in.](#)



- MEDIUMBLOB
- LONGBLOB

TEXT

TEXT is used to store string values and holds up to a maximum length of 65,535 characters. The following are the four types of TEXT

- TINYTEXT
- TEXT
- MEDIUMTEXT
- LONGTEXT

Q12. Can you tell how can you display the Maximum salary in SQL?

To display the maximum salary in SQL, you can use the inbuilt function called MAX().

Q13. What is the difference between the NVL function, IFNULL function, and the ISNULL function?

The NVL function, IFNULL function, and the ISNULL function all of them are used to replace the NULL value with another value. The ORACLE users use the NVL function, MySQL users use the IFNULL function and the SQL servers use the ISNULL function

For example, let us say we have a column(column_3) which has NULL values.

So, if you run the below statement, the output you would get is a NULL value.

```
1 | SELECT column_1 * (column_2 + column_3) FROM Example_Table
```

Now, to overcome this, you can use the above three functions as follows:

```
1 | SELECT column_1 * (column_2 + NVL(column_3,0)) FROM Example_Table
2 | SELECT column_1 * (column_2 + IFNULL(column_3,0)) FROM Example_Table
3 | SELECT column_1 * (column_2 + ISNULL(column_3,0)) FROM Example_Table
```

Q14. What is the difference between GUI Testing and Database Testing?

GUI Testing	Database Testing
Also known as User Interface Testing of Front-end Testing.	Also known as Back-End Testing or Data Testing.
Deals with items that interact with users.	Deals with items that are hidden from users.
Testers need not know SQL.	Testers need to know SQL.
GUI Testing focuses on the outlook of the application	Database Testing focuses on the integrity of data in the front end with the data present in the back end

Q15. How To Display Nth Highest Salary From A Table In A Mysql Query?

Consider the table named "Employee".

Now, to find the Nth salary consider the below statement.




MySQL DBA Certification Training

- [Instructor-led Sessions](#)
- [Real-life Case Studies](#)
- [Assignments](#)
- [Lifetime Access](#)

Explore Curriculum

```
1 | SELECT DISTINCT(salary) FROM employee ORDER BY salary DESC LIMIT n-1,1
```

Subscribe to our Newsletter, and get personalized recommendations.

 Sign up with Google

 Signup with Facebook

Already have an account? [Sign in.](#)

The command used to create a database using both PHP and MySQL is ***mysql_create_db("Database Name")***.

Q2. Can you tell the Difference Between Mysql_fetch_object And Mysql_fetch_array?

Both of them are similar but vary with a single difference. Mysql_fetch_object return as object and Mysql_fetch_array returns an array. This means that you cannot access the data by their offsets but can only access through its fields names.

Q3: What are the ways in which you can retrieve data in the result set of MySQL using PHP?

The different ways in which you can retrieve data in the result set of MySQL using PHP are as follows:

- mysql_fetch_object: This constant fetches a result row as an object.
- mysql_fetch_array: This constant fetches a result row as an associative array, numeric array or as both.
- mysql_fetch_row: This constant gives us a result row as an enumerated array.
- mysql_fetch_assoc: This constant gives us a result row as an associative array.

Q4. Can you tell how many values can Set the function of MySQL to consider?

MySQL's Set function can take a maximum of 64 values, but can also consider 0 values.

Q5. Can you tell the reasons for selecting Lamp(Linux, Apache, MySQL, PHP) instead of any other combination of software programs, servers, and operating system?

The reason behind selecting Lamp stack is very simple. Linux, Apache, MySQL, PHP are open source software. The security of the Linux operating system is much more than Windows. The Apache server is a better server than others in the perspective of functionalities and security. MySQL is one of the most popular open source databases is used with PHP to perform various functionalities.

Q6. Can you tell a way to know the number of days between the two given dates in PHP?

You can simply declare the two dates, and then use the ***strtotime*** function to subtract both the dates and find the differences between the days in seconds.

Consider the below example.

```
date1 ='2018-09-15';
date2 = '2018-10-15';
days = (strtotime($date1) - strtotime($date2)) / (60 * 60 * 24);
```

Q7. Can you tell how to find the number of rows in a resultset using PHP?

You can use the mysql_num_rows function to find the number of rows in a resultset.

Consider the below example.

```
1 | output = mysql_query(sql, database_name);
2 | number_of_rows = mysql_num_rows(output);
3 | echo "The number of forws found are equal to: $number_of_rows";
```

Q8. What are the functions used to encrypt and decrypt the data present in MySQL?

The function used to encrypt the data is ***AES_ENCRYPT()*** and the function used to decrypt the data is ***AES_DECRYPT()***.

Q9. If you wish to encrypt the username and password using PHP, how will you do that?

You can encrypt the username and password using the following functions respectively:

```
1 | SET USERNAME=USERNAME("Username");
2 | SET PASSWORD=PASSWORD("Password");
```

Q10. How can you increase the performance of MySQL SELECT query?

The **SELECT** statement is used to select data from a database and the data returned is stored in a result table, called the **result-set**. The SELECT statement can be either individually used or can be used with other statements such as **ORDER BY**, **GROUP BY**, and **HAVING** clause.

Subscribe to our Newsletter, and get personalized recommendations. ✕



Sign up with Google



Signup with Facebook

Already have an account? [Sign in.](#)

You can write a program to select the students details from the student table and use the loop to just print the name of students.

```
1 | example_query = mysql_query("SELECT * FROM 'students' WHERE 'student_id' = '1';");
2 | while(output = mysql_fetch_array(example_query))
3 | {
4 |     echo output['Students_Name'];
5 | }
```

Q13. How can you take the backup and restore a MySQL database using PHP?

MySQL comes with a utility mysqldump to provide the database backup and restore. The command you can use for backup and restore are as follows respectively.

```
1 | //To take the backup of database
2 | mysqldump database > backup -file.sql;
3 | //To restore the database
4 | mysqldump database < backup -file.sql;
```

You can also use the phpMyAdmin user interface to backup your database. If you wish to backup, the database you just have to click on the “**export**” link on the phpMyAdmin main page.

Q14. Can you tell the difference between ereg_replace() and eregi_replace()?

ereg_replace and eregi_repalce() are regular expressions used to replace the matching characters. The only difference between these functions are eregi_replace() function ignores the case distinction when it matches alphabetic characters.

Q15. How to copy data from one server to another using PHP?

You can use the following three options:

Option 1: You can use the PHP Copy to move files from server to server. Refer to the syntax below:



MySQL DBA Certification Training

Watch The Course Preview

```
1 | /* Copy the file from source url to server */
2 | $copy = copy( $remote_file_url, $local_file );
```

Option 2: You can use the PHP FTP to move files from server to server. Refer to the syntax below.

```
1 | /* Download $remote_file and save to $local_file */
2 | ftp_get($connect_it,$local_file,$remote_file,FTP_BINARY)
```

Option 3: You can use the ZIP and UNZIP Files option in PHP.

Now, let's move on to the next set of questions, which is the Complex MySQL Interview Questions.

Complex MySQL Interview Questions

Q1. Can you tell few best practices to be followed for optimization in SQL?

The best practices to be followed for SQL optimizations depend on the individual to individual, but the following list consists of the most popular practices that are advised to follow. Refer below.

- Try avoiding prefixing your stored procedure names with “sp_”.
- It is recommended to use the column list in INSERT statements.
- Preferably use the ANSI-Standard JOIN Clauses rather than the Old style clauses.
- While using SELECT statement, avoid using * queries.
- Do not use double quotes in T-SQL code.

Subscribe to our Newsletter, and get personalized recommendations. ✕



Sign up with Google



Signup with Facebook

Already have an account? [Sign in.](#)

- You can indirectly identify the index by defining the PRIMARY KEY and the UNIQUE constraint within the CREATE TABLE or ALTER TABLE statement.

Q3. What is the difference between a Heap table and Temporary table?

Heap Table	Temporary Table
Heap Table exists in the memory	A temporary table is valid only during the session.
Heap Tables are shared among a various number of clients.	Temporary tables are not shared among the clients.
Temporary tables need a special privilege to create tables.	Heap Tables are storage engines which do not need special privileges.

Q4. Why do you think it is advised to not to use GUID and CHARACTER columns as Clustered Index arrays?

GUID columns affect the clustered index sorting performance as the nature of the random GUID value generated is larger than the integer data types.

CHARACTER columns affect the sorting performance of the character data types, larger-size values, non-increasing values, and non-static values which often tend to change. These values cannot be compared as binary values, as the characters comparison mechanism depends on the used collection.

Q5. How can you handle the –secure-file-priv in MySQL?

-secure-file-priv option limits the MySQL Server from loading the directories using the LOAD DATA INFILE.

If you wish to see the directory that has been configured then you may use the **SHOW VARIABLES LIKE “secure_file_priv”;**

You have mainly two options to tackle:

- Either move your file to the directory specified by the secure-file-priv.
- Or you can disable secure-file-priv. You cannot disable this later on, and you have to remove it from the start itself.

Q6. What is the difference between B-Tree and Hash Indexes?

B-Tree	Hash Indexes
A B-Tree index can be used for column comparisons like =, >, <, >=, <= or BETWEEN operators.	A Hash-Index can be only used for equality comparisons that use =, >=, <=.
B-Tree can be used to search the next entry in the order.	Hash Index cannot be used to search for the next entry in the order.
Any leftmost prefix of the key can be used to find the rows.	Only whole keys are used to find a row.

Q7. Where is the MyISAM table stored?

Each and every MyISAM Table is stored on disk in the following three files:

- .frm file – Stores the table definition.
- .MYD file – A data file has an MYData extension.
- .MYI index file – The index file has an MYIndex extension.


Q8.State the differences between MongoDB and MySQL.

MongoDB	MYSQL
An open source database that stores JSON like documents which vary in structure.	An open source relational database management system which stores relational data.
Each and every individual record are stored as documents.	Each and every individual record are stored as rows in a table.
Documents from a particular class or a group are stored in a collection.	A similar type of records are stored in a table.

Q9. Identify what is wrong in the below query.

Subscribe to our Newsletter, and get personalized recommendations.

✕

 Sign up with Google

 Signup with Facebook

Already have an account? [Sign in.](#)


```
1 | SELECT EmployeeID, AVG(Salary)
2 | FROM EmployeeDetails
3 | HAVING AVG(Salary) > 75
4 | GROUP BY EmployeeID
```

Q10. What is Normalization and list the different types of normalization?

Normalization is the process of organizing data to avoid duplication and redundancy. There are many successive levels of normalization. These are called **normal forms**. Each consecutive normal form depends on the previous one. The first three normal forms are usually adequate.

- *First Normal Form (1NF)* – No repeating groups within rows
- *Second Normal Form (2NF)* – Every non-key (supporting) column value is dependent on the whole primary key.
- *Third Normal Form (3NF)* – Dependent solely on the primary key and no other non-key (supporting) column value.

Now, let us move on to the next set of questions which is the Tricky MySQL Interview Questions.

Tricky MySQL Interview Questions

Q1. Consider you have a composite index of three columns. Now, you have to provide the value of two columns in the WHERE clause of a SELECT query. Do you think Index can be used for the operation?

Usage of index completely depends on if you consider the primary index or not. Consider you have a student table. Now, suppose if an Index is present on StudentID, StudentFirstName, and StudentLastName then you can consider a query as follows:

```
1 | SELECT * FROM StudentDetails WHERE StudentID=3 and StudentFirstName='Jatin'
```

Now, if you consider that the above two columns in the query are the secondary index columns, then the index will not be invoked. Else, if the above two columns contain the first column while creating an index(i.e. the primary index), then the index will definitely be invoked.

In the above scenario, I have considered that StudentID and the StudentFirstName as primary columns, so an Index will be used in this case.

Q2. Suppose you have to collect the first name, middle name and the last name of students from the below table. But, you observe that there few missing values either in the first name, middle name and the last name columns. How will you return the first non-null values?

StudentID	FirstName	MiddleName	LastName
1	Rohit	Kumar	NULL
2	Sakshi	Chowdhary	NULL
3	NULL	Yash	Singhanian
4	Akash	NULL	Kumar
5	Avinash	NULL	Daksh

You can use the COALESCE function to return the first non-null value from the table. Consider the below query.

```
1 | SELECT StudentID, COALESCE(FirstName, MiddleName, LastName) as Name FROM StudentDetails;
```

Q3. Consider a scenario where you have two to three tables with thousand tuples in each of them. Now, if you have to perform a JOIN operation between them will you choose to perform filtering of rows or transforming of rows first.


The answer to this question is quite logical. If you have three tables with thousands of tuples in each of them, then you are first supposed to filter the rows in those tables and then transform the table. This would be beneficiary as if you transform the table, then the number of columns may increase reducing the performance. Due to such performance issues, a lot of memory will be used and the output will appear on your screen after quite a long wait of time.

Q4. How can you validate emails using a single query?


To validate emails you can use the regular expressions function (REGEXP_LIKE). Consider the below query.

```
1 | SELECT
```

Subscribe to our Newsletter, and get personalized recommendations.



Sign up with Google



Signup with Facebook

Already have an account? [Sign in.](#)

- Write a script to send an email. Refer below for the script.

```

1  USE [YourDB]
2  EXEC msdb.dbo.sp_send_dbmail
3  @recipients = 'abc@example.com; def@example.com;xyz@example.com'
4  @body = ' Sample Body Text',
5  @subject = 'Example Email' ;
6  GO

```

Q6. Consider you have the following three tables which have to be linked together.

Department(Ssn, EmployeeName, EmployeeAge..)

EmployeeContactDetails(Ssn, DepartmentID,desc,Ord)

EmployeeAddress(Ssn,DepartmentID, desc, Ord)

The problem statement is to select all the departments from the Department table, with the “desc” field from the EmployeeContactDetails and EmployeeAddress where Ord=1. Now, you have to solve this problem statement with a single query.

To solve this problem statement you can use the JOINS concept. You simply have to perform a JOIN on the Department.Ssn and the DepartmentID in the other tables.



MySQL DBA Certification Training

[Weekday / Weekend Batches](#)

[See Batch Details](#)

Now, if you are sure that the Ssn exists in all the three considered tables, then you can use the INNER JOIN. Also, if you are not sure that you have matching rows, then you can use the LEFT JOIN. Consider the below query.

```

1  SELECT d.Ssn,
2  d.EmployeeName,
3  c.desc ContactDetailsDesc,
4  a.desc AddressDetailsDesc
5  from Department d
6  inner join EmployeeContactDetails c
7  on d.id = c.DepartmentID
8  inner join address a
9  on d.id = a.DepartmentID
10 where d.EmployeeName = 'abc'
11 and c.ord = 1
12 and a.ord = 1

```

Q7. If you are assigned a task, to find the information of PROCEDURES. What are the basic commands that you will use to do so?

To check the procedures, you can consider the following query.

```

1  SELECT * FROM SampleSource
2  WHERE Type='PROCEDURE'
3  AND NAME IN ( 'SP_CONNECTED_AGG', 'SP_UNCONNECTED_AGG' );

```

To find the procedures columns information, you can consider the following query.

```

1  SELECT OWNER, OBJECT_NAME, ARGUMENT_NAME, DATA_TYPE, IN_OUT from ALL_ARGUMENTS order by OWNER,

```

Q8. Can you tell which of the following WHERE clauses is faster?

WHERE col * 4 < 16

WHERE col < 16 / 4

Subscribe to our Newsletter, and get personalized recommendations. ✕



Sign up with Google



Signup with Facebook

Already have an account? [Sign in.](#)


```
1 | SELECT * FROM Students where ROLL_NO BETWEEN 10 AND 50;
```

Example of IN:

```
1 | SELECT * FROM students where ROLL_NO IN (8,15,25);
```

Q10. What are the different types of Collation Sensitivity?

Following are the different types of collation sensitivity:

- Case Sensitivity
- Kana Sensitivity
- Width Sensitivity
- Accent Sensitivity

So this brings us to the end of the MySQL Interview Questions blog. I hope this set of MySQL Interview Questions will help you ace your job interview. **All the best for your interview!**

Apart from this MySQL Interview Questions Blog, if you want to get trained from professionals on this technology, you can opt for a structured training from edureka! Click below to know more.

Check out this [MySQL DBA Certification Training](#) by Edureka, a trusted online learning company with a network of more than 250,000 satisfied learners spread across the globe. This course trains you on the core concepts & advanced tools and techniques to manage data and administer the MySQL Database. It includes hands-on learning on concepts like MySQL Workbench, MySQL Server, Data Modeling, MySQL Connector, Database Design, MySQL Command line, MySQL Functions etc. End of the training you will be able to create and administer your own MySQL Database and manage data.

Got a question for us? Please mention it in the comments section of this "MySQL Interview Questions" blog and we will get back to you as soon as possible.

Recommended articles for you**[Frequently Asked Data Science Interview Questions](#)**[Read Article](#)**[Hadoop Interview Questions For 2019 – Setting Up Hadoop Cluster](#)**[Read Article](#)**[Top 55 Blockchain Interview Questions You Must Prepare In 2019](#)**[Read Article](#)**[Top Puppet Interview Questions For 2019 : Need To Know About](#)**[Read Article](#)

<>

Comments

0 Comments

Subscribe to our Newsletter, and get personalized recommendations. ✕



Sign up with Google



Signup with Facebook

Already have an account? [Sign in.](#)

0 Comments

https://www.edureka.co/blog/

1

 Login

Recommend

Tweet

Share

Sort by Best

Start the discussion...

LOG IN WITH

OR SIGN UP WITH DISQUS ?

Name

Be the first to comment.

ALSO ON [HTTPS://WWW.EDUREKA.CO/BLOG/](https://www.edureka.co/blog/)

Ethereum Smart Contract – How to execute a Smart Contract?

1 comment • 2 months ago

ElvisPresley — Really amazing article. We get brief explanation about how smart contract works. Surely I will share this article.If anyone having an idea to ...

Blockchain Applications That Are Changing The World

2 comments • 3 months ago

Ankur Goyal — Hi Mahesh,Blockchain is in its very early stage. Lot of work is going on, many suggestions and improvements are being worked upon. So ...

RPA Blue Prism – An Introductory Guide To Blue Prism

2 comments • 3 months ago

Rinku — contact me 9058691911 blue prism expert

Deep Learning with Python : Beginners Guide to Deep Learning

1 comment • 2 months ago

Lela — A holiday to the most fascinating destinations in the world with the ones you love and a gorgeous residential home you want to purchase. Is your ...

Subscribe

Add Disqus to your siteAdd DisqusAdd

Disqus' Privacy PolicyPrivacy PolicyPrivacy

Trending Courses in Databases

SQL

SQL ESSENTIALS

TRAINING & CERTIFICATION

SQL Essentials Training & Certification

4k Enrolled Learners

Weekend/Weekday

Self Paced

Reviews

★★★★★ 5 (1550)

MySQL

MYSQL DATABASE ADMINISTRATION

CERTIFICATION TRAINING

MySQL DBA Certification Training

2k Enrolled Learners

Weekend

Live Class

Reviews

★★★★★ 5 (500)

MONGODB

CERTIFICATION TRAINING

MongoDB Certification Training

15k Enrolled Learners

Weekend

Live Class

Reviews

★★★★★ 4 (5750)

APACHE CASSANDRA

CERTIFICATION TRAINING

Apache Cassandra Certification Training

12k Enrolled Learners

Weekend

Live Class

Reviews

★★★★★ 5 (4750)

⌵

Browse Categories

Artificial Intelligence

BI and Visualization

Big Data

Blockchain

Cloud Computing

Cyber Security

Data Science

Data Warehousing and ETL

DevOps

Digital Marketing

Front End Web Development

Mobile Development

Operating Systems

Programming & Frameworks

Project Management and Methodologies

Robotic Process Automation

Software Testing

Subscribe to our Newsletter, and get personalized recommendations.

Sign up with Google

Signup with Facebook

Already have an account? [Sign in.](#)

https://www.edureka.co/blog/interview-questions/mysql-interview-questions/

10/11



© 2019 Brain4ce Education Solutions Pvt. Ltd. All rights Reserved.

"PMP®","PMI®", "PMI-ACP®" and "PMBOK®" are registered marks of the Project Management Institute, Inc.
MongoDB®, Mongo and the leaf logo are the registered trademarks of MongoDB, Inc.

Subscribe to our Newsletter, and get personalized recommendations. ✕



Sign up with Google



Signup with Facebook

Already have an account? [Sign in.](#)